		DATE OF ISSUANCE
U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRATION NO.	
OFFICE OF PESTICIDES PROGRAMS	.179-1.146	<b>JAN</b> 1985
REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	TERM OF ISSUANCE	
		1900ember 1, 1986
	NAME OF PESTICIDE PROD	DUCT
	Ammo 2.4 Mis	airle Insectionde
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
· · · · · · · · · · · · · · · · · · ·		
AME AND ADDRESS OF REGISTRANT (Include ZIP code)		194, 140554
		1 11030
F FMC Corporation	1	199 1
Agricultural Chemical Group		Tr
2000 Gerket Street		15
Philadelphia, F7 (1910)		70
L		
OTE: Changes in labeling formula differing in substance		
submitted to and accepted by the Registration Division product always refer to the above U.S. EPA registration nu		erce, in any correspondence on t
On the basis of information furnished by the registrant, the The Federal Insecticide, Fungicide, and Rodenticide Act.		reby Registered/Reregistered un
A copy of the labeling accepted in connection with this R	egistration/Reregistration is r	eturned herewith.
Registration is in no way to be construed as an indorseme	nt or approval of this product h	by this Agency. In order to prote
Act is not to be construed as giving the registrant a right by others.	name in connection with the rep to exclusive use of the name of	
by others.	to exclusive use of the name of	or to its use if it has been cover
	to exclusive use of the name of	or to its use if it has been cover
by others.	to exclusive use of the name o	or to its use if it has been cover
ere and the state of the state	to exclusive use of the name o	or to its use if it has been cover
ere and the state of the state	to exclusive use of the name of the name of the name of the theorem of theorem of	or to its use if it has been covere
ereis disepertant to the	to exclusive use of the name of the first set of the constraint superior the constraint of Arran 30, 1986, that is adopted from the	an formation a
<pre>py others.</pre>	to exclusive use of the name of THELTIGENESS OF ACTORIES MIREMANNESS THE OFFICE STREET WHELTIGENESS THE THEORY STREET	an formation a
<pre>by others.</pre>	to exclusive use of the name of the interest of a consider agreen to the objection of Arrah 30, 1980, the interest of the off or the according to the off or the according to the	or to its use if it has been covere spreed on the FIG of the second term of the second
<pre>by others.</pre>	to exclusive use of the name of the exclusive use of the name of equivalent to the collowing of Arral 30, 1986, this is identified to the original arra be	or to its use if it has been cover enough the PI sector in the operation is not not set? and DCCP is the description
<pre>by others.</pre>	to exclusive use of the name of the exclusive use of the name of subleas to the objects of Arral 30, 1986. Standing adoption of the of these despected	and the second state of the been cover and the second state of the
<pre>py others.</pre>	to exclusive use of the name of Testiniteses in accords superated the objects of Arral 30, 1986. Starst 30, 1986. Starst 30, 1986. Starst 30, 1986. Starst 30, 1987. Starst 30, 1987. Starst 30, 1987. Starst 30, 1987.	The set of the been cover and the formation of the formation of the the set and DOCAL 1 deservation of the side
<pre>&gt;y others. (n:</pre>	to exclusive use of the name of the exclusive use of the name of equeenal to the objects of Arral 30, 1966. The object dentifies the theoreties contribu- of these dentifies be of these dentifies on see lind chemiscion trees.	or to its use if it has been cover space on the PIC data and the operation of inconstraints inconstraints description of the the view there use it a spectrum short the view
<pre>by others. (n:) (not start - constrained by others. (not and reacted comparadata by a start of comparadata by series of comparadata by series (not comparadata by series to be presented of the share of a start of the series of comparation and dealers of the series of comparation and dealers of the series of the serie</pre>	to exclusive use of the name of refloring entry is according representation of according where is the control of the control to the control of othe control to the structure of a particular structure of a control of the control of the control of a control of the control of a control of the contr	an formation a description a d
<pre>&gt;y others. (n:</pre>	to exclusive use of the name of refloring entry is according representation of according where is the control of the control to the control of othe control to the structure of a particular structure of a control of the control of the control of a control of the control of a control of the contr	an formation a description a d
<pre>by others.</pre>	to exclusive use of the name of the exclusive use of the name of the exclusive is a consist of provident ties the theoreties constrained of these despects the semiline constrained on the of degradation pre- constrained on exclusion of the providence of the constrained on exclusion of the of degradation pre- constrained on exclusion of the of degradation of the offer of the offer offer on the offer of the offer offer on the offer	an to its use if it has been covere approximation of the second incompation of incompation of incompation of incompation of incompation of the second of the second of the second of the second of the second of the second and the second of the second of the second and the second of the
y others. (not include and include ally of the formation of include and the second at all the same of the same of the same of the same station of the same station of the same station and declare the station and declare the same station and the same	to exclusive use of the name of the exclusive use of the name of equipage to the objective of Arral 30, 1986. Theory is the objective of these despective semiling should be of these despective of the sector of the objective courses the end which the these the	The its use if it has been covered approximation of the second incompation of incompation of incompation of incompation of incompation of incompation of incompation of the incompation of the second
<pre>by others.</pre>	to exclusive use of the name of the exclusive use of the name of equipage to the objective of Arral 30, 1986. Theory is the objective of these despective semiling should be of these despective of the sector of the objective courses the end which the these the	an to its use if it has been covere approximation of the second incompation of incompation of incompation of incompation of incompation of the second of the second of the second of the second of the second of the second and the second of the second of the second and the second of the
<pre>by others.</pre>	to exclusive use of the name of heat nieses is an order hypera to the objects of Arral 30, 1980. Arral 400 area is contained on the sensitive of degradation pre- is which are conset to the of degradation pre- is which are conset to the of the sensitive of the array.	append the Pieders. append the Pieders. An formation a intro appende intro ap
y others. (http://www.second.com/probably of //www.second.com/probably of //www.second.com/probably of //www.second.com/probably of //www.second.com/probably of //www.second.com/probably //www.second.com	to exclusive use of the name of THELTIGATES IN ACTORIZATION AND THE THE ACTORIZATION AND THE ACTORIZATION AND AND THE ACTORIZATION AND AND AND AND AND AND AND AND AND AN	The second secon
<pre>by others.</pre>	to exclusive use of the name of THELTIGATES IN ACTORIZATION AND THE THE ACTORIZATION AND THE ACTORIZATION AND AND THE ACTORIZATION AND AND AND AND AND AND AND AND AND AN	The second secon
by others. (http://www.sectors.lly of the first state of the sectors of the same of the s	to exclusive use of the name of THELTIGATES IN ACTORIZATION AND THE THE ACTORIZATION AND THE ACTORIZATION AND AND THE ACTORIZATION AND AND AND AND AND AND AND AND AND AN	The second secon
by others. (http://www.sectors.lly of the first state of the sectors of the same of the s	to exclusive use of the name of THELTIGATES IN ACTORIZATION AND THE THE ACTORIZATION AND THE ACTORIZATION AND AND THE ACTORIZATION AND AND AND AND AND AND AND AND AND AN	The second secon
by others. (http://www.sectors.lly of the first state of the sectors of the same of the s	to exclusive use of the name of THELTIGATES IN ACTORIZATION AND THE THE ACTORIZATION AND THE ACTORIZATION AND AND THE ACTORIZATION AND AND AND AND AND AND AND AND AND AN	The second secon
by others. (http://www.sectors.lly of the first state of the sectors of the same of the s	to exclusive use of the name of THELTIGATES IN ACTORIZATION AND THE THE ACTORIZATION AND THE ACTORIZATION AND AND THE ACTORIZATION AND AND AND AND AND AND AND AND AND AN	The second secon
by others. (http://www.sectors.lly of the first state of the sectors of the same of the s	to exclusive use of the name of THELTIGATES IN ACTORIZATION AND THE THE ACTORIZATION AND THE ACTORIZATION AND AND THE ACTORIZATION AND AND AND AND AND AND AND AND AND AN	The second secon
<pre>by others.</pre>	to exclusive use of the name of THELTIGATES IN ACTORIZATION AND THE THE ACTORIZATION AND THE ACTORIZATION AND AND THE ACTORIZATION AND AND AND AND AND AND AND AND AND AN	The second secon
ATTACHMENT IS APPLICABLE	to exclusive use of the name of THELTIGATES IN ACTORIZATION AND THE THE ACTORIZATION AND THE ACTORIZATION AND AND THE ACTORIZATION AND AND AND AND AND AND AND AND AND AN	<pre>pro until Find not. pro until Find not. pro protoco pro protoco pro protoco inc the sold reselected of inc the side time until tothers addition in the sole time until tothers addition of the sole total sole total total sole tota</pre>

i

2. You will submit production information (pounds or gallons produced) for this product for the fiscal year in which the use on cotton is conditionally registered, in accordance with Section 29 of FIFRA. The fiscal year begins October 1 and ends September 30.

The production information will be submitted to the Agency no later than November 15, following the end of the preceding fiscal year.

This information should be submitted to:

Liaison Team Process Coordination Branch Registration Division (TS-767) Environmental Protection Agency

Please note that the continuing Conditional Registration of this product expires December 1, 1986.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner Froduct Manager (17) Insecticide-Rodenticide Branch Registration Divsion (TS-767) 29,

4

Enclosure

JOB:51434;Gardner:RD-62:Kendrick:898-1270:sah:1/10/85:Del.2/10/85

## **Code 3787**

## RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

# Ammo<sub>®</sub> 2.5 Miscible Insecticide

EPA Reg. No. 279-3046

EPA Est. No. 279-

## **Active Ingredient**

* Cypermethrin **	30.6%
Inert Ingredients	. <u>. 69.4%</u>
	100.0%

Contains xylene range aromatic solvents. ( $\pm$ ) Cyano (3-phenoxyphenyl) methyl ( $\pm$ ) *cis/trans* 3-(2,2-dichlo-roethenyl)-2,2 dimethylcyclopropane carboxylate \*\**Cis/trans* ratio: Max. 55% ( $\pm$ ) cis and min. 45% ( $\pm$ ) trans Contains 2,5 pounds cypermethrin per gallon. U.S. Patent No. 4,024,163

## **KEEP OUT OF REACH OF CHILDREN** DANGER

For Emergency Assistance Call 716-735-3765 See other panels for additional precautional

First Ald:

If in eves:

nitina all a

If swallowed: Do not, If on skin: Wallingo soap ygh

gnly water. If signs of irritation persist, contact physician:

to vapor or dust may cause tingling or numbress If inhaled: Ef of exposed areas, especially the face, but this is temporary and requires no treatment. Lung irritation from breathing vapors is possible, and medical attention should be obtained if it is severe.

#### Note to Physician:

Note to Physician: Like the natural pyrethrins, the synthetic derivative is expected to have relatively minor toxicity in humans; in fact, any significant acute toxic effects are more likely from a carrier hydrocarbon solvent. Conse-quently, induction of vomiting may increase the likelihood of the most important toxic potential, chemical pneumonia, and so should either be avoided or done only under medical supervision. Ingestion of a large amount calls for gastric lavage, with care (Trendelenburg position, suc-tion available, cuffed endotracheal tube if patient is unconscious) to avoid intrapulmonary aspiration. A saline cathartic (sodium or magne-sium sulfate), ... 30 gm, dissolved in water should be given, as should 15-20 gm, activated charcoal as a slurry in water. Digestible fats, oils or alcohol may increase absorption and so should be avoided. Skin contact (vapor or powder) may be followed by transient tingling or numbcontact (vapor or powder) may be followed by transient tingling or numbness, usually of the face, but this subsides without treatment.



**FMC** Corporation Agricultural Chemical Group 2000 Market Street Philadelphia Pennsylvania 19103



JANE 4 1985

## -279-3046 PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Denger

Causes irreversible eye damage. May be tatal if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear goggle or face shield. Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Applicators must wear protective clothing. Mixers and loaders must wear a full face shield, impermeable gloves and protective clothing.

## Environmental Hazards

This product is highly toxic to bees exposed to direct treatment or blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area

This product is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water. Do not apply when weather conditions favored in treated areas. Do not contaminate water by cleaning the dupment, or disposal of wastes. not contaminate water by cleaning &

## Physical or the first Zar

It a violition of

deral law to use this product in a manner incona violation of thirde nt with the deling.

#### htry Statements

Do not treat areas while unprotected humans or domestic animals are present in the treatment area.

Do not allow entry into treated areas without protective clothing until sprays have dried.

State re-entry regulations will apply if they are more restrictive than those stated on this label. Consult with State regulatory officials.

## STORAGE AND DISPOSAL

Pesticide Storage Do not store below 10°F, (- 12°C).

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace likis and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect: (716) 735-3765

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

#### Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the near-est EPA Regional Office for guidance.

#### **Container Disposal**

Glass Containers: Triple rinse (or enuvalent). Then dispose of in a sanitary landfill or by other approved State and local procedures

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers.

		DOSAGE		T
CROP	INSECT	LB AVA	FL OZ/A	REMARKS
Cotton	Tobacco Thrips Soybeen (Canded) Thrips	0.025-0 1	1 3-5	Use low rate under light to mc.Jerate intestation. Higher rates should be used under heavy nect pressure. The rate of application is variable ac- cording to insect pressure, tim- ing of spray and held acouting.
	Beet Armyworm Falt Armyworm Yellow Skiped Armyworm Colton Boll- worm Pink Bollworm Tobacco Bud- worm Tamiahed Plant Bug Lygus Bugs Cotton Flea- topper	0.04-0 1	2-5	Ammo 2.5Miscible may be ap- plied in water or refined vege- table oil if water is used, appl/ a minimum of one gallon of in- ished apray per per acre by air- craft or five gallone of finished spray per acre with ground equipment. When applying in water by aircraft, one quart of oil may be substituted for one quart of water per gallon of fin- ished spray. When using oil, use a minimum of one quart per acre in the finished spray.
	Cotton Leal- perforator Cabbage Looper		For boll weevil control, apply Ammo 2.5 Miscible at a 3-4 day interval until pest numbers are reduced to acceptable levels.	
	Boll Weevil Cutworms Plant Bugs White Flies			Ammo 2.5 Miscible may be ap- plied in tank mixtures with other products approved for use on cotton. Observe all restrictions and precautions which appear on the labels of these products.
1				Do not make more than 15 ap- plications per season.
				Do not apply within 14 days of harvest.
	,			Do not graze or feed cotton for forage.
				Do not plant rotational crops within 30 days after last appli- cation.

*تين ب* ر

(

#### **Dealers Should Sell in Original Packages Only.**

Terms of Sale or Use: On purchase of this product buyer and user

Terms of Sale or Use: On purchase of this product duyer and user agree to the following conditions: Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/ or handling and/or storage is contrary to label instructions. Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with

and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by boyer at his own risk. Use of Product: FMC's recommendations for the use of this product

are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.