

Code 3787

RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

Net Contents _____

Ammo® 2.5 Miscible Insecticide

EPA Reg. No. 279-3046

EPA Est. No. 279-

Active Ingredient

* Cypermethrin ** 30.6%

Inert Ingredients 69.4%

100.0%

Contains xylene range aromatic solvents

* (-) Cyano (3-phenoxyphenyl) methyl (-) *cis trans* 3-(2,2-dichloroethenyl)-2,2 dimethylcyclopropane carboxylate

** *Cis trans* ratio. Max 55% (-) *cis* and min 45% (-) *trans*

Contains 2.5 pounds cypermethrin per gallon

U.S. Patent No. 4,024,163

KEEP OUT OF REACH OF CHILDREN DANGER

For Emergency Assistance Call 716-735-3765

See other panels for additional precautionary information.

First Aid:

If swallowed: Do not cause vomiting. Call a physician

If on skin: Wash thoroughly with soap and water

If in eyes: Flush thoroughly with water. If signs of irritation persist contact physician

If inhaled: Exposure to vapor or dust may cause tingling or numbness of exposed areas, especially the face, but this is temporary and requires no treatment. Lung irritation from breathing vapors is possible, and medical attention should be obtained if it is severe

Note to Physician:

Like the natural pyrethrins, the synthetic derivative is expected to have relatively minor toxicity in humans, in fact, any significant acute toxic effects are more likely from a carrier hydrocarbon solvent. Consequently, induction of vomiting may increase the likelihood of the most important toxic potential, chemical pneumonia, and so should either be avoided or done only under medical supervision. Ingestion of a large amount calls for gastric lavage, with care (Trendelenburg position, suction available, cuffed endotracheal tube if patient is unconscious) to avoid intrapulmonary aspiration. A saline cathartic (sodium or magnesium sulfate), 15-30 gm. dissolved in water should be given, as should 15-20 gm. activated charcoal as a slurry in water. Digestible fats, oils or alcohol may increase absorption and so should be avoided. Skin contact (vapor or powder) may be followed by transient tingling or numbness, usually of the face, but this subsides without treatment



FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia Pennsylvania 19103

2/85

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Danger

Causes irreversible eye damage. May be fatal if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear goggles or face shield. Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Applicators must wear protective clothing. Mixers and loaders must wear a full face shield, impermeable gloves, a rubber apron, boots and protective clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to bees exposed to direct treatment or blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

This product is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Re-Entry Statements

Do not treat areas while unprotected humans or domestic animals are present in the treatment area.

Do not allow entry into treated areas without protective clothing until sprays have dried.

State re-entry regulations will apply if they are more restrictive than those stated on this label. Consult with State regulatory officials.

Rotational Crops

Rotational crops may be planted within 30 days after last application.

STORAGE AND DISPOSAL

Pesticide Storage

Do not store below 10 F, (- 12 C)

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect (716) 735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinse is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Glass Containers: Triple rinse (or equivalent) then dispose of in a sanitary landfill or by other approved State and local procedures.

Metal Containers: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers.

Use low rate under light to moderate infestation. Higher rates should be used under heavy insect pressure. The rate of application is variable according to insect pressure, timing of spray and field scouting

CROP	INSECT	DOSAGE		REMARKS
		LB A/A	FL OZ/A	
Cotton	Cutworms Tobacco Thrips Soybean (banded) Thrips	0.025 to 0.1	1.3 to 5 2 to 5	Ammo 2.5 Miscible may be applied in water or refined vegetable oil. If water is used, apply a minimum of one gallon of finished spray per acre by air or five gallons of finished spray with ground equipment. When applying in water by air, one quart of emulsified oil may be substituted for one quart of water in the finished spray. When using oil, use a minimum of one quart per acre in the finished spray.
	Beet Armyworm Fall Armyworm Yellow Striped Armyworm Cotton Bollworm Pink Bollworm Tobacco Budworm Tarnished Plant Bug Lygus Bugs Saltmarsh Caterpillar Cotton Fleahopper Cotton Leafperforator Cabbage Looper Boll Weevil Other Plant Bugs White Flies*	0.04 to 0.1		

*Aids in control

Tank-Mixtures

Ammo 2.5 Miscible may be applied in tank mixtures with other products approved for use on cotton. Observe all restrictions and precautions which appear on the labels of these products.

For improved control of aphids and mites, Ammo 2.5 Miscible may be tank-mixed with Curacron® 6 E. The tank-mixture is most effective when pest populations are first observed. Subsequent applications may be needed to maintain control.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

Curacron is a registered trademark of Ciba-Geigy Corp.

FMC and Ammo—FMC Trademarks

(3787-2/85)

MAR 2 1985
 National Insect
 Control and Rodent
 Control Board
 274-346

Code 3787

RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

Net Contents _____

Ammono 2.5 Miscible Insecticide

EPA Reg. No. 279-3046

EPA Est. No. 279-

Active Ingredient

* Cypermethrin **	30.6%
Inert Ingredients	69.4%
	100.0%

Contains xylene range aromatic solvents.

*(±) Cyano (3-phenoxyphenyl) methyl (±) *cis/trans* 3-(2,2-dichloroethoxy)-2,2 dimethylcyclopropane carboxylate.***Cis/trans* ratio: Max. 55% (±) *cis* and min. 45% (±) *trans*

Contains 2.5 pounds cypermethrin per gallon.

U.S. Patent No. 4,024,163

KEEP OUT OF REACH OF CHILDREN DANGER

For Emergency Assistance Call 716-735-3765

See other panels for additional precautionary information.

First Aid:

If swallowed: Do not cause vomiting. Call a physician.

If on skin: Wash thoroughly with soap and water.

If in eyes: Flush thoroughly with water. If signs of irritation persist, contact physician.

If inhaled: Exposure to vapor or dust may cause tingling or numbness of exposed areas, especially the face, but this is temporary and requires no treatment. Lung irritation from breathing vapors is possible, and medical attention should be obtained if it is severe.

Note to Physician:

Like the natural pyrethrins, the synthetic derivative is expected to have relatively minor toxicity in humans; in fact, any significant acute toxic effects are more likely from a carrier hydrocarbon solvent. Consequently, induction of vomiting may increase the likelihood of the most important toxic potential, chemical pneumonia, and so should either be avoided or done only under medical supervision. Ingestion of a large amount calls for gastric lavage, with care (Trendelenburg position, suction available, cuffed endotracheal tube if patient is unconscious) to avoid intrapulmonary aspiration. A saline cathartic (sodium or magnesium sulfate), 15-30 gm. dissolved in water should be given, as should 15-20 gm. activated charcoal as a slurry in water. Digestible fats, oils or alcohol may increase absorption and so should be avoided. Skin contact (vapor or powder) may be followed by transient tingling or numbness, usually of the face, but this subsides without treatment.

FMC

FMC Corporation
Agricultural Chemical Group
200 Market Street
Philadelphia Pennsylvania 19103

2/85

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Danger

Causes irreversible eye damage. May be fatal if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear goggles or face shield. Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Applicators must wear protective clothing. Mixers and loaders must wear a full face shield, impermeable gloves, a rubber apron, boots and protective clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to bees exposed to direct treatment or blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

This product is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Re-Entry Statements

Do not treat areas while unprotected humans or domestic animals are present in the treatment area.

Do not allow entry into treated areas without protective clothing until sprays have dried.

State re-entry regulations will apply if they are more restrictive than those stated on this label. Consult with State regulatory officials.

Rotational Crops

Rotational crops may be planted within 30 days after last application.

STORAGE AND DISPOSAL

Pesticide Storage

Do not store below 10°F, (-12°C).

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect: (716) 735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinse is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

Container Disposal

Glass Containers: Triple rinse (or equivalent) then dispose of in a sanitary landfill or by other approved State and local procedures.

Metal Containers: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers.

2/10

Use low rate under light to moderate infestation. Higher rates should be used under heavy insect pressure. The rate of application is variable according to insect pressure, timing of spray and field scouting.

CROP	INSECT	DOSAGE		REMARKS
		LB A/A	FL OZ/A	
Cotton	Cutworms Tobacco Thrips Soybean (banded) Thrips	0.025 to 0.1	1.3 to 5 2 to 5	Ammo 2.5 Miscible may be applied in water or related vegetable oil if water is used, apply a minimum of one gallon of finished spray per acre by air or five gallons of finished spray with ground equipment. When applying in water by air, one quart of emulsified oil may be substituted for one quart of water in the finished spray. When using oil, use a minimum of one quart per acre in the finished spray.
	Beet Armyworm Fall Armyworm Yellow Striped Armyworm Cotton Bollworm Pink Bollworm Tobacco Budworm Tarnished Plant Bug Lygus b. 73 Sawfly Caterpillar Cotton Fleahopper Cotton Leafperforator Cabbage Looper Boll Weevil Other Plant Bugs White Flies*	0.04 to 0.1		

*Aids in control

Tank-Mixtures

Ammo 2.5 Miscible may be applied in tank mixtures with other products approved for use on cotton. Observe all restrictions and precautions which appear on the labels of these products.

For improved control of aphids and mites, Ammo 2.5 Miscible may be tank-mixed with Curacron® 6 E. The tank-mixture is most effective when pest populations are first observed. Subsequent applications may be needed to maintain control.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:


Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

ACCEPTED
MAR 20 1965
The Federal Insecticide, Fungicide, and Rodenticide Act
is hereby declared for the pesticide
mentioned under 274-740
325 Reg. No.



Curacron is a registered trademark of Ciba-Geigy Corp.

®FMC and Ammo—FMC Trademarks

(3787-2/65)