

Cynoff™ WP Insecticide

Crack, Crevice and Spot Spray Only for Sale to, Use and Storage by Pest Control Operators

EPA Reg. No. 279-3070

EPA Est. No. 279-

Active Ingredient:

"Cypermethrin" 40.0%
Inert Ingredients 60.0%

100.0%

*α (±) Cyano (3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl)-2,2 dimethylcyclopropanecarboxylate
**Cis/trans ratio: Max. 55% (±) cis and min. 45% (±) trans
U.S. Patent No. 4,024,163

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.
If on skin: Wash with plenty of water.
If swallowed: Drink or sip plenty of water and induce vomiting by touching back of throat with finger.
If inhaled: Remove victim to fresh air. Apply artificial respiration if necessary.

For Emergency Assistance Call 716-735-3765
See other panels for additional precautionary information

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 2 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

279-3070



FMC Corporation
Agricultural Chemical Group
Philadelphia PA 19103

3/31/87-A
8/87

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

Warning

Harmful if swallowed or absorbed through skin. Causes eye irritation. Do not get in eyes, on skin or on clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling. Do not use in the edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not contaminate water. Do not apply directly to any body of water. Apply this product only as specified on this label. Care should be used when spraying to avoid birds and reptile populations.

DIRECTIONS FOR USE

It is a violation of law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, waste food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area or absorb with sawdust, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Metal Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures. Do not cut or weld metal containers.

Plastic Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

For residual pest control in and on buildings and structures and immediate surroundings and on (trucks of transport. Permitted uses include, but are not limited to, stores, warehouses, industrial buildings, houses, apartment buildings, greenhouses, laboratories, vessels, rail cars, buses, trucks, trailers, and aircraft. Also may be used in non-food areas of schools, nursing homes, hospitals, restaurants, hotels, and food manufacturing, processing, and servicing establishments.

Nonfood Areas: Includes garbage rooms, lavatories, floor drains (sewers) entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning thing).

Cynoff™ WP insecticide is intended for dilution with water for application. Do not use strainers finer than 50 mesh size. Fill a container with one half of the desired volume of water, add Cynoff WP, an desired volume. Close and shake before use in order to insure suspension of the wettable powder. Shake or re-agitate the container before use if spraying is interrupted. Make up only as required. Repeat treatments as necessary.

Pests		Concentration of Active ingredient	Dilution Rate
Ants	Flies	0.1%	0.33 ounces of Cynoff WP per 1 gallon of water
Centipedes	Millipedes		
Cockroaches (maintenance)	Pillbugs	0.2%	0.66 ounces of Cynoff WP per 1 gallon of water
Crickets	Silverfish		
Firebrats	Sowbugs		
Bees			
Cockroaches (clean-out)			
Spiders			
Wasps			

1 Scoop - 0.33 ounces

Cockroaches, Spiders, Crickets, Silverfish, and Firebrats: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces, and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices; also see OUTDOOR USE.

Ants: Apply to any trails, around doors and windows, and other places where ants may be found. To prevent infestation apply a BARRIER TREATMENT as described below; also see OUTDOOR USE.

Wasps and Bees: Apply in late afternoon when insects are at rest. Thoroughly spray nest and entrance and surrounding areas where insects alight; also see OUTDOOR USE.

Sowbugs, Pillbugs, Millipedes, and Centipedes: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. To prevent infestation apply a BARRIER TREATMENT as described below; also see OUTDOOR USE.

Flies: Apply directly to walls, ceilings, window screens, and other fly resting areas as a residual surface treatment. May be used inside residential buildings as well as in and around carports, garages, and storage sheds; also see OUTDOOR USE.

Food Handling Establishments: Places other than private residences in which food is held, processed, prepared or served.

Non-Food Areas: Cynoff™ WP insecticide may be used as a general crack and crevice treatment in non-food areas. All areas where insects hide or through which insects may enter should be treated.

Food Areas: Cynoff WP insecticide is not labeled for use in food areas. Do not use in any area where food or feed is stored, prepared, or consumed.

OUTDOOR USE:

For control of ants, bees, centipedes, cockroaches, crickets, firebrats, millipedes, silverfish, sowbugs, pillbugs, spiders, flies, and wasps. Apply as a residual spray to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns, refuse dumps, garages and other areas where pests are found by either hand or power sprayer.

Barrier Treatments: To help prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 400 square feet.

Do not apply this product to edible crops.

Caution: Do not use water base sprays of Cynoff™ WP insecticide in conduit motor housings, junction boxes, switch boxes, or other electrical equipment because of possible shock hazard. Let surfaces dry before allowing children and pets to contact surfaces. Protect aquariums from spray mist. Thoroughly wash out sprayer and screen with water and detergent before using Cynoff insecticide. Do not use this product with oil.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as warranted, the product is sold as is. Buyer and user assume all risk use and/or handling and/or storage of this material when such use or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Time and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influence factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, express or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or representation shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.