

Cynoff WP

Master Label

Highlighted areas with #1 are strictly Water Soluble Bag directions. Highlighted areas with #2 are strictly WP directions. Non-highlighted areas are used for both.

WP Insecticide

Only for Sale to, Use and Storage by Pest Control Operators

EPA Reg. No. 279-3070

EPA Est. No. 279-

Active Ingredient:	By Wt.
*Cypermethrin**	40.0%
Inert Ingredients	60.0%
	100.0%

* $\alpha(\pm)$ Cyano (3-phenoxyphenyl) methyl (\pm) cis/trans 3-(2,2-dichloroethenyl)-2, 2-dimethylcyclopropanecarboxylate
**Cis/trans ratio: Max. 55% (\pm) cis and min. 45% (\pm) trans
U.S. Patent No. 4,024,163

KEEP OUT OF REACH OF CHILDREN WARNING

See other panels for additional precautionary information.

STATEMENT OF PRACTICAL TREATMENT

If in eye: Flush with plenty of water. Obtain medical attention if irritation persists.

If on skin: Wash with plenty of soap and water.

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger.


If inhaled: Remove victim to fresh air. Apply artificial respiration if necessary.

For Emergency Assistance Call: (800) 331-3148.



FMC Corporation
Agricultural Products Group
Philadelphia PA 19103

8/96



PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Warning

Harmful if swallowed or absorbed through skin. Causes eye irritation. Do not get in eyes, on skin or on clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. May cause allergic skin reactions. Do not use in the edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Environmental Hazards

This product is extremely toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on this label. Care should be used when spraying to avoid fish and reptile pets.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Do not store at temperatures below 32°F (0°C). Rough handling may cause breakage, especially at low temperatures. Allow to warm above 50°F (10°C) before use. Do not allow inner bag to become wet during storage. Do not handle inner bag with wet hands or wet gloves. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter, or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Metal Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures. Do not cut or weld metal containers.

Plastic Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

General Instructions

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or lawns and grounds.

For residual pest control in and on buildings and structures and their immediate surroundings and on modes of transport.

Cynoff WP Insecticide is to be diluted with water for spray application. Do not use strainers finer than 50 mesh size. Fill sprayer with one half of the desired volume of water, add Cynoff WP, and fill to desired volume. Close and shake before use in order to insure proper suspension of the wettable powder. Shake or re-agitate the sprayer before use if spraying is interrupted. Mix only the amount of solution needed for the application; repeat treatments as necessary.

The outer package contains an insecticidal wettable powder packaged in clear water soluble bags. Do not allow the inner bags to become wet before adding to the spray tank. Do not handle the clear inner bags with wet hands or wet gloves. Do not carry the bags on your person in a manner that allows contact with perspiration. Rough handling may cause breakage. Do not store at temperatures below 32°F (0°C). Allow to warm above 50°F (10°C) before use. Cooler water temperatures increase the time needed for the inner bag to dissolve completely.

Cynoff Power Spray Insecticide is to be diluted with water for spray application. Do not use strainers finer than 50 mesh size. Fill sprayer with one half of the desired volume of water, add the water soluble bag(s). After bag(s) have dissolved, fill the sprayer to desired volume and agitate for 30 seconds before use in order to insure proper mixing and suspension of the wettable powder. Shake or re-agitate the sprayer before use if spraying is interrupted. Mix only the amount of solution needed for the application; repeat treatment as necessary.

Pests	Concentration of Active Ingredient	Dilution Rate
Ants	1%	1 bag of Cynoff Power Spray per 6 gallons of water
Biting Flies*†	Firebrats	
Boxelder Bugs	Fleas*	
Centipedes	Flies*	
Cockroaches (maintenance)	Millipedes	
Crickets	Mosquitoes*†	
Earwigs	Pillbugs	
Elm Leaf Beetles†	Silverfish	
	Sowbugs	
	Chiggers*	
Bees	2%	2 bags of Cynoff Power Spray per 6 gallons of water
Cockroaches (clean-out)		
Spiders		
Ticks		
Wasps		

* Outdoor use only.
† Not for use in California
1 Scoop = 2 ounces

Pests	Concentration of Active Ingredient	Dilution Rate
Ants	1%	0.33 ounces of Cynoff WP per 1 gallon of water
Biting Flies*†	Firebrats	
Boxelder Bugs	Fleas*	
Centipedes	Flies*	
Cockroaches (maintenance)	Millipedes	
Crickets	Mosquitoes*†	
Earwigs	Pillbugs	
Elm Leaf Beetles†	Silverfish	
	Sowbugs	
	Chiggers*	
Bees	2%	0.66 ounces of Cynoff WP per 1 gallon of water
Cockroaches (clean-out)		
Spiders		
Ticks		
Wasps		

* Outdoor use only.
† Not for use in California
1 Scoop = 0.33 ounces

Cockroaches, Crickets, Firebrats, Silverfish, Spiders, and Ticks: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces, and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices; also see OUTDOOR USE.

Ants: Apply to any trails, around doors and windows, and other places where ants may be found. Refer to BARRIER TREATMENT directions to prevent infestation; also see OUTDOOR USE.

Bees and Wasps: Application to nests should be made late in the evening when insects are at rest. Thoroughly spray nest and entrance and surrounding areas where insects allight; also see OUTDOOR USE.

Boxelder Bugs, Centipedes, Earwigs, Elm Leaf Beetles, Millipedes, Pillbugs, and Sowbugs: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to BARRIER TREATMENT directions to prevent infestation; also see OUTDOOR USE.

Food Handling Establishments: Places other than private residences in which food is held, processes, prepared or served.

Non-Food Areas: Permitted areas of use include industrial buildings, houses, apartment buildings, laboratories, buses, greenhouses, and the nonfood/feed areas of stores, warehouses, vessels, railcars, trucks, trailers, aircraft, schools, nursing homes, hospitals, restaurants, hotels, and food manufacturing, processing, and servicing establishments, garbage rooms, lavatories, floor drains (to sewers) entries and vestibules, offices, locker rooms, machine rooms, garages, mop closets, and storage (after canning or bottling). Cynoff WP insecticide may be used as a general spot, crack and crevice treatment in non-food areas. All areas where insects hide or through which insects may enter should be treated.

Food Areas: Cynoff WP insecticide is not labeled for use in food areas. Do not use in any area where food or feed is stored, prepared, or consumed. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

OUTDOOR USE:

For control of ants, bees, biting flies, boxelder bugs, centipedes, cockroaches, crickets, earwigs, elm leaf beetles, firebrats, fleas, flies, millipedes, mosquitoes, pillbugs, silverfish, sowbugs, spiders, ticks, and wasps. Apply as a residual spray either by hand or power sprayer to surfaces of buildings, porches, screens, window frames, eaves, patios, residential lawns only such grass areas adjacent or around private homes, duplexes, townhouses, condominiums, house trailers, apartment complexes, carports, garages, fence lines, storage sheds, barns, and other residential and non-commercial structures, refuse dumps, garages and other areas where pests are found.

Barrier Treatments: To help prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 400 square feet.

Caution: Do not use water base sprays of Cynoff WP insecticide in conduits, motor housings, junction boxes, switch boxes, or other electrical equipment because of possible shock hazard.

Do not apply this product to edible crops.

Let surfaces dry before allowing children and pets to contact surfaces.

Protect aquariums from spray mist.

Thoroughly wash out sprayer and screen with water and detergent before using Cynoff WP insecticide.

Do not use this product with oil.

Do not treat pets with this product.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.