	EPA REGISTRATION NO.	DATE OF ISSUANCE	
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767)	279-3081 AUG - 3 1999		
WASHINGTON, DC 20460			
NOTICE OF PESTICIDE:	CYNOFF [©] 2 EC Insecticide		
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)			
AME AND ADDRESS OF REGISTRANT (Include ZIP code)			
F	Г.		
FMC Corporation			
Agricultural Chemical Group			
2000 Market Street			
Philadelphia PA 19103	•		
L	L		
NGTE: Changes in labeling formula differing in substance f submitted to and accepted by the Registration Division prio product always refer to the above U.S. EPA registration num	r to use of the label in con		
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is	hereby Registered/Reregistered under	
A copy of the labeling accepted in connection with this Re	gistration/Reregistration in	s returned herewith.	
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion	n, may st any time suspend	I or cancel the registration of a pest-	
icide in accordance with the Act. The acceptance of any na Act is not to be construed as giving the registrant a right to by others.			
This product is conditionally reginate 3(c)(7)(A) provided that you:	istered in accorda	nce with FIFLA section	
1. Submit/cite all data required product under FIFRA section 3(c)(5) when of similar products to submit such data	en the Agency requ		
2. Make the labeling changes list for shippent:	ed below before y	ou release the product	
a. Add the phrase "EPA Regist	ration No. 279-30	81."	
b. Revise the Environmental I of equipment" to read:	lazards statement	concerning "cleaning	
Do not contaminate wa equipment washwaters.	-	g ∪£	
c. Revise the precautionary s read:	statement concerni.	ng "food areas" to	
Do not use in food ar establishments, resta where food is commerc	urants or other a		
ATTACHMENT IS APPLICABLE	-		
IGNATURE OF APPROVING OFF'CIAL	1-7-7-	DATE //	

1

.

; `

.

:

¢

57479: I:CR-31: Heyward: LLR-08:KENCO:07/31/89:09/12/89:aw:VO:DD

processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

d. Use in food handling establishments can imply use in U.S. Department of Agriculture (USDA) Meat and Poultry Plants. Therefore, either add the statement "Not for Use in USDA Meat and Poultry Plants" or submit an application to USDA requesting use in these areas. If granted, you can then indicate on the label that the product can be used in those areas.

£

3. Although your letter dated May 31, 1989 stated that "A corrected Confidential Statement of Formula (CSF), which includes the Registration Number for technical cypermethrin (3 copies)," was enclosed, the CSP dated May 31, 1989 does not contain the EPA Registration Number for the source of technical cypermethrin. We reinstate our previous request.

4. We acknowledge your commitment to submit a 1 year or longer storage stability study at room temperature within 60 days from the date of this Registration Notice.

5. The acute toxicity studies submitted were assigned the following toxicity categories.

Study	GRN	MRID No.	Toxicity Category	<u>Classification</u>
Acute Oral LD 50	81-1	406809-03	III	Guidelinc
Acute Dermal LD 50	R1-2	406809-03	111	Guideline
Primary Eye Irritation	81-4	406809-04	III	Guideline
Primary Dermal Irritation	81-5	406809-05	IV	Guideline
Dermal Sensiti- zation	81-6	406809-06	Not a Sensitizer	Core Minimum
Inhalation	B1-3	411152-01	III	Guideline

6. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the λ -79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) "nsecticide-Rodenticide Branch .egistration Division (H7505C)

- 7

308 10

Enclosures

Ĩ. -.

VR)'

Top 10

5 3

8. 10

660338

6 e - 2 f

ε.

și I

6/20/88

ŗ.,

CUNOFF^R EC INSECTICIDE

Only for Sale to, Use and Storage by Professional Pest Control Operators.

ACTIVE INGREDIENT:

*CYNOFF EC contains 2 pounds active ingredient per gallon.

**Cis/trans ratio: Max. 55% (+) cis and min. 45% (+) trans EPA Est. No. 279-EPA Reg. No. 279-U.S. PATENT No. 4,024,163

KERP OUT OF REACH OF CHILDREN

CAUTION

See Below for Additional Precautionary Statements.

STATEMENT OF PRACTICAL TREATMENT:

IF INHALED: Remove to fresh air. If breathing difficulty or discomfort occurs, obtain medical attention.

IF SVALLOWED: Drink plenty of water and 2 duce vomiting by touching the back of the throat with a finger or blunt object or by giving ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician.

IF IN BYES: Flush eyes with plenty of water. Obtain medical attention if irritation occurs and persists.

.

IP ON SKIN: Wash with soap and water. If irritation occurs and persists, obtain medical attention.

ACCEPTED with COMPLENTS in EPA Latter Dated:

والمراجب المحمولين

AUG 0 ..

Under the Federal insesticide, Functicide, and Rodenticide Act as amended, for the pesticide registered under EPA Heg. No.

. .

6 . <u>.</u>

.

NOTE TO PHYSICIAN: Cynoff EC is a pyrethroid insecticide containing the active ingredient cypermethrin. Oral toxicity is low, but because cypermethrin is lipophilic, do not administer milk, cream or other substances containing vegetable or animal fats, which enhance absorption. Treatment is otherwise symptomatic and supportive.

For 24-hour emergency assistance, call FMC Corporation (716)735-3765.

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Caution

Barmful if inhaled, swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes and clothing. The active ingredient may produce sensations (burning, numbing and tingling) in some individuals. Wear impermeable gloves made of neoprene when spraying. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. D' not apply directly to any body of water. Apply this product only as specified on this label. Care should be used when spraying to avoid fish and reptile pets.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For residual pest control in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include industrial buildings, houses, apartment buildings, laboratories, buses, greenhouses, and the nonfood/feed areas of stores, warehouses, vessels, railcars, trucks, trailers, aircraft, schools, nursing homes, hospitals, restaurants, hotels, and food manufacturing, processing, and servicing establishments.

CYNOFF EC Insecticide is to be diluted with water for spray or brush application. Fill sprayer with the desired volume of water and add Cynoff EC Insecticide. Close and shake before use in order to insure proper mixing. Mix only the amount of solution needed for the application; repeat treatments as necessary.

L

Pests		Concentration of Active Ingredient	Dilution Rate
Ants Biting Flies* Boxelder bugs Cent: des Chiggers* Cockroaches (Maintenance) Crickets Earwigs	Elm Leaf Beetle Firebrats Fleas* Flies* Millipedes Mosquitos* Pillbugs Silverfish Sovbugs	.12	1/2 fl. oz per i gal. vater
Bees Cockroaches (Clean-out) Spiders Ticks Wasps		.2%	1 fl. oz. per 1 gal. vater

• Outdoor use only.

INDOOR USE

Ĉ.,

Crickets, Cockroaches, Firebrats, Silverfish, Spiders and Ticks: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and coves, behind and under refrigerators, cabinets, sinks, furnaces, and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crewices; also see OUTDOOR USE.

Ants: Apply to any trails, around doors and vindows and other places where ants may be found. Refer to BARRIER TREATMENT directions to prevent infestation; also see OUTDOOR USE.

Bees and Wasps: Application to nests should be made late in the evening when insects are at rest. Thoroughly spray nest and entrance and surrounding areas where insects alight; also see OUTDOOR USE.

Boxelder Bugs, Earwigs, Elm Leaf Beetles, Centipedes, Millipedes, Pil. 's and Sowbugs: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to BARKIEK. TREATMENT directions to prevent infestation; also see OUTDOOR USE.

Food Handling Establishments Places other than privates, residences in which food is held, processed, prepared or served.



Ł

Nonfood Areas: Includes garbage rooms, lavatories, floor drains, (to severs) entries and vesibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). CYNOFF EC insecticide may be used as a general spot, crack and crevice treatment in nonfood areas. All areas where insects hide or through which insects may enter should be treated.

1.14.1

Food Areas: CYNOFF EC is not labeled for use in food areas. Do not use in any area where food is stored, prepared or consumed. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processsed. Do not use in serving areas while food is exposed.

OUTDOOR USE

••••

For control of ants, bees, biting flies, boxelder bugs, centipedes, chiggers, cockroaches, crickets, earwigs, elm leaf beetles, firebrats, fleas, flies, millipedes, mosquitos, pillbugs, silverfish, sowbugs, spiders, ticks and wasps. Apply by brush or as a residual spray either by hand or power sprayer. Apply to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns, vegetation, refuse dumps, garages and in other areas where these pests are found.

Barrier Treatment: To prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray. Thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 400 square feet.

Cluster Flies (Calliphoridae spp): Apply to the outside of the structure where flies are found. Mix 1 fl. oz. Cynoff EC to 10 fl. ozs. deodorized light weight mineral oil; apply to 1,000 square feet of vall area. Use a fogging apparatus which delivers the material in a strong air carrier, producing a small particle size (10-50 microns). Hold the nozzle about three fert from the surface to be treated. Apply when wind velocity is less than 2 mph to avoid drift.

The surface to be treated should be dry at t time of application. Attics and unoccupied lofts should be treated t the same time and at the same rate. Do not use water base sprays of CTNOFF EC in conduits, motor housings, junction boxes, switch boxes, or other electrical equipment because of possible shock hazard.

Do not apply this product to euible crops.

Do not apply this product to soil in cravl spaces.

Keep people and pets off surfaces until dry.

Protect aquariums from spray mist.

· · ·

For best results, thoroughly wash out sprayer and screen with water and detergent before using CYNOFF EC insecticide.

Do not use this product with oil (except for cluster fly control).

Do not treat pets with this product.

5210

******* *** ***

-

STORAGE AND DISPOSAL

PRSTICIDE STORAGE: Do not store below 40 F. Keep out of reach of children. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect: (716)735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter, or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

. .

> Metal containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Glass Containers: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures. •

Distributors Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no varranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of varranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.