	Reg # 279-31	111 PM- 15				
LIS ENVIRONMEN	TAL PRO TION AGENCY	EPA REGISTRATION DATE OF ISSUANCE				
OFFICE OF PES REGISTRATIO WASHIN	STICIDES PROGRAMS ON DIVISION (75-767)	279	-, -, -, -			
	IGTON, DC 20460	Until Reregistration				
	ICIDE: REGISTRATION REFERENCE	Pounce WP Insecticide				
	al Insecticide, Fungicide, ide Act, as amended)					
NAME AND ADDRESS OF R	EGISTRANT (Include 21P code)	53887	134			
_		5388				
FMC Corr	poration	160				
Agricul	tural Chemical Group					
	rket Street lphia, PA 19103	/8 \				
		om that accepted in connection with this registration mu				
	d by the Registration Division prior he above U.S. EPA registration numb	to use of the label in commerce. In any correspondence per.	on this			
On the basis of information furnished by the registrant, the above named posticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.						
	W -	istration/Reregistration is returned herewith.				
Registration is in no way	to be construed as an indorsement	or approval of this product by this Agency. In order to p				
hea th and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pest- icide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this						
Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.						
			<u> </u>			
	duct is conditionally (7)(A) provided the	y registered in accordance with at you:	1			
1. Submi	it and/or cite a ll d	ata required for	İ			
registration/	ceregistration of you	ur product under FIFRA sec.				
	bmit such data.	all registrants of similar				
	the labeling changes	s listed below before you				
a.	Add the phrase, "E	PA Registration No. 279-3111."	ļ			
b.	b. Please specify what type of greenhouse plants your product may be used on. We suggest a general					
	statement such as:	u on. we suggest a general	,			
Mark	"Greenhouse Grown Ornamental Trees, Shrubs, Plants, and Flowers, Non-bearing Fruit and Nut					
	Trees					
ATTACHMENT IS APP	LICABLE					
SIGNATURE OF APPROVIN	G OFFICIAL	DATE				
PA Form \$570-6 (Rev. 5-76)	PREVIOUS EDITION	MAY BE USED UNTIL SUPPLY IS EXHAUSTED.				

Nelent 10-11-90

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager 15 Insecticide-Rodenticide Branch Registration Division (H7505C)

Net Weight

POUNCE WP INSECTICIDE

EPA Reg. No 279-	PA Est. 279-
Active Ingredients	By Wt.
*Permethrin**	25.0%
Inert Ingredients	75.0%
	100.0%

 \star (3-Phenoxyphenyl)methyl(\pm)cis-trans 3-(2,2-dichloroethenyl)-2, 2-dimethyl cyclopropanecarboxylate

**cis/trans ratio: Max 55% (+)cis and min. 45% (\pm) trans

U.S. patent No. 4,024,163

KEEP OUT OF REACH OF CHILDREN WARNING

AVISO

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le hava explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

For Emergency assistance Call (800)331-3148

ै। Precautionary Statements 23 Bazards to Humans (and Domestic Animals)

Warning

Do not get in eyes, on skin or on clothing. Wash thoroughly after handling.

See other panels for additional precautionary statements. Environmental Hazards

This pesticide is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water. Do

BEST AVAILABLE COPY

in EPA Letter UAN 7 19

not apply when weather conditions favor drift from ideated areas. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply this product or allow it to drift to crops or weeds on which bees are actively foraging. Additional information may be obtained from your Cooperative Extension Service. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is in violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spiil, avoid contact, isolate area and keep out animals and unprotected persons. Confine Spills. Call FMC collect (716) 735-3765.

To confine spill: If liquid, dike surrounding area, or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.


Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or

Container disposal

Paper bag: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Plastic container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



POUNCE WP INSECTICIDE For Greenhouse Use and for Lath and Shade House Use DIRECTIONS FOR USE

Pest	lb ai/ 10 gal	oz/ 10 gal	Comments
Cucumber Beetle Cutworms Elm Leaf Beetle Fall Webworm Flea Beetle Fungus Gnats Leafhoppers Leaf Feeding Caterpillars Loopers	0.005 to .02	1/3 to 1-1/4	Apply the specified rate as a full coverage foliar spray. Repeat as necessry to achieve control using higher rates as pest pressure and foliage area increases. Do not handle the plants until the spray has dried.
Aphids Armyworms Heliothis Spp Lacebugs Plant Bugs (Including Lygus Whiteflies	0.01 to .02 Spp)	2/3 to 1-1/4	Certain cultivars may be sensitive to the final spray solution. A small number of plants should be treated prior to application of the entire planting. Use of an alternate class of chemistry in a
Thrips Leafrollers Lepidopterous			treatment program is recommended to prevent or delay pest resistance.

Squash Bugs Veevils

Brown Soft .02 1-1/4
Scale
Japanese Beetle

,