Pm 13 279-3114



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

MAR 2 | 1994

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

page field i

Warren L. Smith FMC CORP. ACG SPECIALITY PRODUCTS 1735 MARKET STREET PHILADELPHIA, PA 19103

Subject: Label Amendment Submission of 01/12/94 in Response to PR Notice 93-7 EPA Reg. No. 279-3114 CAPTURE 2 EC-CAL

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide. Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

 BEFORE selling or distributing any product bearing the final printed labeling AND

• WITHIN one year from date of this acceptance.



2 96

Page 2

Submit the final printed tabeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs (7505C) U.S. Environmental Protection Agency 401 M Street, SW Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

Sincerely,

Jim Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

Warren Smith FMC CORP • ACG SPECIALITY PRODUCTS

COMMENTS FOR: EPA REG. No. 279-3114 CAPTURE 2EC-CAL

Place the REI statement in the Agricultural Use Requirements Box including the 7-day REI for cotton scouts.

396

Correct the typographical errors circled on your proposed label.

Code 1370

RESTRICTED USE PESTICIDE

Toxic to fish and aquatic organisms. For retail sale to and use only by certified applicators, or persons under their direct supervision and only for the uses covered by the certified applicator's certification.

Capture 2 EC-CAL Insecticide/Miticide For Sale and Use Only in California

EPA Reg. No. 279-3114

EPA Est. 279-

Active Ingredient:	By Wt.
Bifenthrin: (2 methyl[1,1'-biphenyl]-3-yl)	
methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-	
2,2-dimethyl-cyclopropanecarboxylate*	25.1%
Inert Ingredients:**	<u>74.9%</u>
-	100.0%
*Cis isomers 97% minimum, trans isomers 3% maximum. **Contains xylene range aromatic solvents.	

This product contains 2 pounds active ingredient per gallon.

U.S. Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN WARNING

AVISO

This label must be in the possession of the user at the time of application.

Si usted no entiende la etiqueta, busque d'algulen para que se la explique a usted en detaile. (If you do not understand the label, find someone to explain it to you in detail.)

See other panels for additional precautionary information.

ACCEPTED with COMMENTS In EPA Letter Dated

`±1 MAR



Under the Federal Insecticide. Fundicide, and Rodenticide Act as aniended, for the pesticide registered under EPA Reg. No. 279-3/19

FMC Corporation Agricultural Chemical Group Philadelphia PA 19103

12/93

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Get medical attention. Call a Poison Control Center or physician promptly for advice. Describe Precautionary Statements and Note to Physician on the label. Do not induce vomiting unless advised by a physician or qualified medical advisor. Do not give anything by mouth to an unconscious person.

+ ab

Net Contents

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If on Skin: Wash with plenty of soap and water. Get medical attention.

If in Eyes: Flush with plenty of water. Call a physician if irritation persists.

Note to Physician:

Pesticide Hotline (800) 858-7378. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is synotomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.

For Emergency Assistance Call (800) 331-3148.

J

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Warning May be fata! if swallowed. Harmful if inhaled, or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment:

Some materials that are chemical-resistant to this product are listed below. If you want more options, folk w the instructions for category E on an EPA chemical resistance category selection chart.

Handlers who may be exposed to the dilute through application or other tasks must wear: long-sleeved shirt and long pants, chemical-resistant gloves, such as Barrier Laminate or Nitrile Rubber or Neoprene Rubber or Viton, and shoes plus socks.

Handlers who may be exposed to the concer' ste through mixing, loading, application or other tasks must wear: tong-sleeved shirt and tong pants, chemical-resistant gloves, such as Barrier Laminate or Nitrila Bubber or Nearcone Bibber or Vitra acharacterization Rubber or Neoprene Rubber or Viton, shoes plus socks, and protective evewear.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on cluan clothing.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to inter-tidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops if bees are visiting the treatment area.

BEST AVAILABLE COPY

Physical/Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

with its labeling. Do not apply this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact work-ers or othe: persons, either directly or through drift. Only protected han-dirers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesti-cide regulation. It is a violation of Federal law to use this product in a manner inconsistent

Resistance. Some insects are known to develop resistance to products used repeatedly for control. Because the development of resistance can-not be predicted, the use of this product should conform to resistance management strategies established for the use area. Consult your local or state agricultural authorities for details.

If resistance to this product develops in your area, this product, or other products with a similar mode of action, may not provide adequate control. If poor performance cannot be attributed to improper application or extreme weather conditions, a resistant strain of insect may be present. If you experience difficulty with control and resistance is a reasonable cause, immediately consult your local company representative or agri-cultural advisor for the best alternative method of control for your area.

AGRICULTURAL USE REQUIREMENTS Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on fame forcets purposed and appropriate and hardford for on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI).

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, Chemical-resistant gloves, such as Barrier Laminate or Nitrile Rubber or Neoprene Rubber or Viton, and Shoes plus socks.

STORAGE AND DISPOSAL

Pesticide Storage

Do not freeze. Do not store below 40° F. If crystals are observed, warm material to above 60° F by placing container in warm loca-tion. Shake or roll container periodically to redissolve solids.

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: 1-(800)-331-3148.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

Container Disposal

Metal or Plastic Container: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Do not cut or weld metal containers.

U-Turn^e Container: Do not rinse container. Do not empty remaining formulated product. Do not break seals, Return infact to point of purchase.

Special Equipment



The registration of Capture 2 EC-CAL in California requires that the product be used in closed systems that meet the criteria for closed sys-tems as established by the California Department of Focd and Agriculture. The criteria and a list of the closed systems meeting the cri-teria are available through the California Department of Food and Agriculture.

Application Instructions

Rate of application is variable according to pest pressure, timing of sprays, and field scouting. Use lower rates under light to moderate infestations; higher rates under heavy insect pressure and for mite con-trol. And climates generally require higher rates.

		DOS		OFWOKE
CROP	PEST	LB AVA	FL OZ/A	REMARKS
Cotton	European Corn Borer Soybean (Banded) Thrips Tobacco Thrips Boti Weavil	0.02-0.1	1.3-6.4 2.6-6.4	Capture 2 EC may be applied in water or refined vegetable oil (soybean/cctionseed). Application in Water: Apply in a minimum of 5 gal- lons per acre with ground equipment or 1 gallon per acre by aircraft. When applying by air, 1 quart of emulsified oil may be substituted for one quart of water in the finished spray. ULV Application: Apply the recommended rate of Capture 2 EC in refined vegetable oil in a minimum of 1 quart of finished spray per acre with aircraft calibrated to give adequate coverage. To Control Boll Weevil: Apply Capture 2 EC at an interval of 3 to 4 days until pest numbers are reduced to acceptable levels. To Control Mites and Aphids: Apply when pasts first appear. Repeat as necessary to main- tain control. Higher rates will
	Bollworm Cabbage Looper Cotton Aphid Cotton			
	Fleahopper Cotton Leafperforator Cutwoms Fall Armyworm Lygus Spp. Plant Bugs Saltmarsh Caterpillar Southern Garden Leafhopper Stink Bugs Tobacco Budworm Whitefly Yelkow Striped			
	Armyworm Beet Armyworm			be required once a damaging threshold is established.
	Carmine Spider Mite Pink Bolfworm Twospotted Spider Mite	0.06-0.1	3.8-6.4	

Do not apply more than 0.3 pound active per acre per season.

Do not make more than 3 applications per season.

Do not apply within 14 days of harvest.

Do not graze livestock in treated areas or cut treated crops for feed

BEST AVAILABLE COPY

Spray Drift Precautions—Cotton

Do not make more than 10 synthetic pyrethroid applications (of one product or combination of products) to a cotton crop in one growing season. Synthetic pyrethroid products include Ambush^e, Ammo^e, Asana^e XL, Baythroid^e, Capture^e, Danitol^e, Karate^e, Mustang, Pounce^e and Scout^e X-TRA.

All aerial and ground application equipment must be property maintained and calibrated using appropriate carriers.

OBSERVE THE FOLLOWING PRECAUTIONS WHEN SPRAYING IN THE VICINITY OF AQUATIC AREAS SUCH AS LAKES; RESER-VOIRS; RIVERS; PERMANENT STREAMS, MARSHES OR NAT-URAL PONDS; ESTUARIES AND COMMERCIAL FISH FARM PONDS.

Do not apply by ground equipment within 25 feet, or by air within 150 feet of lakes; reservoirs, rivers, permanent streams, marshes or natural ponds, estuanes, and commercial fish farm ponds. Increase the buffer zone to 450 feet when ultra low volume (ULV) application is made.

For aerial applications, the spray boom should be mounted on the aircraft so as to minimize drift causad by wingtip or rotor vortices. The minimum practical boom length should be used and must not exceed 75% of wing span or rotor diameter.

Use the largest droplet size consistent with good pest control. Formation of very small droplets may be minimized by appropriate nozzle selection, by orienting nozzles away from the air stream as much as possible, and by avoiding excessive spray boom pressure.

Spray should be released at the lowest height consistent with pest control and flight safety. Applications more than 10 feet above the crop canopy should be avoided.

Make aerial or ground applications when the wind velocity favors on target product deposition (approximately 3 to 10 mph). Do not apply when wind velocity exceeds 15 mph. Avoid applications when wind gusts approach 15 mph.

Risk of exposure to sensitive aquatic areas can be reduced by avoiding applications when wind direction is toward the aquatic area.

Do not cultivate within 10' of the aquatic area so as to allow growth of a vegetative filter strip.

Low humidity and high temperatures increase the evaporation rate of spray droplets and therefore the likelihood of increased spray drift to aquatic areas. Avoid spraying during conditions of low humidity and/or high temperature.

Do not make aerial or ground applications during temperature inversions. Inversions are characterized by stable air and increasing temperatures with height above the ground. Mist or fog may indicate the presence of an inversion in humid areas. The applicator may detect the presence of an inversion by producing smoke and observing a smoke layer near the ground surface.

For Capture 2 EC-CAL, do not make more than 3 applications per growing season.

Restricted-entry interval 12 hours

Cotton Scouts -- Restricted-entry Interval 7 days.

Rotational Crops

Rotational crops may be planted no sooner than 30 days after last application. Straw may not be used for food or feed.

Tank-Mixture

Capture 2 EC insecticide/miticide may be applied in tank-mixtures with cther products approved for use on cotton. Observe all restrictions and precautions which appear on the labels of these products.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

6

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/ or handling and/oi storage is contrary to label instructions.

Directions and Recommendations: Follow directions catefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established sete practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall nut include incidental or consequential damages.

BEST AVAILABLE COPY

Ambush, Cymb h and Karate-Trademarks of ICI Americas Inc. Asana---Trademark of E.I. duPont de Nemcurs and Co., Inc. Baythroid---Trademark of Bayer AG

Scout—Trademark of Hoechst Roussei Agri-Vet Company U-Turn, Capture, Pounce, Ammo and Ima: --Trademarks of

FMC Corporation © 1987 FMC Corporation All rights reserved. (1370-11/15/93-A)