



PM13

279-3117

173
Adelt

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 21, 1994

JOHN F. WRIGHT
FMC CORP.
ACG SPECIALTY PRODUCTS
1735 MARKET STREET
PHILADELPHIA, PA. 19103

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 07/16/93 in Response to PR Notice 93-7
EPA Reg. No. 279-3117
CYNOFF 50 WSB INSECTICIDE

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)




Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

Code 1387

273

Net Contents



50 WSB Insecticide

Only for Sale to, Use and Storage by Professional Pest Control Operators.

EPA Reg. No. 279-3117

EPA Est. 279-

Active Ingredient:	By Wt.
*Cypermethrin**	50.0%
Inert Ingredients	50.0%
	100.0%

*(±) alpha-cyano-(3-phenoxyphenyl)methyl (±)-*cis,trans*-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate
 **Cis/trans ratio: Max. 55% (±) cis and min. 45% (±) trans
 U.S. Patent No. 4,024,163

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If in Eyes: Flush eyes with plenty of water. Obtain medical attention if irritation persists.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if necessary.

For Emergency Assistance, Call FMC Corporation (800) 331-3148.

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

Warning

May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes or on clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where foods are served such as dining rooms but excluding areas where foods may be prepared or held. In these areas cover all food handling surfaces and cover or remove all food and food service utensils, or wash thoroughly after treatment.



FMC Corporation
 Agricultural Chemical Group
 Philadelphia PA 19103

1/94

ACCEPTED
 with COMMENTS
 In EPA Letter Dated

APR 21 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to any body of water. Apply this product only as specified on this label. Care should be used when spraying to avoid fish and reptile pets.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool dry place and avoid excess heat. Do not store at temperatures below 32°F (0°C). Rough handling may cause breakage, especially at low temperatures. Allow to warm above 50°F (10°C) before use. Do not allow inner bags to become wet during storage. Do not handle inner bag with wet hands or wet gloves. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Metal Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures. Do not cut or weld metal containers.

Plastic Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Returnable/Refillable Container: When all water soluble bags are used, the outer package should be clean. Do not rinse container. Return intact closed container to point of purchase or to FMC's authorized location.

GENERAL INSTRUCTIONS

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior landscapes, ornamental gardens or parks, or lawns and grounds.

For pest control in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include but are not limited to, apartment buildings, the non-food/feed areas of food/feed food manufacturing, processing and servicing establishments, greenhouses, hospitals (non-occupied patient areas), hotels, houses, industrial buildings, laboratories, nursing homes, restaurants, schools, stores, warehouses, and similar structures, as well as aircraft, buses, marine vessels, railcars, trucks, and trailers. Refer to specific directions and Note for additional limitations of use.

The outer package contains an insecticidal wettable powder packaged in clear water soluble bags. Do not allow the inner bags to become wet before adding to the spray tank. Do not handle the clear inner bags with

wet hands or wet gloves. Do not carry the bags on a person in a manner that allows contact with perspiration. Rough handling may cause breakage. Do not store at temperatures below 32°F (0°C). Allow to warm above 50°F (10°C) before use. Cooler water temperatures increase the time needed for the inner bag to dissolve completely.

Cynoff 50 WSB insecticide is to be diluted with water for spray application. Do not use strainers finer than 50 mesh size. Fill sprayer with 1/2 of the desired volume of water, add the water soluble bag(s). After bag(s) have dissolved, fill sprayer to desired volume and agitate for 30 seconds before use in order to insure proper mixing and suspension of the wettable powder. Re-agitate the sprayer before use if spraying is interrupted. Mix only the amount of solution needed for the application; repeat treatments as necessary.

Pests	Concentration of Active Ingredient	Dilution Rate**
Ants	Elm Leaf Beetles .1%	1 water soluble bag per **
Biting Flies*	Firebrats	gallon(s)
Boxelder Bugs	Fleas*	of water
Centipedes	Flies*	
Chiggers*	Millipedes	
Cockroaches (Maintenance)	Mosquitos*	
Crickets	Pillbugs	
Earwigs	Silverfish	
Pantry Pests	Sowbugs	
Bees	.2%	2 water soluble bags per **
Cockroaches (Clean-out)		gallon(s)
Spiders		of water
Ticks		
Wasps		

*Outdoor use only.

**Mixing: To prepare a 0.1% suspension,

For the 0.27 ounce bag, mix 1 bag in 1 gallon of water.
 For the 0.81 ounce bag, mix 1 bag in 3 gallons of water.
 For the 1.62 ounce bag, mix 1 bag in 6 gallons of water.
 For the 3.24 ounce bag, mix 1 bag in 12 gallons of water.

To prepare a 0.2% suspension,

For the 0.27 ounce bag, mix 2 bags in 1 gallon of water.
 For the 0.81 ounce bag, mix 2 bags in 3 gallons of water.
 For the 1.62 ounce bag, mix 2 bags in 6 gallons of water.
 For the 3.24 ounce bag, mix 2 bags in 12 gallons of water.

Indoor Use

Crickets, Cockroaches, Firebrats, Silverfish, Spiders, and Ticks: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces, and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices; also see OUTDOOR USE.

Ants: Apply to any trails, around doors and windows and other places where ants may be found. Refer to BARRIER TREATMENT directions to prevent infestation; also see OUTDOOR USE.

Bees and Wasps: Application to nests should be made late in the evening when insects are at rest. Thoroughly spray nest and entrance and surrounding areas where insects alight; also see OUTDOOR USE.

Boxelder Bugs, Centipedes, Earwigs, Elm Leaf Beetles, Millipedes, Pillbugs, and Sowbugs: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to BARRIER TREATMENT directions to prevent infestation; also see OUTDOOR USE.

Food Handling Establishments: Places other than private residences in which food/feed is held, processed, prepared or served. Not for use in USDA meat and poultry plants.

Non-Food/Feed Areas: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, garages, mop closets, and storage (after canning or bottling). Cynoff 50 WSB insecticide may be used as a general, spot or crack and crevice treatment in non-food/feed areas. All areas where insects hide or through which insects may enter should be treated.

Food/Feed Areas: Cynoff 50 WSB is not labeled for use in food/feed areas. Do not use in any area where food/feed is stored, prepared or processed. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food/feed is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where food may be prepared or held.

General Surface Application

Do not apply as a general surface application when the facility is in operation or foods are exposed. Do not apply directly to food products. Cover or remove all food processing and/or handling equipment during application. After application in food processing plants, bakeries, cafeterias and similar facilities, wash all equipment, benches, shelving and other surfaces which food will contact. Clean food handling or processing equipment and thoroughly rinse with clean, fresh water. In the home, all food processing surface and utensils should be covered or thoroughly washed following treatment. Cover exposed food or remove from area being treated.

Spot, Crack and Crevice Application

Cover exposed food or remove from area being treated. Do not apply directly to food or food-handling surfaces.

Outdoor Use

For control of ants, bees, biting flies, boxelder bugs, centipedes, chiggers, cockroaches, crickets, earwigs, elm leaf beetles, firebrats, fleas, flies, millipedes, mosquitoes, pillbugs, silverfish, sowbugs, spiders, ticks and wasps. Apply by brush or as a residual spray either by hand or power sprayer. Apply to surfaces of buildings, porches, screens, window frames, eaves, residential lawns only such as grass areas adjacent or around private homes, duplexes, townhouses, condominiums, house trailers, apartment complexes, carports, garages, fence lines, storage sheds, barns, and other residential and non-commercial structures, patios, vegetation, refuse dumps, garages and in other areas where these pests are found.

Barrier Treatment: To help prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 400 square feet.

NOTE:

Use only in well ventilated areas.

Do not apply this product in hospital patient rooms while occupied or in any rooms while occupied by the elderly or infirm.

Do not apply to classrooms when in use.

Do not use water base sprays of Cynoff 50 WSB in conduits, motor housings, junction boxes, switch boxes, or other electrical equipment because of possible shock hazard.

Do not apply this product to edible crops.

Do not apply this product to soil in crawl spaces.

Keep people and pets off surfaces until dry.

Protect aquariums from spray mist.

Do not use this product with oil.

Do not treat pets with this product.

For best results, thoroughly wash out sprayer and screen with water and detergent before using Cynoff 50 WSB Insecticide.

Do not use in warehouses where raw or cured tobacco is stored.

Do not apply in greenhouses where crops used for food or feed are grown.

Distributors Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such use or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

Cynoff and **FMC** —FMC trademarks (1387-1/31/92-A) (1/94)

REVISIONS:

1. Revised for worker protection exclusion.



JOHN F. WRIGHT
FMC CORP.
ACG SPECIALTY PRODUCTS
1735 MARKET STREET
PHILADELPHIA, PA. 19103

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 07/16/93 in Response to PR Notice 93-7
EPA Reg. No. 279-3117
CYNOFF 50 WSB INSECTICIDE

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)



Recycled/Recyclable
Printed with Soy/Canola Ink on paper
contains at least 50% recycled fiber

Code 1387

Net Contents



50 WSB Insecticide

Only for Sale to, Use and Storage by Professional Pest Control Operators.

EPA Reg. No. 279-3117

EPA Est. 279-

Active Ingredient:	By Wt.
"Cypermethrin".....	50.0%
Inert Ingredients.....	50.0%
	<hr/> 100.0%

(±) alpha-cyano-(3-phenoxyphenyl)methyl (±)-cis,trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate
**Cis/trans ratio: Max. 55% (±) cis and min. 45% (±) trans
U.S. Patent No. 4,024,163

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If In Eyes: Flush eyes with plenty of water. Obtain medical attention if irritation persists.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if necessary.

For Emergency Assistance, Call FMC Corporation (800) 331-3148.

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Warning

May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes or on clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In these areas cover all food handling surfaces and cover or remove all food and food processing utensils, or wash thoroughly after treatment.



FMC Corporation
Agricultural Chemical Group
Philadelphia PA 19103

1/94

ACCEPTED
with COMMENTS
In EPA Letter Dated

800-2-1-3148

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to any body of water. Apply this product only as specified on this label. Care should be used when spraying to avoid fish and reptile pets.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool dry place and avoid excess heat. Do not store at temperatures below 32°F (0°C). Rough handling may cause breakage, especially at low temperatures. Allow to warm above 50°F (10°C) before use. Do not allow inner bags to become wet during storage. Do not handle inner bag with wet hands or wet gloves. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Metal Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures. Do not cut or weld metal containers.

Plastic Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Returnable/Refillable Container: When all water soluble bags are used, the outer package should be clean. Do not rinse container. Return intact closed container to point of purchase or to FMC's authorized location.

GENERAL INSTRUCTIONS

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or lawns and grounds.

For pest control in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include but are not limited to, apartment buildings, the non-food/feed areas of food/feed food manufacturing, processing and servicing establishments, greenhouses, hospitals (non-occupied patient areas), hotels, houses, industrial buildings, laboratories, nursing homes, restaurants, schools, stores, warehouses, and similar structures, as well as aircraft, buses, marine vessels, railcars, trucks, and trailers. Refer to specific directions and Note for additional limitations of use.

The outer package contains an insecticidal wettable powder packaged in clear water soluble bags. Do not allow the inner bags to become wet before adding to the spray tank. Do not handle the clear inner bags with

wet hand, or wet gloves. Do not carry the bags on your person in a manner that allows contact with perspiration. Rough handling may cause breakage. Do not store at temperatures below 32°F (0°C). Allow to warm above 50°F (10°C) before use. Cooler water temperatures increase the time needed for the inner bag to dissolve completely.

Cynoff 50 WSB insecticide is to be diluted with water for spray application. Do not use strainers finer than 50 mesh size. Fill sprayer with 1/2 of the desired volume of water, add the water soluble bag(s). After bag(s) have dissolved, fill sprayer to desired volume and agitate for 30 seconds before use in order to insure proper mixing and suspension of the wettable powder. Re-agitate the sprayer before use if spraying is interrupted. Mix only the amount of solution needed for the application; repeat treatments as necessary.

Pests	Concentration of Active Ingredient	Dilution Rate**
Ants	Elm Leaf Beetles	.1%
Biting Flies*	Firebrats	1 water soluble bag per **
Boxelder Bugs	Fleas*	gallon(s)
Centipedes	Flies*	of water
Chiggers*	Millipedes	
Cockroaches (Maintenance)	Mosquitos*	
Crickets	Pillbugs	
Earwigs	Silverfish	
Pantry Pests	Sowbugs	
Bees		.2%
Cockroaches (Clean-out)		2 water soluble bags per **
Spiders		gallon(s)
Ticks		of water
Wasps		

*Outdoor use only.
**Mixing: To prepare a 0.1% suspension,

For the 0.27 ounce bag, mix 1 bag in 1 gallon of water.
For the 0.81 ounce bag, mix 1 bag in 3 gallons of water.
For the 1.62 ounce bag, mix 1 bag in 6 gallons of water.
For the 3.24 ounce bag, mix 1 bag in 12 gallons of water.

To prepare a 0.2% suspension,
For the 0.27 ounce bag, mix 2 bags in 1 gallon of water.
For the 0.81 ounce bag, mix 2 bags in 3 gallons of water.
For the 1.62 ounce bag, mix 2 bags in 6 gallons of water.
For the 3.24 ounce bag, mix 2 bags in 12 gallons of water.

Indoor Use

Crickets, Cockroaches, Firebrats, Silverfish, Spiders, and Ticks: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces, and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices; also see OUTDOOR USE.

Ants: Apply to any trails, around doors and windows and other places where ants may be found. Refer to BARRIER TREATMENT directions to prevent infestation; also see OUTDOOR USE.

Bees and Wasps: Application to nests should be made late in the evening when insects are at rest. Thoroughly spray nest and entrance and surrounding areas where insects alight; also see OUTDOOR USE.

Boxelder Bugs, Centipedes, Earwigs, Elm Leaf Beetles, Millipedes, Pillbugs, and Sowbugs: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to BARRIER TREATMENT directions to prevent infestation; also see OUTDOOR USE.

Food Handling Establishments: Places other than private residences in which food/feed is held, processed, prepared or served. Not for use in USDA meat and poultry plants.

Non-Food/Feed Areas: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, garages, mop closets, and storage (after canning or bottling). Cynoff 50 WSB insecticide may be used as a general, spot or crack and crevice treatment in non-food/feed areas. All areas where insects hide or through which insects may enter should be treated.

Food/Feed Areas: Cynoff 50 WSB is not labeled for use in food/feed areas. Do not use in any area where food/feed is stored, prepared or processed. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food/feed is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where food may be prepared or held.

General Surface Application

Do not apply as a general surface application when the facility is in operation or foods are exposed. Do not apply directly to food products. Cover or remove all food processing and/or handling equipment during application. After application in food processing plants, bakeries, cafeterias and similar facilities, wash all equipment, benches, shelving and other surfaces which food will contact. Clean food handling or processing equipment and thoroughly rinse with clean, fresh water. In the home, all food processing surface and utensils should be covered or thoroughly washed following treatment. Cover exposed food or remove from area being treated.

Spot, Crack and Crevice Application

Cover exposed food or remove from area being treated. Do not apply directly to food or food-handling surfaces.

Outdoor Use

For control of ants, bees, biting flies, boxelder bugs, centipedes, chiggers, cockroaches, crickets, earwigs, elm leaf beetles, firebrats, fleas, flies, millipedes, mosquitoes, pillbugs, silverfish, sowbugs, spiders, ticks and wasps. Apply by brush or as a residual spray either by hand or power sprayer. Apply to surfaces of buildings, porches, screens, window frames, eaves, residential lawns only such as grass areas adjacent or around private homes, duplexes, townhouses, condominiums, house trailers, apartment complexes, carports, garages, fence lines, storage sheds, barns, and other residential and non-commercial structures, patios, vegetation, refuse dumps, garages and in other areas where these pests are found.

Barrier Treatment: To help prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 400 square feet.

NOTE:

- Use only in well ventilated areas.
- Do not apply this product in hospital patient rooms while occupied or in any rooms while occupied by the elderly or infirm.
- Do not apply to classrooms when in use.
- Do not use water base sprays of Cynoff 50 WSB in conduits, motor housings, junction boxes, switch boxes, or other electrical equipment because of possible shock hazard.
- Do not apply this product to edible crops.
- Do not apply this product to soil in crawl spaces.
- Keep people and pets off surfaces until dry.
- Protect aquariums from spray mist.
- Do not use this product with oil.
- Do not treat pets with this product.
- For best results, thoroughly wash out sprayer and screen with water and detergent before using Cynoff 50 WSB insecticide.
- Do not use in warehouses where raw or cured tobacco is stored.
- Do not apply in greenhouses where crops used for food or feed are grown.

Distributors Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such use or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

Cynoff and FMC — FMC trademarks (1387-1/31/92-A) (1/94)

REVISIONS:

1. Revised for worker protection exclusion