

PM 19

279-3123

page 1 of 7

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

TERM OF ISSUANCE

February 11, 1992

Until Reregistration

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
*(Under the Federal Insecticide, Fungicide
and Rodenticide Act, as amended)*

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

REGISTRATION DIVISION
Pesticide and Special Agent Registration
1735 Market Street
Philadelphia, PA 19103

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards

DATE

2/11/92

2 9 7

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

4174 5/7/91

Code Number 1347

Net Contents:

TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS, PUBLIC HEALTH ORGANIZATIONS OR OTHER TRAINED PERSONNEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS.

PYRINEXTM 2 EC AREA INSECTICIDE

AREA CONTROL OF TICKS, COCKROACHES, BROWN DOG TICKS, FLEAS, SILVERFISH, CRICKETS, FIRERATS, ANTS AND SPIDERS AN^T WOOD-INFESTING BEETLES

EPA Reg. No. 11678-50

EPA Est. 279-FL-1

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate.....	24.5%
INERT INGREDIENTS: *.....	75.5%
	<u>100.0%</u>

* Contains xylene range aromatic solvent
Contains 2 pounds of chlorpyrifos per gallon
PYRINEX - Maktheshim Chemical Works Ltd. Trademark

ACCEPTED
with COMMENTS
in EPA Letter Order

FEB 11 1992

WARNING: KEEP OUT OF REACH OF CHILDREN

See other Panels for additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician immediately.

If on Skin: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

If in Eyes: Flush eyes with plenty of water. Call a physician.

Note to Physician: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

For Emergency Assistance Call (800)331-3148.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 279-3125

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS(AND DOMESTIC ANIMALS)

WARNING: May be fatal if swallowed. Combustible liquid. May be absorbed through skin. May be injurious to the eyes and skin. Do not get in eyes or on skin. Wash thoroughly after handling. Wash contaminated clothing before re-use. Flush contaminated eyes with plenty of water and get medical attention. Avoid breathing spray mist or vapors.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Apply only as specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL/CHEMICAL HAZARDS

Do not use, pour, or store near heat or open flame. Handle concentrate in ventilated area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Avoid storing above 122°F for extended periods of time. Storage below 40°F may result in formation of crystals. If product crystallizes, store at 55 - 75°F and shake occasionally to redissolve crystals. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved State or local procedures

PESTS INDOORS: Use PYRINEX 2 EC Insecticide as a spot treatment to control cockroaches, ants, crickets, firebrats, silverfish, spiders and brown dog ticks in and around residential, institutional and commercial buildings, including homes, apartment buildings, hospitals, stores and warehouses. Dilute PYRINEX 2 EC with water or with a suitable base oil to make a 0.25% or 0.50% chlorpyrifos spray as shown in the following SPRAY DILUTION CHART. Apply according to directions given for pests listed. Repeat the treatment as needed.

SPRAY DILUTION CHART

Gallons of Spray Mixture Desired	Fluid Ounces* of PYRINEX 2 EC to Use	
	Water-base Spray:	0.25% Spray 0.50% Spray
1	1-1/3	2-2/3
3	4	8
5	6-2/3	13-1/3
10	13-1/3	26-2/3
Oil-base Spray:**		
1	1	2
3	3	6
5	5	10
10	10	21

*Note: 1 fluid ounce = 2 tablespoonfuls = 6 teaspoonfuls
**Calculated on basis of deodorized kerosene

COCKROACHES (including strains resistant to certain other insecticides), **ANTS**, **CRICKETS**, **FIREBRATS**, **SILVERFISH**, **SPIDERS:** Use a 0.25% spray to control light infestations and 0.50% spray to quickly reduce heavy infestations. Apply as a coarse spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. **For ants:** Apply to ant trails, also around doors and windows, and wherever else these pests may find entrance. Note: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

FOR CONTROL OF CARPET BEETLES: Thoroughly apply 0.5% spray as a spot treatment along baseboards and edge of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else these insects are seen or suspected.

BEST AVAILABLE COPY

FLEAS & BROWN DOG TICKS: Thoroughly apply a 0.50% spray as a spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. **Do not treat pets with this product.** Additionally, treat pets with a product registered for animal application to control the source of flea infestation.

WOOD-INFESTING BEETLES: Wear suitable protective equipment and clothing when using or handling this product to help avoid exposure to eyes and skin. As a minimum, chemical worker's goggles, neoprene or natural rubber gloves and footwear, a long-sleeved shirt and long-legged pants or coveralls are recommended. To avoid breathing spray mist during application in confined areas, wear a mask or respirator of a type recommended by NIOSH for filtering the spray mist and organic vapors.

In control of wood-infesting beetles of the family Lyctidae, Anobiidae, Cerambycidae in homes and other structures, apply as a solution containing 1% chlorpyrifos(double the 0.5% spray label). For treatment of small areas, apply by brushing the emulsion evenly on wood surfaces. For larger or overhead areas apply as a coarse spray to the point of run off. Sprayed surfaces should be avoided until the spray has totally dried. Do not apply in food serving areas while food is exposed. Do not use in structures occupied by animals to be used for food purposes or which produce products for human consumption. Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed.

WARNING (PESTS INDOORS) For spot application only. Do not use in poultry houses, other animal buildings or in edible products areas of food processing plants; restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not allow spray to contact food, feedstuffs and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

AREA CONTROL OF FLEAS & TICKS: Use PYRINEX 2 EC to control fleas & ticks infesting lawn areas such as grass areas adjacent or around private homes, duplexes, townhouses, condominiums, house trailers, apartment complexes, carports, garages, fence lines, storage sheds, barns, office buildings and other residential and commercial structures where these pests are present and create a nuisance or possible public health problem. Apply PYRINEX 2 EC in water at the rate of approximately 1/3 fl. oz. per 1000 ft² using a hydraulic sprayer, mist applicator, knapsack sprayer or other suitable hand or power spray equipment. Treat low underbrush, grassy areas, weeds and ground surface and debris using enough spray volume to obtain thorough coverage, usually 1 to 2.5 gallons per 1000 sq. ft.

WARNING (Area Control of Ticks & Fleas): Do not allow public use of treated areas during application or until spray has dried. Do not apply when weather conditions favor drift from treated areas. Do not apply where run-off into lakes, streams, ponds or other bodies of water is likely to occur. Fish and crustaceans may be killed if their waters are contaminated with this product.

FIRE ANTS: Mix at a rate of 1 fl. oz. per 2 gallons of water and apply 1 gal of emulsion per mound. Thoroughly wet the mound and surrounding area to a 4 ft. diameter. For best result, apply in cool weather (65-80°F), or in early morning or late evening hours. Treat new mounds as they appear. Application should be a gentle rain from a sprinkler can or using low pressure spray since pressurized sprays may disturb the ants causing migration and reduceing product effectiveness.

Distributors Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing, method of application, weather conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 279-3123	DATE OF ISSUANCE February 11, 1992
	TERM OF ISSUANCE Until Reregistration	
	NAME OF PESTICIDE PRODUCT Pyrinex 2 EC Area Insecticide	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

FMC Corporation
 Pest Control Specialties Operations
 1735 Market Street
 Philadelphia, PA 19103

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/site all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 279-3123."
 - b. Delete the phrase "EPA Reg. No. 11678-50."
 - c. Add your company name and address, preferably on the bottom of the front panel or at the end of the label text.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL Dennis H. Edwards	DATE 2/11/92
--	-----------------

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

DHE
Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

BEST AVAILABLE COPY

4174 5/7/91

Code Number 1347

Net Contents:

TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS, PUBLIC HEALTH ORGANIZATIONS OR OTHER TRAINED PERSONNEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS.

PYRINEXTM 2 EC AREA INSECTICIDE

AREA CONTROL OF TICKS, COCKROACHES, BROWN DOG TICKS, FLEAS, SILVERFISH, CRICKETS, FIRERATS, ANTS AND SPIDERS AND WOOD-INFESTING BEETLES

EPA Reg. No. 11670 50

EPA Est. 279-FL-1

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate.....	24.5%
INERT INGREDIENTS: *.....	75.5%
	<u>100.0%</u>

* Contains xylene range aromatic solvent
Contains 2 pounds of chlorpyrifos per gallon
PYRINEX - Maktheshim Chemical Works Ltd. Trademark

ACCEPTED
with COMMENTS
in EPA Letter Dated

FEB 11 1992

WARNING: KEEP OUT OF REACH OF CHILDREN

See other Panels for additional Precautionary Statements

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 279-3123

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician immediately.

If on Skin: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

If in Eyes: Flush eyes with plenty of water. Call a physician.

Note to Physician: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

For Emergency Assistance Call (800)331-3148.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS(AND DOMESTIC ANIMALS)

WARNING: May be fatal if swallowed. Combustible liquid. May be absorbed through skin. May be injurious to the eyes and skin. Do not get in eyes or on skin. Wash thoroughly after handling. Wash contaminated clothing before re-use. Flush contaminated eyes with plenty of water and get medical attention. Avoid breathing spray mist or vapors.

BEST AVAILABLE COPY

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Apply only as specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL/CHEMICAL HAZARDS

Do not use, pour, or store near heat or open flame. Handle concentrate in ventilated area.

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Avoid storing above 122°F for extended periods of time. Storage below 40°F may result in formation of crystals. If product crystallizes, store at 55 - 75°F and shake occasionally to redissolve crystals. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved State or local procedures.



BEST AVAILABLE COPY

PESTS INDOORS: Use PYRINEX 2 EC Insecticide as a spot treatment to control cockroaches, ants, crickets, firebrats, silverfish, spiders and brown dog ticks in and around residential, institutional and commercial buildings, including homes, apartment buildings, hospitals, stores and warehouses. Dilute PYRINEX 2 EC with water or with a suitable base oil to make a 0.25% or 0.50% chlorpyrifos spray as shown in the following SPRAY DILUTION CHART. Apply according to directions given for pests listed. Repeat the treatment as needed.


SPRAY DILUTION CHART

Gallons of Spray Mixture Desired	Fluid Ounces* of PYRINEX 2 EC to Use	
	Water-base Spray	Oil-base Spray:**
1	1-1/3	2
3	4	6
5	6-2/3	10
10	13-1/3	21

*Note: 1 fluid ounce = 2 tablespoonfuls = 6 teaspoonfuls
**Calculated on basis of deodorized kerosene

COCKROACHES (including strains resistant to certain other insecticides), **ANTS**, **CRICKETS**, **FIREBRATS**, **SILVERFISH**, **SPIDERS:** Use a 0.25% spray to control light infestations and 0.50% spray to quickly reduce heavy infestations. Apply as a coarse spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants: Apply to ant trails, also around doors and windows, and wherever else these pests may find entrance. Note: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

FOR CONTROL OF CARPET BEETLES: Thoroughly apply 0.5% spray as a spot treatment along baseboards and edge of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else these insects are seen or suspected.



BEST AVAILABLE COPY

FLEAS & BROWN DOG TICKS: Thoroughly apply a 0.50% spray as a spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product. Additionally, treat pets with a product registered for animal application to control the source of flea infestation.

WOOD-INFESTING BEETLES: Wear suitable protective equipment and clothing when using or handling this product to help avoid exposure to eyes and skin. As a minimum, chemical worker's goggles, neoprene or natural rubber gloves and footwear, a long-sleeved shirt and long-legged pants or coveralls are recommended. To avoid breathing spray mist during application in confined areas, wear a mask or respirator of a type recommended by NIOSH for filtering the spray mist and organic vapors.

In control of wood-infesting beetles of the family Lyctidae, Anobiidae, Cerambycidae in homes and other structures, apply as a solution containing 1% chlorpyrifos (double the 0.5% spray label). For treatment of small areas, apply by brushing the emulsion evenly on wood surfaces. For larger or overhead areas apply as a coarse spray to the point of run off. Sprayed surfaces should be avoided until the spray has totally dried. Do not apply in food serving areas while food is exposed. Do not use in structures occupied by animals to be used for food purposes or which produce products for human consumption. Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed.

WARNING (PESTS INDOORS) For spot application only. Do not use in poultry houses, other animal buildings or in edible products areas of food processing plants; restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not allow spray to contact food, feedstuffs and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

AREA CONTROL OF FLEAS & TICKS: Use PYRINEX 2 EC to control fleas & ticks infesting lawn areas such as grass areas adjacent or around private homes, duplexes, townhouses, condominiums, house trailers, apartment complexes, carports, garages, fence lines, storage sheds, barns, office buildings and other residential and commercial structures where these pests are present and create a nuisance or possible public health problem. Apply PYRINEX 2 EC in water at the rate of approximately 1/3 fl. oz. per 1000 ft² using a hydraulic sprayer, mist applicator, knapsack sprayer or other suitable hand or power spray equipment. Treat low underbrush, grassy areas, weeds and ground surface and debris using enough spray volume to obtain thorough coverage, usually 1 to 2.5 gallons per 1000 sq. ft².

BEST AVAILABLE COPY

7/5/7

WARNING (Area Control of Ticks & Fleas): Do not allow public use of treated areas during application or until spray has dried. Do not apply when weather conditions favor drift from treated areas. Do not apply where run-off into lakes, streams, ponds or other bodies of water is likely to occur. Fish and crustaceans may be killed if their waters are contaminated with this product.

FIRE ANTS: Mix at a rate of 1 fl. oz. per 2 gallons of water and apply 1 gal of emulsion per mound. Thoroughly wet the mound and surrounding area to a 4 ft. diameter. For best result, apply in cool weather (65-80°F), or in early morning or late evening hours. Treat new mounds as they appear. Application should be a gentle rain from a sprinkler can or using low pressure spray since pressurized sprays may disturb the ants causing migration and reducing product effectiveness.

Distributors Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing, method of application, weather conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

BEST AVAILABLE COPY