

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY ; WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

٧.

MAY - 4 2007

Mr. Christopher Davis Registration Manager FMC Corporation 1735 Market Street Philadelphia, PA 19103

RE: Revise Warranty Statement EPA Registration Number: 279-3130 Date of Submission: April 27, 2007

Dear Mr. Davis:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, April 27, 2007 for the product Talsttar Nursery Granular Insecticide. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

C. Halloman Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

\$EPA	Environmenta	Inited States I Protectio ngton, DC 2040	• •		Registrat Amendm Other		OPP Identifier Number	
		Applicatio	n for Pestici	de - Sectio	n l			
I. Company/Product Number 279-3130			2. EPA LaRoo	Product Manage Ca	r .	3. Pro	roposed Classification	
I. Company/Product (Name Talstar Nursery Granu		•	13					
Name and Address of Ap FMC Corporation 1735 Market Street Philadelphia, PA 19 <i>Check if thi</i>		de)	(b)(i), n to: EPA 1	ny product is s		al in cor	FIFRA Section 3(c)(3) nposition and labeling	
			Section -					
Notification - Éxplain Xplanation: Use addition Revise warranty statement: On behalf of FMC Corporation understand that it is a violation with the terms of PR Notice of under Sections 12 and 14 of I. Material This Product Will Child-Resistant Packaging 	hal page(s) if necessar to be consistent with oth on 1 certify that this notif on of 18 USC Sec. 1001 98-10 and 40 CFR 152.4 FIFRA. I Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. Information Container	 y. (For section ler Talstar labels ication is consist to willfully make 16, this product r No. per container 4. Size(s) Reta 	(per EPA instruction ent with the provise any false statement nay be in violation Section - I Water Soluble P Yes- No If "Yes" Package wgt il Container	ions of PR Notice nt to EPA. I furth of FIFRA and I m ackaging No. per container	extent consistent 98-10 and EPA re er understand that ay be subject to er	With appli egulations if this not nforcement ontainer Metal Plastic Glass Paper Other (Sp	at 40 CFR 152.46. I ification is not consistent nt action and penalties	
		Paper g Stencile	lued d	······································				
			Section - I		· · · ·			
. Contact Point <i>(Complete</i> lame Christopher Davis	items directly below f	I	of individual to b Title Registration Mar		T		No. (Include Area Code)	
I certify that the state I acknowledge that an both under applicable . Signature	y knowlingly false or	misleading state	Il attachments the	ishable by fine (ccurate and comporting the second composition of the second compositio	(((((((((((((((((((6. Date Application Received (Stamped)	
I. Typed Name Christopher Davis		5	. Date	27/07			1 · · · · · · · · · · · · · · · · · · ·	

Net Contents

1684

NOTIFICATION

MAY = 4 2007

Nursery Granular Insecticide

aista

For Agricultural or Commercial Use Only For Use as a Quarantine Treatment Against Imported Fire Ants and for Balled and Containerized **Nursery Stocks**

EPA Reg. No. 279-3130

EPA Est. 279-

Active Ingredient:	By Wt.
Bifenthrin*	0.2%
Other	<u>99.8%</u>
	100.0%

Cis isomers 97% minimum, trans isomers 3% maximum. U.S. Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for additional precautionary information.



FMC Corporation Agricultural Products Group Philadelphia PA 19103

FIRST AID

ø

- If on skin or · Take off contaminated clothing. clothing Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also con-tact 1-(800)-331-3148 for Emergency Assistance.

NOTE TO PHYSICIAN

This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

For Information Regarding the Use of this Product Call 1-800-321-1FMC (1362).

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Caution Harmful if absorbed through skin. Avoid contact with skin, eyes orclothing. Personal Protective Equipment: Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Waterproof gloves
- Shoes and socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash
- thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertubrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to couatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during restricted entry interval (REI) of 12 hours. Exception: if the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

Coveralls

Waterproof gloves

Shoes and socks

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To_confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Paper and plastic bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ORNAMENTAL USE

(For soil incorporation into potting media used in containerized plantings of ornamental trees, shrubs, plants, flowers, conifers, Christmas trees, and non-bearing fruit and nut trees, and bushes.)

HERB USE

For soil incorporation into potting media used in containerized plantings of the following herbs: Angelica; balm; basil; borage; burnet; camomile; catnip; chervil; chive; chive, chinese; clary; coriander (leaf); costmary; culantro (leaf); curry (leaf); dillweed; horehound; hyssop; lavender; lemongrass; lovage (leaf); marigold; marloram; nasturtium; parsley; pennyroyal; rosemary; rue; sage; savory, summer and winter; sweet bay; tansy; tarragon; thyme; wintergreen; woodruff; and wormwood. Minimum preshipment interval is 70 days for herbs listed above.

Application Instructions for Potting Media: Determine bulk density of the potting media by measuring the dry weight of a unit volume of the mix. Based on the length of control required, thoroughly mix the appropriate quantity of the Talstar[®] Granular insecticide with equipment suitable to give uniform distribution in the potting media. Talstar Granular insecticide may be pre-mixed with an appropriate amount of sand (1:10) to ensure adequate distribution of the product of the mix. Talstar Granular insecticide is approved under the USDA Plant Protection Imported Fire Ant Quarantine Certification program when used in accordance with USDA guidelines. Use the recommended application rates given in the table below to determine the length of control required for certification.

Pest	USDA IFA Certification Period (mo)		Potting Media Bulk Density* (lbs.Talstar Granular insecticide Per Cubic Yard)					
			200	300	400	500	600	
Imported	0-6	10	1.0	1.5	2.0	2.5	3.0	
Fire Ant	7-12	12	1.2	1.8	2.4	3.0	3.6	
	13-24	15	1.5	2.25	3.0	3.75	4.5	
	Continuous	25	2.5	3.75	5.0	6.25	7.5	
Comments: Incorporate appropriate amount of Talstar Granular								

insecticide in one cubic yard of potting media based on the known bulk density.

For General Use On Ornamental Plants outside the scope of USDA guidelines

For Fungus Gnat larvae & Mealybugs use 5 to 10 ppm. For Black Vine Weevil larvae, Root Weevil larvae, White Grubs (including Japanese Beetle, oriental beetle and European chafer larvae). & Imported Fire Ants use 10 to 25 ppm. Use the higher rates for extended residual control.

Pest Rate (lbs.Talsta					Granular			
	200	300	400	500	600			
5 10	0.5 1.0	0.75 1.5	1.0 2.0	1.25 2.5	1.5 3.0			
10	1.0	1.5	2.0	2.5	3.0			
15 25	1.5 2.5	2.25 3.75	3.0 5.0	3.75 6.25	4.5 7.5			
	Rate (ppm) 5 10 10 15	Rate (ppm) ins 200 200 5 0.5 10 1.0 10 1.0 15 1.5	Rate (ppm) (lbs.Ta insecticide 200 300 5 0.5 0.75 10 1.0 1.5 10 1.0 1.5 15 1.5 2.25	Rate (ppm) (Ibs.Talstar Gr insecticide Per C 200 200 300 400 5 0.5 0.75 1.0 10 1.0 1.5 2.0 10 1.0 1.5 2.0 15 1.5 2.25 3.0	Rate (ppm) (Ibs.Talstar Granular insecticide Per Cubic Ya 200 300 400 500 5 0.5 0.75 1.0 1.25 10 1.0 1.5 2.0 2.5 10 1.0 1.5 2.0 2.5 15 1.5 2.25 3.0 3.75			

insecticide in one cubic yard of potting media based on the known bulk density.

*lbs. of Talstar Granular insecticide per cubic yard

= bulk density of potting media x ppm

2000

(bulk density = laboratory determined dry weight of a unit volume of potting media.)

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control or FMC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold FMC and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. EXCEPT AS WAR-RANTED BY THIS LABEL, FMC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PUR-POSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or FMC, and buyer assumes the risk of any such use.

To the extent consistent with applicable law, FMC or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF FMC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHER-WISE) RESULTING FROM THE USE OR HANDLING OF THIS PROD-UCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF FMC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

Talstar and FMC—FMC Trademarks

(1684 - 5/7/03)

Page 3

. . . .

FMC Agricultural Products

FMC Corporation 1735 Market Street Philadelphia PA 19103

6/6

215.299.6000

www.fmc.com

April 27, 2007

Ms. Sherada Hobgood United States Environmental Protection Agency Document Processing Desk (NOTIF) Office of Pesticide Programs (H7504P) Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Dear Ms. Hobgood:

Subject: Talstar[®] Nursery Granular Insecticide EPA Reg. No. 279-3130

Notification of Revised Warranty per PR Notice 98-10.

FMC is interested in revising the warranty for the subject registration. FMC believes that the changes in full compliance with PR Notice 98-10, section II <u>Notifications</u>, part J <u>Changes in Warranty Statements</u>. The warranty statement is being revised to be consistent with our other Talstar labels, and these changes were made per instructions from the Agency. It includes using wording such as "....to the extent consistent with applicable law." and "...except as warranted on this label."

To support this submission and to process this request, enclosed please find the following:

- Application for Pesticide (EPA Form 8570-1)
- One copy of the amended label

To expedite this request, I have supplied a postage-paid self-addressed postcard for the Agency to acknowledge this amendment.

We trust this information will assist the Agency in its effort to complete this amendment. If you have any questions concerning this matter, please feel free to contact me at (215) 299-6334 or e-mail at chris davis@fmc.com.

Sincerel

Christopher Davis Registration Manager APG Specialty Products Business

S:\r&d\federal\eparegistrations\bifenthrin\279-3130\279-3130 Warranty Revision 4 27 07.doc