



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

July 19, 2010

Mr. Christopher Davis FMC Corporation 1735 Market Street Philadelphia, PA 19103

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Amending the Storage and Disposal Language

Dear Mr. Davis:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice PRN 2007-4 dated June 15, 2010 for the following product(s):

Talstar Nursery Granular Insecticide
Talstar Nursery Flowable Insecticide/Miticide

EPA Reg. No. 279-3130

EPA Reg. No. 279-3155

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Regina Foushee'-Smith at 703-605-0780.

Sincerely,

Richard J. Gebken Product Manager

Insecticide Branch

Registration Division (7505P)

Please read instructions o	n reverse before compl	e form.		Form App	prove	d. MB No. 2	070-00	30. Approval expires 2-28-9	
United States Environmental Protection Agency Washington, DC 20460				1	Registrat Amendm Other	ion	OPP Identifier Number		
		Applicati	on for Pestic	ide - Sect	tion	1			
1. Company/Product Number 279-3130			2. EPA Product Manager Gebken				3. P	roposed Classification	
4. Company/Product (Name) Talstar Nursery Granular Insecticide			PM# 13						
5. Name and Address of A FMC Corporation 1735 Market Street Philadelphia, PA 19 Check if to		code)	(b)(i), to: EPA		s sim		oal in co	n FIFRA Section 3(c)(3) omposition and labeling	
			Section -						
Resubmission in re Notification - Expla Explanation: Use additions FMC is interested in amen making the following changes 1) Revise Container Disposition 2) Add the company's full states.	in below. onal page(s) if necessading the label for the subges: sal per PR Notice 2007-4	ry. (For section		Agency lette "Me Too" A Other - Expl	er dat applic	ation. elow.		R Notice 2007-4. We are	
			Section -	111					
1. Material This Product V	Vill Be Packaged In:			503.675	Fig				
Child-Resistant Packaging Yes No * Certification must be submitted	Yes No No If "Yes" Unit Packaging wgt. No. per Container			Water Soluble Packaging Yes No If "Yes" Package wgt No. per Container			2. Type of Container Metal Plastic Glass Paper Other (Specify)		
3. Location of Net Content	s Information Container	4. Size(s) Re	tail Container		5. Lo	cation of Labe	Directi	ons	
6. Manner in Which Label	is Affixed to Product	Lithog Paper Stenc	graph glued iled	Other					
			Section -	IV		14,177			
1. Contact Point (Complete	te items directly below	for identification	on of individual to i	be contacted, i	f nec	essary, to prod	ess this	application.)	
Name Christopher Davis			Title Registration Ma	Fitle Registration Manager			Talephone No. (Include Area Code) 215-259-6334		
	tements I have made or any knowlinglly false or e law.		all attachments th					6. Date Application Received (Stamped)	
2. Signature			3. Title Registration Manager					; ((((
Typed Name Christopher Davis			5. Date June 15, 2010						

June 15, 2010

FMC Agricultural Products

FMC Corporation 1735 Market Street Philadelphia, PA 19103

215.299.6000 Phone

www.fmc.com

June 15, 2010

Mr. Richard Gebken, PM-13 United States Environmental Protection Agency Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202

Dear Mr. Gebken:

Subject:

Talstar Nursery Granular Insecticide

EPA Reg. No. 279-3130

Notification Amendment

FMC is interested in amending the label for the subject registration. FMC believes that these changes are in full compliance with PR Notice 2007-4. We are making the following changes:

- 1) Revise Container Disposal per PR Notice 2007-4
- 2) Add the company's full street address

To process this request, enclosed please find the following:

- Application for Pesticide (EPA Form 8570-1).
- Final Print Labeling (3 copies), including one hi-lited version for ease of review.
- Completed Certification with Respect to Label Integrity form.
- A compact disk containing the label as amended
- Certification of Compliance with PR Notice 2007-4

We trust this information will assist the Agency in its effort to complete this amendment. If you have any questions concerning this matter, please feel free to contact me at (215) 299-6334 or email at Chris.Davis@fmc.com.

Sincerely,

Christopher Davis Registration Manager FMC Corporation



1684

Net Contents

Nursery Granular

Insecticide

For Agricultural or Commercial Use Only

For Use as a Quarantine Treatment Against Imported Fire Ants and for Balled and Containerized Nursery Stocks

EPA Reg. No. 279-3130

EPA Est. 279-

Active Ingredient:	By Wt.
Bifenthrin*	0.2%
Other	
	100.0%

*Cis isomers 97% minimum, trans isomers 3% maximum. U.S. Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for additional precautionary information.

NOTIFICATION

JUL 1 9 2010



FMC Corporation Agricultural Products Group 1735 Market Street Philadelphia PA 19103

FIRST AID

skin on clothing

or

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- · Call a poison control center or doctor for treatment advice

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-(800)-331-3148 for Emergency Assistance.

NOTE TO PHYSICIAN

This product is a pyrethroid. If large amounts have been ingested. milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

For Information Regarding the Use of this Product Call 1-800-321-1FMC (1362).

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Caution

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment:

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Waterproof gloves
- Shoes and socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash
- the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.



AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during restricted entry interval (REI) of 12 hours. Exception: if the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- · Coveralls
- Waterproof gloves
- · Shoes and socks

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Paper and plastic bags: Non-refillable. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling, if available, or dispose of empty bag in a sanitary landfill or by incineration, or, by burning. Do not burn unless allowed by state or local authorities. If burned, stay out of smoke.

ORNAMENTAL USE

(For soil incorporation into potting media used in containerized plantings of ornamental trees, shrubs, plants, flowers, conifers, Christmas trees, and non-bearing fruit and nut trees, and bushes.)

HERB USE

For soil incorporation into potting media used in containerized plantings of the following herbs: Angelica; balm; basil; borage; burnet; camomile; catnip; chervil; chive; chive, chinese; clary; coriander (leaf); costmary; culantro (leaf); curry (leaf); dillweed; horehound; hyssop; lavender; lemongrass; lovage (leaf); marigold; marloram; nasturtium; parsley; pennyroyal; rosemary; rue; sage; savory, summer and winter; sweet bay; tarnsy; tarragon; thyme; wintergreen; woodruff; and wormwood. Minimum preshipment interval is 70 days for herbs listed above.

Application Instructions for Potting Media: Determine bulk density of the potting media by measuring the dry weight of a unit volume of the mix. Based on the length of control required, thoroughly mix the appropriate quantity of the Talstar® Granular insecticide with equipment suitable to give uniform distribution in the potting media. Talstar Granular insecticide may be pre-mixed with an appropriate amount of sand (1:10) to ensure adequate distribution of the product of the mix.

Talstar Granular insecticide is approved under the USDA Plant Protection Imported Fire Ant Quarantine Certification program when used in accordance with USDA guidelines. Use the recommended application rates given in the table below to determine the length of control required for certification.

Pest	USDA IFA Certification Period (mo)	App Rate (ppm)	Potting Media Bulk Density* (lbs.Talstar Granular insecticide Per Cubic Yard)						
			200	300	400	500	600		
Imported	0-6	10	1.0	1.5	2.0	2.5	3.0		
Fire Ant	7-12	12	1.2	1.8	2.4	3.0	3.6		
	13-24	15	1.5	2.25	3.0	3.75	4.5		
	Continuous	25	2.5	3.75	5.0	6.25	7.5		

Comments: Incorporate appropriate amount of Talstar Granular insecticide in one cubic yard of potting media based on the known bulk density.

For General Use On Ornamental Plants outside the scope of USDA guidelines

For Fungus Gnat larvae & Mealybugs use 5 to 10 ppm. For Black Vine Weevil larvae, Root Weevil larvae, White Grubs (including Japanese Beetle, oriental beetle and European chafer larvae). & Imported Fire Ants use 10 to 25 ppm. Use the higher rates for extended residual control.

Pest	App.Rate (ppm)	Potting Media Bulk Density* (Ibs.Talstar Granular insecticide Per Cubic Yard)						
		200	300	400	500	600		
Fungus Gnat larvae Mealybugs	5 10	0.5 1.0	0.75 1.5	1.0	1.25 2.5	1.5		
Black Vine Weevil Root Weevil larvae White Grubs Imported Fire Ants	10 15 25	1.0 1.5 2.5	1.5 2.25 3.75	2.0 3.0 5.0	2.5 3.75 6.25	3.0 4.5 7.5		

Comments: Incorporate appropriate amount of Talstar Granular insecticide in one cubic yard of potting media based on the known bulk density.

*lbs. of Talstar Granular insecticide per cubic yard

= bulk density of potting media x ppm
2000

(bulk density = laboratory determined dry weight of a unit volume of potting media.)

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control or FMC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold FMC and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. EXCEPT AS WARRANTED BY THIS LABEL, FMC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or FMC, and buyer assumes the risk of any such use.

To the extent consistent with applicable law. FWC or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF FMC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF FMC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

Talstar and FMC—FMC Trademarks

