

 United States <b>Environmental Protection Agency</b> Washington, DC 20480	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <b>242343</b>
	<b>Application for Pesticide - Section I</b>	

1. Company/Product Number <b>279-3153</b>	2. EPA Product Manager <b>G.T. LaRocca</b>	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>FirstLine Termite Bait Station</b>	PM# <b>13</b>	
5. Name and Address of Applicant (Include ZIP Code) <b>FMC Corporation 1735 Market Street Philadelphia, PA 19103</b> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of "Addition of **NOTIFICATION STATEMENT**" as per PRACTICE 95-2.  
 JUL 3 1996

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If "Yes" Unit Packaging wgt. _____ No. per container _____	If "Yes" Package wgt _____ No. per container _____	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted					
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name <b>Michael C. Zucker</b>	Title <b>Registration &amp; Label Specialist</b>	Telephone No. (Include Area Code) <b>(602) 951-3073</b>
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <b>Michael C. Zucker</b>	3. Title <b>Registration &amp; Label Specialist</b>	
4. Typed Name <b>Michael C. Zucker</b>	5. Date <b>7/25/96</b>	

BEST AVAILABLE COPY

# FirstLine™

## Termite Bait Station

Only for Sale to, Use and Storage by Professional Pest Control Operators in Commercial, Industrial and Residential Areas.

EPA Reg. No. 279-3153

EPA Est. No.

**Active Ingredient:**

N-Ethyl perfluorooctanesulfonamide . . . . . 0.01%

**Inert Ingredients** . . . . . 99.99%

**Total**

U.S. Patent No. 4,921,696 Other U.S. and Foreign Patents Pending

**NOTIFICATION**

**DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATIONS**

### CAUTION

See other panels for additional precautionary information.

#### STATEMENT OF PRACTICAL TREATMENT

If on skin: Wash with plenty of soap and water. Get medical attention.

For Emergency Assistance Call: (800) 331-3148.

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans (and Domestic Animals)

**Caution:** Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**BEST AVAILABLE COPY**



FMC Corporation  
Agricultural Products Group  
Philadelphia, PA 19103

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal  
**Pesticide Storage**

Keep out of reach of children and animals. Store in original containers only. Store in a cool dry place and avoid excess heat.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

##### Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

##### Container Disposal

Wrap FirstLine™ Termite Bait Station and put in trash. Pesticide bags: Completely empty bag. Then dispose of empty bag in a sanitary landfill or by incineration, as allowed by state and local authorities, by burning, if burned, stay out of smoke.

**Food Handling Establishments:** Places other than private residences in which food is held, processed, prepared or served.

**Non-Food/Feed Areas:** Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, garages, mop closets, and storage (after canning or bottling). Areas conducive to termite attack or through which termites may enter should be treated.

**Food/Feed Areas:** The FirstLine Termite Bait Station is not labeled for use in food/feed areas. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. For indoor application in the home or similar areas, do not place FirstLine Termite Bait Stations in an area where there is the possibility of contaminating food or surfaces that come in contact with food. Not for use in USDA Meat and Poultry Plants.

#### DIRECTIONS FOR USE

FirstLine Termite Bait Stations are ready to use and filled with a treated cellulosic matrix containing 100 ppm sulfuramid, a slow acting insecticide. The use of this bait suppresses or controls Termite infestations. The Termite activity depends on the species involved, weather, moisture, and the time of year. Termites may require 1 to 4 months or more for control in and on commercial, industrial and residential buildings and structures, and their immediate surroundings. Permitted areas of use include but are not limited to industrial buildings, houses, apartment buildings, laboratories, and the non-food/feed areas of stores, warehouses, schools, nursing homes, hospitals, restaurants, hotels, churches, food manufacturing, processing and service establishments. The bait is effective against: Anitermes, Coptotermes, Heterotermes, Nasutitermes, and Reticulitermes Termites.

FirstLine Termite Bait Stations are used to control local infestations of termites in and around structures in situations such as: in posts, rubble foundations, masonry voids, roofs, building siding, foam insulation, caulked joints, slabs, wood beams, non-food/feed areas, sewer systems, manhole covers, electrical systems, attic, underground cabling, basements, porches, crawlspaces, sheds, garages, soil, and interior and exterior planters. Use FirstLine Termite Bait Stations only on flat surfaces. Termites infesting areas adjacent to wells may be treated, whether the well is within the structure or not, but no baits may be placed inside of a well.

## For Structures With an Active Infestation

For use in individual residential structures or apartments, do not apply more than four FirstLine™ Termite Bait Stations per unit.

FirstLine Termite Bait Stations should be placed in close proximity to actively foraging Termites so that the bait may be located by the termites and ingested. Time required for control varies depending upon how quickly the Termites tube into or enter the FirstLine Termite Bait Station and feed upon the bait.

Termite activity indoors may be controlled by first locating Termite mud tubes. Break off 1 inch of leading edge of the tube or a section of the tube to fit the FirstLine Termite Bait Station. Install station, using tamper resistant screws (Robertson or Phillips head or similar) so that the Termites will rebuild their tubes into the station and feed upon the bait. As an option, the bait may be lightly misted with water prior to installation to enhance Termite attraction. The bait should not be saturated with water to the point of runoff. For each active mud tube, use one FirstLine Termite Bait Station. For situations where the mud tube has branched or has bypassed an existing station, an additional station may be installed. Do not apply more than four FirstLine Termite Bait Stations per unit.

This FirstLine Termite Bait Station may be attached to infested wood or masonry. Screw the stations directly into wood, drywall, or masonry surfaces. For best results, install the FirstLine Termite Bait Station so that the ridges of the bait matrix are in the same direction as the Termite tube. In some situations, a break in the tube must be made to accommodate the whole FirstLine Termite Bait Station. If used on the exterior of the structure, electrician's putty or similar sealant may also be used on the outside of the station to achieve a water tight seal for outdoor installations.

Minimize disturbance of Termites during all phases of the FirstLine Termite Bait Station installation and inspection. Replace the FirstLine Termite Bait Stations before Termites consume all of the bait within a station.

The PCO must inspect the FirstLine Termite Bait Stations every 2 to 4 weeks until the bait is consumed and/or Termite activity ceases, replacing any stations with significant feeding (at least 50% of bait consumed). The frequency of inspection should be adjusted according to Termite species, foraging pressure and climatic conditions. After feeding has stopped, the station can be removed.

## Attention

Do not install FirstLine Termite Bait Stations within wells.

Do not install FirstLine Termite Bait Stations into a termiticide treated area.

Do not spray FirstLine Termite Bait Stations during routine pesticide applications.

Do not reuse FirstLine Termite Bait Stations at other properties.

Do not place FirstLine Termite Bait Station in an area where there is the possibility of contaminating food or surfaces that come in contact with food.

Do not use on any tree used in food/feed production.

Do not install FirstLine Termite Bait Stations in contact with water.

Contact APG Specialty Products at: (800) 321-1362 for assistance in using FirstLine Termite Bait Stations or other components of the Termite Management System.

## Distributors Should Sell In Original Packages Only

Terms of Sale or Use: On the purchase of this product buyer and the user agrees to the following conditions:

**Warranty:** FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

**Directions and Recommendations:** Follow directions carefully. Timing, method of application, weather conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

**Use of Product:** FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

**Damages:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

FMC & FirstLine - FMC Trademarks

(1629-4/18/96)

**BEST AVAILABLE COPY**