PM13	-	279-3168		- 1/3	1613305238
					17/1
Report of the second se	Office of Registrat 40	MERIAL WRONDLE Programs ion Division (H7505C) 1 "M" St., S.W. ington, D.C. 20460		UDAUT:	Date of Issuance:
AN THE ALPROTECTION	NOTICE OF PE	STICIDE: gistration registration	-	279-3168	17 JUN 1996
(under FIFRA, as		registration	s - 1	Term of Issuance Unconditio	
-				Name of Pesticid Talstar PI Insecticid	Granular
FMC Corpor Agricultur PO Box 8 Princeton, Note: Changes in be submitted to correspondence of On the basis of : registered/reregist Registration is : In order to prote cancel the registre with the registre exclusive use of This produ FIFRA sec. is not reg eliminate the Agency required to	NJ 08543 Abeling differing in and accepted by the Reg n this product always r information furnished by istered under the Feder in no way to be constru- ect health and the envi: tration of a pesticide ation of a product under the name or to its use nct is uncondit 3 (c) (5). Onco garded as perma- the need for or r determines the to maintain in	and the second sec	named p named p nd Roder on his The add strued a others. ced i: s reg e. ssmen add ng r	the label in com number pesticide is hereh ticide Act. tion of this produ- motion, may at ar coeptance of any r is giving the regin n accordance istered, he Registration t of pestic itional date egistration	Act by the Agency. Act by the Agency. Act by the Agency. Act by the suspend or Hame in connection Istrant a right to Ce with Dwever, it on does not cides. If ta are n, the
Registrati 2 for the re registrati FIFRA sec. constitute	Make the follow on Number to 1 2. Submit two ecord. If thes on will be sub 6(e). Your 1 es acceptance of enclosed for yo	ving label change read, "EPA Reg. N copies of the re se conditions are oject to cancella release for shipm of these condition our records.	No. 2 evise e not ation ment	79-31 <u>6</u> 8". d final pr: complied t in <u>a</u> ccorda of the prod	inted label with, the ance with duct
Product Ma Insecticid Registrati	anager (13) le-Rodenticide on Division (H roving Official:			Date:	
Signature of App:	roving Official:			Date:	
		CONCURRENCES			
EPA TOLM- 8570-6					
		CONCURRENCES			

Code 1686



Only for sale to, use, and storage by commercial applicators for use to control Ants (including Imported Fire Ants) and Mole Crickets on lawns in landscaped areas and perimeters around residential, Institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields.

EPA Reg. No. 279-GRAI

EPA Est. 279-

Active Ingredient:	By Wt.
Bifenthrin: (2 methyl [1,1'-biphenyl]-3-yl) methyl	-
3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-	
dimethylcyclopropane carboxylate*	0.2%
Inert Ingredients	99.8%
	100.0%

*Cis isomers 97% minimum, trans isomers 3% maximum. U.S. Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for additional precautionary information.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

Note to Physician:

This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

For Emergency Assistance Call: (800) 331-3148.



ACCEPTED with COMMENTS in EPA Letter Dated

17 JUN 1996

FMC Corporation Agricultural Products GroupUnder the Federal Insecticide, Philadelphia PA 19103 Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

6/96 PL Granular Draft 8

4

79.3168

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Harmful if absorbed through skin, Avoid contact with skin, eves or clothing.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale of other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climate modification and being grown in interior plantscapes, ornamental gar-dens or parks, or lawns or grounds.

Do not broadcast apply more than 0.4 lbs, a.i. per Acre per Season.

Not for use on golf courses, sod farms, nurseries, commercial greenhouses or grass grown for seed.

STORAGE AND DISPOSAL

Prohibitions

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Paper and plastic bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authonities, by buming. If burned, stay out of smoke.

Net Contents

Perimeter Appliaction: Apply to ground area 6 to 10 feet wide around and adjacent to the structure.

Lawn Application: Broadcast Talstar[®] PL granular insecticide with suitable application equipment to ensure uniform coverage over the treatment area.

Application Rates for Taistar PL Granular Insecticide					
Pest	lbs. a. i. per acre	ibs. per 1000 sq. ft. Talstar PL	Comments		
Ants (including imported Fire Ants**)	0.2	2.3	Use higher rates for extended residual		
	- to -	- to -	control.		
	0.4	4.6	**Aids in Control.		
Mole Crickets			For optimum control of Mole Crickets apply during peak egg hatch and irri- gate with a minimum of 0.2 inches of water.		

INDUSTRIAL NON-AGRICULTURAL APPLICATIONS

(Including Industrial Sites, Parks, Ball Fields and Cemeteries)

Broadcast Spot Applications: For the control of activity foraging ants (including Imported Fire Ants) broadcast uniformly 2.25 to 4.5 lbs. Talstar PL granular insecticide per 1000 sq. ft. (0.2 to 0.4 lbs. a.i./Acre). See comments section under Lawn Applications for additional rate recommendations.

Pad Mounted Electrical Sites: To reduce or prevent ant mound building activity on electrical pads, uniformly distribute 1.0 to 1.5 Tablespoons (0.06 to 0.09 ibs.) of Talstar PL granular insecticide per 4 sq. ft. of mounting pad. Where existing transformers are completely or partially filled with soil excavated by resident ants, remove any excess fill and level the remaining soil prior to application. Food utensils such as tablespoons must not be used for food purposes after use in measuring pesticides.

Note: Electrical transformers appear to be more attractive to ants during the cooler months. For best results treat in the Fall or early Spring.

Talstar PL Gunular Insecticide

Recommended Spreader Settings for Broadcast Applications

3/3

	-	Spreader Setting					
Equipment	Ground Speed (MPH)	100 Pounds per Acre Once Over <u>Twice Over</u>		200 Pounds per Acro Once Over <u>Twice Over</u>			
	<u></u>	WHEN DIEL		MINE VINI	10100 0101		
Hand-Pushed				-			
LESCO Rotary	[:] 3	B+1/4	A + 1/2	C + 1/2	B + 1/4		
Scotts R-8A-1 Rot	ary 3	G	ε	Not Rec.	G		
Gandy Model 42H	203	8	4-1/2	13	8		
Equipment Drawn (PTO=540 RPM)							
Gandy (8 foot)	4.5	17.	12-1/2	26	17		
Lely 2.3202.000.1	4.5	2	1	3-1/2	2		
Lety Model L-400	4.5	Not Rec.	Not Rec.	2	Not Rec.		
Vicon PS402	4.5	[·] 10	7	16	10		
Vicon PS1002T	4.5	13	9	21	13		

Note: These recommended settings should be used as starting points when calibrating a spreader to achieve the desired application rate of Talstar PL Granular. After calibration, the technician should regularly observe the amount of Talstar PL Granular that is applied to a known area and make further setting adjustments, as necessary, to maintain the appropriate application rate. Spreaders should be calibrated periodically to ensure that equipment wear or other factors have not altered the flow rate of Talstar PL Granular. Calibration instructions are included in the Owner's Manual that was provided by the equipment manufacturer at the time of purchase.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing, method of application and weather conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

Talstar and **FMC** —FMC Trademarks

[PL Granular]