



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number  
246796

Application for Pesticide - Section I

1. Company/Product Number 279-3170	2. EPA Product Manager G.T. LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) FIRST LINE GTW Termite BAIT Station	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) FMC Corporation 1735 Market Street Philadelphia, PA 19103 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

NOTIFICATION

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOV 7 1996

Notification of "Alternate Brand Name" AS PER PR Notice 95-2

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Michael C Zucker	Title Registration + Label Specialist	Telephone No. (Include Area Code) (609) 951-3023
2. Signature Michael C. Zucker		3. Title Registration + Label Specialist
4. Typed Name Michael C. Zucker		5. Date 10/30/96
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)


293

Code 1809

Net Contents  
0.125 oz.

# FirstLine™

## GTW Termite Bait Station



NOTIFICATION

NDV 7 1996

Only for Sale to, Use and Storage by  
Professional Pest Control Operators in  
Commercial, Industrial and Residential Areas.

EPA Reg. No. 279-3170

EPA Est. No.

<b>Active Ingredient:</b>	<b>By Wt.</b>
N-Ethyl perfluorooctanesulfonamide .....	0.01%
<b>Inert Ingredients</b> .....	<b>99.99%</b>
<b>Total</b>	<b>100.00%</b>

U.S. Patent No. 4,921,696 Other U.S. and Foreign Patents Pending

**DO NOT ALLOW CHILDREN OR PETS  
TO PLAY WITH THE BAIT STATIONS**

### CAUTION

See other panels for additional precautionary information.

#### STATEMENT OF PRACTICAL TREATMENT

If on skin: Wash with plenty of soap and water. Get medical attention.

For Emergency Assistance Call: (800) 331-3148.

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans (and Domestic Animals)

Caution: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.



FMC Corporation  
Agricultural Products Group  
Philadelphia, PA 19103

10/96-C

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal

##### Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool dry place and avoid excess heat.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

##### Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

##### Container Disposal

Wrap FirstLine™ GTW Termite Bait Station and put in trash. Plastic bags: Completely empty bag. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke

**Food Handling Establishments:** Places other than private residences in which food is held, processed, prepared or served.

**Non-Food/Feed Areas:** includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, garages, mop closets, and storage (after canning or bottling). Areas conducive to termite attack or through which termites may enter should be treated.

**Food/Feed Areas:** The FirstLine GTW Termite Bait Station is not labeled for use in commercial food/feed areas. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. For indoor application in the home or similar areas, do not place FirstLine GTW Termite Bait StationS in an area where there is the possibility of contaminating food or surfaces that come in contact with food. Not for use in USDA Meat and Poultry Plants.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FirstLine GTW Termite Bait Stations are ready to use and filled with a treated cellulosic matrix containing 100 ppm sulfiramid, a slow acting insecticide. The use of this bait suppresses or controls termite infestations. The termite activity depends on the species involved, weather, moisture, and the time of year. Termites may require 1 to 4 months or more for control in and on commercial, industrial and residential buildings and structures, and their immediate surroundings. Permitted areas of use include but are not limited to industrial buildings, houses, apartment buildings, laboratories, and the non-food/feed areas of stores, warehouses, schools, nursing homes, hospitals, restaurants, hotels, churches, food manufacturing, processing and service establishments. The bait is effective against: Coptotermes, Heterotermes, and Reticulitermes termites.

#### For Structures With No Active Infestations

As identified by an inspection, distribute 8 to 14 FirstLine GTW Termite Bait Stations among outdoor areas. Use 2 or more stations per critical

area. Although FirstLine GTW Termite Bait Stations do not attract termites, they are designed to detect termite activity. FirstLine GTW Termite Bait Stations may be introduced into previously known infested areas. Do not place stations closer than 6 inches to the foundation to avoid termiticide treated soil. Re-inspect the structure within 6 months and annually thereafter. If infestation occurs, the PCO must inspect the FirstLine™ GTW Termite Bait Stations every 2 to 4 weeks until the bait is consumed and/or termite activity ceases, replacing any stations with significant feeding (at least 50% of bait consumed). The frequency of inspection should be adjusted according to termite species, foraging pressure and climatic conditions. After feeding has stopped, continue to monitor the stations every two to four months for the next twelve months and then annually.

FirstLine GTW Termite Bait Stations are intended to be used in an Integrated Pest Management (IPM) Program. An IPM program must start with inspection and contain any one or more of the following elements: moisture management recommendations, wood management recommendations, termiticides, termiticide foams, baits, and physical barrier sand. The PCO should follow all applicable state IPM recommendations in addition to FMC's requirements. FMC or its representative will train and authorize all PCO's in the proper use of FirstLine GTW Termite Bait Stations. Only PCO's authorized by FMC may apply this bait product.

The cornerstone of the IPM program starts with a thorough inspection of the structure, elimination of conditions conducive to termite attack, moisture and food control. The structure must be thoroughly inspected and graphed prior to the start of the program. The graph must identify the location of indoor critical areas known to be favored by termites such as but not limited to locations in the foundation penetrated by utility services, cracks and expansion joints, bath traps and areas where concrete has been poured adjacent to other concrete such as stairs, patios, slab additions, and areas with moisture problems. In addition, outside critical areas near the structure such as downspouts, water faucets, sunken window wells, poorly drained or constantly moist areas, fence posts, stumps, mulched areas and air conditioner water drains within a twenty five foot radius of the structure should be mapped. The FirstLine GTW Termite Bait Stations may be used in situations such as: in trees, posts, poles, rubble foundations, masonry voids, roofs, building siding, foam insulation, caulked joints, slabs, wood beams, non-food/feed areas, sewer systems, manhole covers, electrical systems, attics, underground cabling, basements, porches, crawlspaces, sheds, garages, soil, and interior and exterior planters. Termites infesting areas adjacent to wells may be treated, whether the well is within the structure or not, but FirstLine GTW Termite Bait Stations must not be placed inside of a well.

**Attention**

- Do not apply more than 14 FirstLine GTW Termite Bait Stations per site in residential areas.
- Do not install FirstLine GTW Termite Bait Stations within wells.
- Do not install FirstLine GTW Termite Bait Stations into termiticide treated soil.
- Do not spray FirstLine GTW Termite Bait Stations during routine pesticide applications.
- Do not reuse FirstLine GTW Termite Bait Stations at other properties.
- Do not place bait in an area where there is the possibility of contaminating food or surfaces that come in contact with food.
- Do not use on any tree used in food/feed production.
- Do not install FirstLine GTW Termite Bait Stations in contact with water.
- Contact APG Specialty Products at: (800) 321-1362 for assistance in using FirstLine GTW Termite Bait Stations or other components of the Termite Management System.

**Termite Warranty**

The FMC authorized Pest Control operator/firm utilizing the FirstLine GTW Termite Bait Stations as part of an Integrated Pest Management program for structures must, so long as the property owner is maintaining the annual renewal inspection, provide the property owner with a warranty that structural damage caused by live termites after the initiation of the IPM program will be repaired. Any such warranty shall be between the PCO operator/firm and the property owner. This paragraph neither creates nor confers any rights against FMC.

**Distributors Should Sell in Original Packages Only.**

**Terms of Sale or Use:** On the purchase of this product buyer and the user agrees to the following conditions:

**Warranty:** FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

**Directions and Recommendations:** Follow directions carefully. Timing, method of application, weather conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

**Use of Product:** FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

**Damages:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

**FMC & First Line – FMC Trademarks**

**(1809-10/10/96)**