Control of Festicide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460 NOTICE OF PESTICIDE: Registration Registration (under FIFRA, az amended) Name and Addreas of Registrant (metude ZIP Code): FMC Corporation 1735 Market Street	279-3187 Term of Issuance: Conditional Name of Pesticide Product: Pounce 3.2 ST Seed Treatment Insecticide
NOTICE OF PESTICIDE: <u>x</u> Registration (under FIFRA, az amended) Name and Addreas of Registrant (metude ZIP Code): FMC Corporation 1735 Market Street	Name of Pesticide Product: Pounce 3.2 ST Seed
<u>x</u> Registration Reregistration (under FIFRA, az amended) Name and Address of Registrant (include ZIP Code): FMC Corporation 1735 Market Street	Pounce 3.2 ST Seed
Reregistration (under FIFRA, as amended) Name and Addreas of Registrant (include ZIP Code): FMC Corporation 1735 Market Street	Pounce 3.2 ST Seed
(under FIFRA, as amended) Name and Addreas of Registrant (metude ZIP Code): FMC Corporation 1735 Market Street	
FMC Corporation 1735 Market Street	I I LEALMENT LISECLICIO
FMC Corporation 1735 Market Street	
1735 Market Street	
Philadelphia, PA 19103 Note: Charges in labeling differing in substance from that accepted in counsection with this regis	stration must be submitted to and accepted by the Registration
Division prior to use of the label in commerce. In any correspondence on this product always r	refer to the above EPA registration number.
On the basis of information furnished by the registrant, the above named pesticide is hereby registed act.	gistered/reregistered under the Federal Insecticide, Fungicide ar
Registration is in no way to be construed as an endorsement or recommendation of this product the Administrator, on his motion, may at any time suspend or cancel the registration of a pestici- connection with the registration of a product under this Act is not to be construed as giving the n has been covered by others.	ide in accordance with the Act. The acceptance of any name i
This product is conditionally regis FIFRA sec. 3(c)(7)(A) provided that you:	
1. Submit and/or cite all data requires all requires all registration of your product under FIF Agency requires all registrants of simil data; and submit acceptable responses responses of your product under FIFRA section 4.	FRA sec. 3(c)(5) when the lar products to submit suc
2. Make the following label change	es:
a. Revise the EPA Registration Nu No. 279-3187".	umber to read, "EPA Reg.
b. Under Enviromental Hazards you toxicity paragraph since we do to bee's from this use pattern	o not anticipate exposure
Signature of Approving Official:	Date:
φ some so state − −	
A Form \$570-6	

page 2 EPA Reg. No. 279-3187

3. The alternative formulation CSF A2 (dated June 24, 1997) is not acceptable. You must either select the source product with permethrin 90% or change the product label and nominal concentration of the active to 38.90% in compliance with PR Notice 91-2.

ZOfS


4. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.


A stamped copy of the label is enclosed for your records.

Enclosure

cc: Pat Dobak, SRRD







3.2 ST Seed Treatment Insecticide

For Use Only by Commercial Seed Treaters

EPA REG. NO. 279-3187

EPA Est. 279-

ACTIVE INGREDIENT:

*Permethrin**	
	61.6%
	100.0%

*(3-Phenoxyphenyl)methyl (±) cis-trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate **cis/trans ratio: Max. 55% (±) cis and min. 45% (±) trans ***Contains xylene range aromatic solvents.

Contains 3.2 pounds permethrin per gallon.

U.S. Patent No. 4,024,163

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush eyes with plenty of water. Call a physician.

If swallowed: Do not induce vomiting. Call a physician.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

Note to Physician: Vomiting should be supervised by a physician or the professional staff because of the possible pulmonary damages by aspiration of the solvent.

For Emergency Assistance Call (800) 331-3148.



FMC Corporation Agricultural Products Group Philadelphia PA 19103 12/96-DRAFT

MAR 3 0 1998

Under the Federal Insecticide, Fungiaide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

279-3187

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

CALITION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling

See other panels for additional precautionary information.

Personal Protective Equipment:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: Long-sleeved shirt and long pants, Chemical-resistant gloves, such as Barrier Laminate or Viton, and shoes plus socks.

Foliow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

· Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. do not apply directly to water, or to areas where sur-face water is present or to intertidal areas below the mean high water mark.

Do not contaminate water when dis-

posing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops if bees are visiting the treatment

Physical/Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use in commercial seed treaters only. Not for use on agricultural establishments in hopper-box, planter-box, slurry-box, or other seed treatment applications at, or immediately before, planting.

This product is to be used in treaters designed for application of liquid or slurry type products. Mix thoroughly before use. All tank mixes should be pretested to determine physical compatibility between product formulations.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with Pounce 3.2ST Seed Treatment Insecticide must be labeled in accordance with all applicable requirements of the Federal Seed Act. The purchaser of this product is responsible for ensuing that all seed it deted with this product are adequately dyed with a suitable color to prevent its accident all use as food for man or feed for animals. Bafer 0.21CFB. Bad 2.25

ACCEPTED with COMMENTS tal use as food for man or feed for animals. Refer to 21CFR, Par 2.25. in EPA Letter Dated Any dye added to treated seed must be cleared for use under 40CFR, Part 180.1001.

STORAGE AND DISPOSAL

Pesticide Storage

\$

5

ł

Do not store below 10°F, (- 12°C).

Do not use or store near heat, open fiame or hot surfaces.

Keep out of reach of children and animals. Store in original containers only. Store in a cool dry place and avoid excess heat. Carefully open containers. After partial use replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. Place damaged package in a holding container. Identify contents .

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

Container Disposal

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures. Do not cut or weld metal containers.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning or dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by buming. If burned, stay out of smoke.

Returnable/Refillable Sealed Container: Do not rinse container. Do not empty remaining formulated product. Do not break seals. Return intact to point of purchase.

GENERAL INSTRUCTIONS

Pounce 3.2 ST Seed Treatment insecticide is a 3.2 pounds per gallon formulation of the insecticide permethrin.Pounce 3.2 ST Seed Treatment Insecticide will protect germinating seed from soil insects; e.g., wireworms, seed com maggots, fire ants and false wireworms. This product exhibits only protectant activity and offers no systemic control of insects. Activity is by the contact and ingestion routes generally associated with pyrethroids. Protection from storage insects; e.g., weevils, moths, and beeties has also been demonstrated with this product.

ROTATIONAL CROPS

With the exception of crops listed below, rotational crops should not be planted within 60 days of last application:

Corn, field and pop; corn, sweet; soybeans; cucurbit vegetables; tomatoes; peppers, bell; eggplant; leafy vegetables (except Brassica); broccoli; Brussels sprouts; cabbage; celery; cauliflower; alfalfa; almonds; apples; artichokes; asparagus; avocados; garlic and onions (dry bulb); horseradish; potatoes; collards and turnips; cherries; filberts; pistachios; walnuts; papaya; peaches; nectarines; pears.

SEED TYPES	Formulated Dosage Rate FL Oz/100 Lbs. of Seed	
Com, field and pop	1.00 - 1.25*	
Con, sweet	1.00 - 1.25	
Soybeans	1.00 - 1.25	
Cucurbits, including cucumber, gourds, gherkins, melons (including cantaloupe, casaba, honeydew, etc.), pumpkins, winter and summer squash, and watermelon.	1.00 - 1.25	
Tomatoes	1.00 - 1.25	
Peppers, bell	1.00 - 1.25	
Eggplant	1.00 - 1.25	
Leafy vegetables (except Brassica)	1.00 - 1.25	
Broccoli	1.00 - 1.25	
Brussels sprouts	1.00 - 1.25	
Cabbage	1.00 - 1.25	
Celery	1.00 - 1.25	
Cauliflower	1.00 - 1.25	
"Relates to 0.375 - 0.50 oz. active ingredient per 100 pounds of seed.		

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/ or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

ł

Pounce and **FMC** — Trademarks of FMC Corporation

(xx-xx/xx/xx-A)

4085

POUNCE 3.2 ST Seed Treatment Insecticide

2047

This seed treated with Permethrin at the rate recommended by the manufacturer.

CAUTION

TREATED SEED MUST NOT BE USED FOR OR MIXED WITH FOOD OR ANIMAL FEED, OR PROCESSED FOR OIL

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed or absorbed through skin. Causes moderate eye initation. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Call a physician. IF SWALLOWED: Do not induce vomiting. Call a physician. NOTE TO PHYSICIAN: Vomiting should be supervised by a physician or the professional staff because of the p[ossible pulmonary damages by aspiration of the solvent. SPECIAL PROTECTION INFORMATION

Avoid all personal contact. Observe good personal hygiene. Handlers must wear long-sleeved shirt, long pants, waterproof gloves, shoes and socks, protective eyewear and dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) in the absence of adequate ventilation, when handling seed. Launder cictuing before reuse. Do not get into eyes, or skin or on clothing. Do not take internally. Avoid breathing dust or fumes. Upon contact, wash exposed areas with soap and warm water. Store in cool, dry areas away from food or feed.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and equatic invertebrates and highly toxic to bees. Exposed treated seed may be hazardous to birds and other wildlife. Cover or incorporate treated seeds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Dispose of all excess treated seed and seed packaging by burial away from bodies of water. Do not reuse bags from treated seed to handle food or feed products.

USE RESTRICTIONS

For crops not listed below, or for any crop for which a tolerance has not been established, a 60 day plant-back interval should be observed. Immediate rotation is allowed for crops listed below: Corn, field and pop: corn, sweet soybeans; cucurbits; tomatoes; peppers, bell; eggplant; leafy vegetables (except Brassica); broucoll; Brussels sprouts; cabbage; celery; cauliflower; alfalfa; almonds; apples; artichokes; asparagus; avocados; garlle and onions (dry bulb); horseradish and others with a tolerance.

PLANTING NOTES

Seed treated with this product does not flow as freely as untreated seed. Make adjustments to _ _ _ compensate for this restricted seed flow to prevent lower than desired seeding rates.

Pounce is a Reg. TM of FMC Corporation

Manufactured for Gustafson, Inc.

1400 Preston Rd., Suite 400 Plano, TX 75093 (972) 985-8877

279-T-1/98