.. 279-3198



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460

EPA Reg. Number

Date of Issuance:

279-3198

9/14/98

Term of Issuance: Unconditional

Name of Pesticide Product

Talstar® 0.087 GL Granular Insecticide with Fertilizer

NOTICE OF PESTICIDE:

x Registration Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Michael C. Zucker **FMC** Corporation Agricultural Products Group 1735 Market Street Philadelphia, PA 19103

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federa Insecticioe. Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect hearth and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a posticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFPA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to mairtain in effect the existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

Make the labeling changes listed below before you release the product for shipment:

a. Revise the EPA Registration Number to read, "EPA Reg. No. 279-3202."

Signature of Approving Official:

Bith Edurand

George T. LaRocca Product Manager 13

Registration Division (7505C)

September 14, 1998

EPA Form 8570-6

- b. Add the Fertilizer Analysis to the front panel of your label.
- c. Because this product is for use only on lawns, delete the following sentences under the Directions for Use:

"Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climate modification and being grown in interior plantscapes, ornamental gardens or parks, or lawns or grounds."

Replace those sentences with the following sentence:

"Not for use on turf being grown for sale or other commercial seed production or for research purposes."

d. Delete "Deer Ticks" from the list of pests controlled. You must either cite or submit data to support this claim.

Submit two copies of the revised final printed label for the record. A stamped copy of the label is enclosed for your records.

Sincerely yours,

BE

George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Enclosure

1

Net Contents

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 1 4 1998

0.087 GL Granular Insecticide

3198

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the posticide registered under EPA Reg. No.

011 3110



Only for sale to, use, and storage by commercial applicators for use to control Ants (including imported Fire Ants), Mole Crickets and other insect pests on lawns.

embertrat taron

EPA Reg. No. 279-

EPA Est. 279 GROT

Active Ingredient:

By Wt.

Bifenthrin: (2 methyl [1,1'-biphenyl]-3-yl) methyl-

3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropane carboxylate*.....0.087%

Inert Ingredients99.913%

39.513/6

*Cis isomers 97% minimum, trans isomers 3% maximum, U.S. Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for additional precautionary information.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

Note to Physician:

This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

For Emergency Assistance Call: (800) 331-3148.

FMC

FMC Corporation Agricultural Products Group Philadelphia PA 19103

0.087 GL w/fert 2/98 dft.1

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Caution

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions tavor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale of other commercial use, or for commercial cell production or for essent pulposes. For use on plants intended for gesthetic pulposes or climate modification and being grown in interior plantscapes, ornamental gardens of parks, or lawns or grounds.

Do not apply more than 458 pounds of Talstar 0,087 GL Granular Insecticide with Fertilizer per acre per year.

Not for use on golf courses, sod farms, nurseries, commercial greenhouses or grass grown for seed.

STORAGE AND DISPOSAL

Prohibitions

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container, Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Paper and plastic bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning, if burned, stay out of smoke.

Not Corruse on ; tent being grown for sale or other : commercial rend

Ovoduction or her

LAWN AND PERIMETER APPLICATIONS

Perimeter Application: Apply to ground area 6 to 10 feet wide around and adjacent to the structure using an application rate of 5.25 pounds per 1,000 square feet.

Lawn Application: Broadcast Talstar® 0.087 GU Granutar Insecticide with Fertilizer with suitable application equipment to ensure uniform coverage over the treatment area. Apply 5.25 pounds per 1,000 square feet to control the following pests.

Annual Blugraes Weevils (Hyperodes)
Ants
Armyworms
Billbugs
Black Turigrass Ataenius
Centipedes
Chinch Blugs

Fleas Imported Fire Ants² Leafhoppers Mealybugs Millipedea Mole Crickets Sod Webworms Ticks

Outwomme Deer Ticks'

Comments

¹Deer ticks (brodes sp.) have a complicated life cycle that ranges over a two year period and involves four life stages. Applications should be made in mid to late-spring to control larvae and nymphs that reside in the soil and leaf litter.

²Imported Fire ants: Control will be optimized by combining broadcast applications that will control foraging workers and newly mated fly-in queens with mound treatments that will eliminate existing colonies.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Except as so trranted, the product is sold as is. Buyer and user assume all risk of and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing, method of application and weather conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the selfer and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

Talstar and FINC —FMC Trademarks

(1686-3/12/97)