Please read instructions	on reverse before comple	ting form.		Form App	proved.	OMB No. 20	70-0060		
	ι	Inited States				Registra	tion	OPP Ide	ntifier Number
Environmental Protection Ag			Agen	<u></u>					
Washington, DC 20460				-,	\triangleright		16116	23	3333
					<u> </u>	Other		<u> </u>	
	,	Application	for Pe	sticide - Sec	ction	<u> </u>			
1. Company/Product Nu		·		. EPA Product Me			3. Pro	oposed Cla	essification
279-30	240			G.T. L	y Roc	L.K	╝┌	١	
4. Company/Product (N	ame)		F	*M#				None	Restricted
LALVA INSEC	T COMEROL			/ 3					
5. Name and Address o	f Applicant <i>(Include ZIP Co</i>	de)		Expedited Re	view.	in accorda	nce with	FIFRA S	ection 3(c)(3)
FMC	CAPOR HTWW	وم بر و س	- (b)(i), my product	is sim	ilar or ident	ical in co	mpositio	n and labeling
1235 120	CAPORATION THAT PROPERTS C		J -	0:					
PHILADECH	PHIA, PA 19103			EPA Reg. No					
	f this is a new address			Draduat Nama					
				Product Name					
			Section	on - II			i ku	OTTER	ATION
Amendment - Ex	oplain below.			Final print	ed label	s in response	to 14	OTIFIC	HI IUN
Beauting to the		datad		Agency le			M	AY 2 8	2003
Keenblassion in	response to Agency letter	. Osfe0		Me Too*	Applica	iuon.			
Notification - Ex	plain below.	-		Other - Ex	od nielq	low.			
	ditional page(s) if necessar						<u> </u>		
		2/1/		0 0	, ,	-			
		100111-16	ATIUI	1: PER PI	R-NUT	1cp 98	-10.		
			Saatie	on - III					
			Secur	711 - 111					
1. Material This Produc	1					1		 	
Child-Resistant Packagi		l l		oluble Packaging		2. Type of			
Yes	Yes	İ	₩	os		l	Metal Plastic		
No	No		<u></u>	0			Glass		
Certification mus	If "Yes"		If "Yes"	No. per]	Paper	:	
be submitted	Unit Packaging wgt	. container	Package	wgt contain	er		j Other (S	pecity)	
3. Location of Net Cont	tents Information	4. Size(s) Retail	Containe	! Pr	5. Lo	t cation of Lat	el Directio	ns	
							On Label On Labeling accompanying product		
L Label L	Conteiner				ᅶᆖ	On Label	ing accom	panying p	roduct
6. Manner in Which Lat	pel is Affixed to Product	Lithograp Paper glu	ed	∐ Oth				· · · · · · · · · · · · · · · · · · ·	
		Stenciled		- 11/				···	
				n - IV					
1. Contact Point (Com	plete items directly below	for identification of	of individ	ual to be contacted	d, if nec	essary, to pr	ocess this	application	on.)
Name	200	Ti	tle	TION AF	G, K	,	- · ·		lude Area Code)
JEJREE	MEINDL		SF 502	ATIRY AFT	nero	63F	(215)	2.961-3	(130
(iii = -1)		Certification	on .					-	Application
certify that the	statements I have made or			ents thereto are tr	us, accı	urate and cor	mplete.	Recei	ved
i acknowledge th	at any knowingly false or) (S	itamped;
both under applic	CADIO IAW.		·····					1	
2. Signature 3. Title REFE		Title	CLATURY AFFAIRS MANAGER				}		
		KING WA					}		
	1.000							,	
4. Typed Name		^{5.}	Date		.=				
(FOURT 2	Aricol1	1		5-197	12			I	

NOTIFICATION

MAY 2 8 2003

CERTIFICATION STATEMENT

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

George Meindl

Regulatory Affairs Manager APG Specialty Products Business

FMC Corporation

Date: 5-19-53

FMC Corporation

Agricultural Products Group 1735 Market Street Philadelphia Pennsylvania 19103 215 299 6000

May 19, 2003



Ms. Sherada Hobgood
United States Environmental Protection Agency
Document Processing Desk (NOTIF)
Office of Pesticide Programs (H7504C)
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Dear Ms. Hobgood:

Subject: Lawn Insect Control

EPA Reg. No. 279-3240

Notification per PR Notice 98-10

FMC is interested in revising labeling for the subject product. FMC believes that the changes are in full compliance with PR Notice 98-10, Section II <u>Labeling Notifications</u>; part N <u>Other Notifications</u>.

Specifically, FMC has added the following items to the label:

- · Soil Penetrating Formula
- Dual Action Technology/Formula
- Fourth Generation Pyrethroid
- A 10 lb bag treats up to 10,000 square feet

To support this notification, enclosed please find the following:

- Application for Pesticide (EPA Form 8570-1).
- PR Notice 98-10 Certification Statement.
- Lawn Insect Control revised label with changes highlighted (1 copy).

To expedite this request, I have supplied a postage-paid self-addressed postcard for the Agency to acknowledge this notification. If you have any questions, please feel free to contact me at 215.299.6130 or George_Meindl@fmc.com

Sincerely,

George Meindl

Regulatory Affairs Manager

APG Specialty Products Business.

Ta197-(

S:\r&d\federal\eparegistrations\bifenthrin\279-3240\Lawn Insect Control notification 5.19.03.doc

NOTIFICATION

MAY 2 8 2003

Lawn Insect Control

[FRONT]

ABN: ORTHO® Ready-To-Use Lawn Insect Control Granules Scotts® Lawn Insect Control
Scotts® Lawn Insect Control with Bifenthrin
Scotts® Lawn Insect Control with Talstar

CLAIMS:

- Insect Control with Bifenthrin
- Insect Control with Talstar
- Insect Protection
- Lawn Insect Protection
- Treats 5000 Square Feet for insect control
- Kills Insects, Fleas & Ticks
- Ortho's patented technology
- Treats up to 5,000 Square Feet for insect control
- Specially formulated for lawns
- · Protects against listed damaging insects
- Low odor formula
- Fast Acting against insects, spiders and ticks
- Easy-to-use granules
- Ready-to-spread granules
- Easy to apply
- Fire Ant Killer
- · Kills fire ants fast.
- Kills mole crickets
- Kills most outdoor pests in lawns and around homes
- Broad spectrum
- Multi-Purpose Insect killer
- · Kills pests on contact
- Not harmful to lawn grasses
- Low concentration
- Kills insects that cause your lawn to thin and turn brown
- Kills lawn-damaging insects that cause your lawn to thin and turn brown
- · Kills fleas and ticks

- Kills ticks that may transmit Lyme Disease
- Corrects most lawn insect problems (for grub control, use Scotts® GrubEx®)
- Controls many lawn insect problems

•

- · Apply at first signs of insect damage or activity
- Corrects many lawn insect problems
- Controls chinch bugs, sod webworms (lawn moth), fleas, ticks (including ticks that may transmit Lyme's Disease), and other lawn pests listed on the back
- Soil Penetrating Formula
- Dual Action Technology/Formula
- Fourth Generation Pyrethroid
- · A STATE OF THE STREET, OF STREET, ST

For Residential Lawn Use Only

[Insert photo/illustrations]

Cis isomers 97% minimum, trans isomers 3% maximum.

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements on back of bag. OR

See (back panel booklet, back panel) for additional precautionary statements.

NET WT 10.00 lb / 4.54 kg

[**SATISFACTION GUARANTEED OR YOUR MONEY BACK]

OPTION I. Directions for Use for the ORTHO Group of The Scotts Company

[Optional text] [ORTHO® **LAWN INSECT CONTROL GRANULES** is a high-performance product specially designed to be used in very low concentrations, and is:]

- [Virtually Odor-free]
- [Fast Acting]
- [Easy-To-Use]
- [Not harmful to grasses]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do apply when insect activity or damage is first observed in the lawn (lawn thins and turns brown or moths fly from the grass when you mow).

Don't treat just the browned area of lawn. To prevent further damage, treat entire lawn.

Retreat as necessary. Repeat application is necessary only if there are signs of renewed insect activity. Repeat application should be limited to not more than once per seven days.

In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, steam, wetland, or drainage ditch).

In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

PRODUCT FA	CTS
SURFACE FEEDING LAWN INSECTS	• Use ORTHO® LAWN INSECT KILLER READY-TO-USE GRANULES for the control of: Ants (including Carpenter, Red Harvester, Pavement, Odorous, Pyramid, Argentine, Pharoah, Fire Ants and Foraging Fire Ants), Armyworms, Billbugs, Centipedes, Chinch Bugs, Crickets, Cutworms, Earwigs, European Crane Fly, Fleas, Grasshoppers, Leaf Hoppers, Mealybugs, Millipedes, Mole Crickets, Sod Webworms (Lawn Moth), Spiders, Ticks (including ticks that may transmit Lyme Disease), and Weevils (including Hyperodes).
HOW TO USE	 Insects: Uniformly apply 1 to 2 pounds over a 1,000 sq. ft. area of lawn using any hand or power operated gravity or rotary type spreader designed for the application of granular materials. A 10 pound bag will treat a 5,000 sq. ft. to

Sir&d\companies\Scotts\0.115 Lawn Insect Control\Lawn Insect Control 5 19 03 Notification.doc

10,000 sq. ft. area of lawn.

• Best results are obtained if the treated area is thoroughly watered immediately after application.

For Mole Crickets:

• Uniformly apply 2 to 4 pounds over a 1,000 sq. ft. area of lawn. For best results, treat in late spring and water thoroughly immediate after application.

For Fire Ant Mounds :

• Uniformly apply 1 tablespoon or 3 teaspoons** of granules to the surface of each mound. For best results: 1) apply in cool weather, 65 to 80 F, in early morning or late evening hours 2) Avoid disturbing ants 3) treat new mounds as they appear 4) thoroughly water the treated area after application.

** Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

SPREADER TIPS For best results	. use a Scotts®	spreader
SPREADER	Spreader Settings covers 5,000 sq. ft	Directions
Scotts Drop Spreader	??	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts Easy Green® Rotary	??	Side shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches from the previous one, so some overlapping occurs.
Scotts SpeedyGreen® Rotary	??	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one,

so some overlapping occurs. Avoid applying this product on flower, vegetable and
shrub plantings.

-----END OF OPTION I-----

OPTION II. Directions for Use for the Consumer Lawns Business Group of The Scotts Company.

[BOTTOM FRONT]

Treats XXXX Square Feet

[Above will be inverted on back of bag]

Scotts® Lawn Insect Control

(XXXX - stock number)

[LEFT GUSSET]

[UPC Code] Treats

Scotts® Lawn Insect Control

(XXXX - stock number)

XX,XXX Square Feet

[RIGHT GUSSET]

[UPC Code]

Treats

Scotts® Lawn Insect Control

(XXXX - stock number)

XX,XXX Square Feet

BA	CK	PA	N	EL.	l
----	----	----	---	-----	---

[DIAGONAL LINE - SCISSORS ART]

-------CUT HERE TO OPEN-------

Optional Back Panel Claims

Kills lawn-damaging insects, spiders, fleas and ticks. For grub control, apply Scotts® GrubEx® anytime from late-April to mid-August.

OR

Insect Control – controls chinch bugs, sod webworms (lawn moths) and other lawn insects. For grub control, apply Scotts® GrubEx® anytime from late-April to mid-August.

OR

Lawn Insect Control is a high-performance product specially designed to be used in very low concentrations and is:

- Virtually Odor-free
- Fast Acting
- Easy-to-Use
- Broad Spectrum
- · Effective in killing Insects, Spiders, Fleas, and Ticks

What to Expect

Lawn Insect Control kills these lawn pests:

Ants (carpenter, red harvester, pavement, odorous, pyramid, argentine, and pharaoh

Armyworms

Foraging Fire Ants

Centipedes

Sod Webworms (lawn moth)

Chinch Bugs

Spiders

Crickets

Ticks (including Ticks that transmit Lyme Disease)

Cutworms

Weevils (including Hyperodes)

Earwigs

Billbugs

Fleas

European Crane Fly

Grasshoppers Millipedes Leaf Hoppers Mealybugs

Mole Crickets

Fire Ants

KEY PRODUCT FACTS

How and When to Apply

Directions for Use

It is a violation of Federal law to use the product in a manner inconsistent with its labeling.

• Apply product to the entire lawn when insect activity or damage is first observed.

Sir&d\companies\Scotts\0.115 Lawn Insect Control\Lawn Insect Control 5 19 03 Notification.doc

- Spread uniformly over your lawn using the suggested spreader settings. For best results, use a Scotts spreader.
- Water-in product after application.
- Do not use any other weed, disease, or insect control products for at least one week after application.
- For grub control, apply Scotts® GrubEx® between late April and mid-August.
- In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, steam, wetland, or drainage ditch).
- In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

21.6

Spreading Tips

Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts® spreader.

Spreader Settings

	Covers XX,XXX sq. ft.	Directions
Scotts® Drop Spreaders	xxx	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scotts® EasyGreen® Rotary	xxx	Make each pass about 30 inches from previous pass to overlap spread width.
Scotts® SpeedyGreen® Rotary	xxx	Make each pass about 5 feet from previous pass to overlap spread width.

Additional Spreader Settings

EZ Drop, Republic (#530).....XX

EZ Broadcast, Republic (#540).....XX

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

[Illustrations: spreading patterns]

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. For rigid containers after partial use replace lids and close tightly. For bags after partial use, reseal opened bag by folding top down and securing.

Pesticide Container Disposal: Do not reuse empty containers. Wrap container and put in trash, or do not reuse empty bags. Wrap bags and put in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals) Caution

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Sir&d\companies\Scotts\0.115 Lawn Insect Control\Lawn Insect Control 5 19 03 Notification.doc

FIRST AID:

If swallowed: Call A poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

<u>If inhaled</u>: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for emergency assistance.

Note to Physician:

This product is a pyrethroid. If large amounts have been ingested, the milk, cream or other digestible fats and oils may increase absorption and so should be avoided.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

U.S. Patent No. 4,238,505

OPTION I. (The ORTHO Group)

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[phone icon] Questions, Comments or Medical Information call 1-800-225-2883 www.ortho.com

**THE ORTHO GUARANTEE

13/14

If you are not satisfied with the results after using this product, return the original proof-of-purchase and original receipt to your ORTHO Dealer or send to: The ORTHO Group, Consumer Affairs Dept., P.O. Box 1749, Columbus, OH 43216.
END OF OPTION I
OPTION II. The Consumer Lawns Group
[Phone Art]
Questions/Information
Consumer Helpline: 1-800-543-TURF (8873)
[Computer Art]
Visit our website: www.scottslawn.com
Scotts No-Quibble Guarantee®: (XXXX – stock number) If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.
Product of U.S.A.
©2001, The Scotts Company World rights reserved.
[UPC Code]
[BOTTOM BACK]
Treats XX,XXX Square Feet
[Above copy will be inverted]
END OF OPTION II

14/14

Manufactured by:
FMC Corporation
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103
EPA Reg. No. 279-3240
EPA Est. 279Made in USA