Office of Person Registration	TAL PROTECTION AGENCY esticide Programs Division (H7505C)	EPA Reg. Number:	JUL - 6 2001	
	1" St., S.W. on, D.C. 20460	279-324:	3	
		Term of Issua	Term of Issuance:	
NOTICE OF PESTICIDE:		Conditio	Conditional	
	gisciación	Name of Pest	Name of Pesticide Product:	
(under FIFRA, as amended)		Zeta- Cy	Zeta- Cyp EW	
Name and Address of Registrant (include ZIF	P Code):		<u> </u>	
FMC Corporation				
1735 Market Street Philadelphia, PA 19103				
Note: Changes in labeling differing in subs one submitted to and accepted by the Registr correspondence on this product always refer	ration Division prior to	use of the label in		
On the basis of information furnished by th registered/reregistered under the Federal I			ereby	
cancel the registration of a pesticide in a with the registration of a product under th exclusive use of the name or to its use if	h <mark>is Act</mark> is not to be con	strued as giving the		
This product is condi FIFRA sec. 3(c)(7)(A) prov			ordance with	
 Submit and/or cit reregistration of your pro Agency requires all regist data; and submit acceptabl of your product under FIFF 	oduct under FIF trants of simil le responses re	RA sec. 3(c) lar products	(5) when the to submit such	
2. Make the labeling the product for shipment:	g changes liste	ed below befo	re you release	
a. Add the phase	e "EPA Registra	ation No. 279	- 3243.	
-		170N - 22 UD-	not annly this	
b. On the last p		TUN add "Do	noc appir chis	
b. On the last p product to soil in crawl s Signature of Approving Official:		Date:		

)

1

page 2 EPA Reg. No. 279-3243

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosures



ZETA-CYP EW

Insecticide

)

Only for Sale to, Use and Storage by Professional Pest Control Operators

EPA Reg. No. 279-	EPA Est. 279-
Active Ingredient:	By Wt.
Zeta-Cypermethrin*	
Other Ingredients:	<u></u>
	100.0%

Zeta-Cyp contains 1.5 pounds active ingredient per gallon. *Cis/trans ratio: Max. 55% (±) cis and min. 45% (±) trans U.S. Patent No. Pending

KEEP OUT OF REACH OF CHILDREN WARNING

See other panels for additional precautionary information.

ACCEPTED THE COMMENTS BPA Letter Duted JUL - 6 2001

e Federal Insecticide, bod for the pesticide moder EPA Reg. No. 79-324 h 2



Contra real

1.000

FMC Corporation Agricultural Products Group Philadelphia PA 19103 4/01 Zeta-Cyp Insecticide DfL9

	FIRST AID
If swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swal- low. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
lf in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice
	HOTLINE NUMBER
Have the product control center of tact 1-(800)-33	ict container or label with you when calling a poison or doctor, or going for treatment. You may also con- 1-3148 for Emergency Assistance.
	NOTE TO PHYSICIAN
ingested, the	apor or powder) may be followed by transient tingling usually of the face, but this subsides without treat- duct is a pyrethroid. If large amounts have been stomach and intestines should be evacuated. Imptomatic and supportive

For Information Regarding the Use of this Product Call 1-800-321-1FMC (1362).

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Warning

Sec. A. S. S.

and the second second

Warning May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. The active ingredient may cause sensitization reaction in some individuals. Get medical attention if irritation persists. ,,,,,,,

Environmental Hazards

Environmental Hazards This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surfact while is present or to intertidal areas below the mean high-water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of aquipment washwaters.

Page 1

522257

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

STORAGE AND DISPOSAL

Pesticide Storage Do not freeze, Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148

To confine spill: Dike surrounding area or absorb with sand, cat litter, or commercial clay. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide Disposal Pesticide wastes are toxic. Improper disposal of excess pesti-cide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

Container Disposal

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Do not cut or weld metal containers.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Returnable/Refiliable Sealed Containers: Do not rinse container. Do not empty remaining formulated product. Do not break seals. Return intact to point of purchase.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or lawns and grounds.

For residual pest control in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include industrial buildings, houses, apartment buildings, laborato-res, buses, greenhouses, and the nonfood/feed areas of stores, ware-

buses, vessels, railcars, trucks, trailers, alrcraft (Do not use in aircraft Cabins), schools, nursing homes, hospitals, restaurants, hotels, and food manufacturing, processing, and servicing establishments.

Zeta-Cyp Insecticide is to be diluted with water for spray or brush appli-cation. Fill sprayer with the desired volume of water and add Zeta-Cyp Insecticide. Close and shake before use in order to insure proper mix-ing. Mix only the amount of solution needed for the application; repeat applications may be necessary to achieve control. Repeat application should be limited to no more than once per seven days.

P	ests .	Concentration of Active Ingredient	Dilution Rate	
Ants Biting Flies Boxelder Bugs	Flies	.05%	1/4 fl.oz. per 1 gal. of water	
	Millipedes			
Chiggers	Pillbugs			
Crickets	Silverfish			
Earwigs	Sowbugs			
Elm Leaf Beetles Firebrats	-			
rieulaus				

INDOOR USE

Crickets, Firebrats, Silverfish: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces, and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices; also see OUTDOOR USE.

Ants: Apply to any trails, around doors and windows and other places where ants may be found. Refer to BARRIER TREATMENT directions to prevent infestation; also see OUTDOOR USE.

Boxelder Bugs, Earwigs, Elm Leaf Beetles, Millipedes, Pillbugs, and Sowbugs: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to BARRI-ER TREATMENT directions to prevent infestation; also see OUTDOOR USE.

Flies: Apply directly to walls, ceilings, window screens, and other fly resting areas as a residual surface treatment. May be used inside residential buildings as well as in and around carports, garages, and storage sheds; also see OUTDOOR USE

Food Handling Establishments: Places other than private residences in which food is held, processed, prepared or served.

Nonfood Areas: includes garbage rooms, lavatories, floor drains, (to sewers) entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after can-ning or bottling). Zeta-Cyp insecticide may be used as a general spot, crack and crevice treatment in nonfood areas. All areas where insects hide or through which insects may enter should be treated.

Food Areas: Do not use in food/feed areas of food handling estabistments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food/feed is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensits should be covered during treat-ment or thoroughly washed before use. Exposed food/feed should be covered or removed. Not for use in USDA meat and poultry plants.

Examples of food areas are areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.


OUTDOOR USE

For control of ants, biting flies, boxelder bugs, chiggers, crickets, earwigs, elm leaf beetles, firebrats, flies, millipedes, pillbugs, silverfish, and sowbugs. Apply by brush or as a residual spray either by hand or power sprayer. Apply to surfaces of buildings, porches, screens, window frames, eaves, patios, residential lawns only such grass areas adjacent or around private homes, duplexes, townhouses, condominiums, house trailers, apartment complexes, carports, garages, fence lines, storage sheds, barns, and other residential and non-commercial structures, vegelation, refuse dumps, garages and in other areas where pests are found.

Barrier Treatment: To prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray. Thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 400 square feet.

The surface to be treated should be dry at the time of application. Attics and unoccupied lofts should be treated at the same time and at the same rate.

Directions for Use: Dilute 1% to 4% fl oz of Zeta-Cyp Insecticide per 50 gallons of water. Use 1 to 10 gallons per 1000 square feet to provide adequate and thorough coverage. Use higher volumes (up to 10 gallons) per 1000 square feet when, for example, applying in dense foliage for optimal penetration.



Do not apply this product to edible crops.

Keep people and pets off surfaces until dry.

Protect aquariums from spray mist.

For best results, thoroughly wash out sprayer and screen with water and detergent before using Zeta-Cyp insecticide.

Do not use this product with oil

Do not treat pets with this product.

During any application to overhead interior areas of structure, cover surface below with plastic shielding or similar material.

Do not use as a space spray.

Use only in well ventilated areas.

Do not apply in patient rooms while occupied or in any rooms while occupied by the elderly or infirm.

Do not apply to classrooms when in use.

Do not apply to institutions (including libraries, sports facilities, etc.) in the immediate area when occupants are present.

Do not use in warehouses where raw or cured tobacco is stored.

Do not use in warehouses while raw agricultural commodities for food or feed are being stored.

Do not use in greenhouses where crops for food or feed are grown.

Distributors Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

and FINE —FMC Trademarks

4/01 Zeta-Cyp Insecticide Dft.9

Page 3

.