EPA Reg. No 279-3265

EPA Est. 279-

Active Ingredient:

By Wt.

Carfentrazone-ethyl: Ethyl a,2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoate......21.3%

This product contains 1.9 pounds active ingredient per gallon

Contains Petroleum Distillates U.S. Patent No. 5,125,958

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for additional precautionary information.

FIRST AID

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious per-

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-331-3148 for emergency medical treatment information.

Note to Physician: F8426 is expected to have low oral and dermal toxicity, and moderate inhalation toxicity. It is expected to be slightly irritating to the skin and minimally irritating to the eyes. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care. This product may pose an aspiration pneumonia haz-

For Information Regarding the Use of this Product Call 1-800-321-1FMC (1362).



FMC Corporation Agricultural Products Group Philadelphia PA 19103

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants, waterproof gloves, and shoes plus socks.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

 Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

F8426 is very toxic to algae and moderately toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark, except as specified on this label. Do not contaminate water when disposing of equipment wash-

Physical/Chemical Hazards

FLAMMABLE


Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.



Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Re-entry Statement: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

∍ct

Pesticide Storage

Keep out of reach of children and animals. Store in original concarefully open containers. After partial use, replace lids and close tightly. Do not put granule or dilute material into food or drink containers. Do not contaminate other posticides, fertilizers, water, food, or feed by inappropriate storage or disposal

In case of spill, avoid contact, isolate area and keep out unprotected persons and animals. Confine spills. Call FMC: (800) 331-3148.

To confine spill: Dike surrounding area, sweep up spillage. Dispose of in accordance with information given under Pesticide Disposal. Wash spill area with water, absorb with sand, cat litter or commercial clay, sweep up and dispose of in an approved manner. Place damaged container in a large holding container. Identify contents per required hazardous waste labeling regulations.

Pesticide Disposal

Waste resulting from the use of this product may be disposed of at an approved waste disposal facility.

Container Disposal

Triple rinse (or equivalent). Then offer for approved pesticide container recycling program, or puncture and dispose of in an approved waste disposal facility. Provided on site incineration is allowed by state and local authorities, stay out of smoke.

GENERAL INFORMATION

F8426 is a formulation which is emulsifiable in water. It is designed to mixed with water and applied to ornamental lawns and turfgrass for active postemergence control of broadleaf weeds. Weed control is best when the product is applied to small actively growing weeds (1-4 inches in height). F8426 is a contact herbicide with little or no residual activity at recommended use rates.

F8426 is rapidly absorbed through the foliage of plants. The herbicide is rainfast within one hour after application. Within a few hours following application, the foliage of susceptible weeds show signs of desiccation, and in subsequent days necrosis and death of the plant.

Under some conditions, some temporary discoloration of turfgrass may occur one to three days following application. Some additives (e.g. adjuvants, wetting agents, surfactants), liquid fertilizers may exacerbate transient discoloration.

Extremes in environmental conditions e.g. temperature and moisture, soil conditions, and cultural practices may effect the activity of F8426. Under warm moist conditions, herbicide symptoms may be accelerated, while under very dry conditions the expression of herbicide symptoms is delayed. Weeds hardened off by drought are less susceptible to F8426 and the higher label rates are recommended to provide con-

Unless specified on this label, do not tank mix F8426 with other herbi-

Mixing and Loading Instructions

the spray tank 3/4 full with clean water. Make sure the agitation sysis operating. Add the recommended amount of F8426 and comis operating. Add the recommended amount of F8426 and complete filling the spray tank to the desired level. The spray tank agitation should be sufficient to ensure uniform spray mixture during application. When tank mixing with other products, F8426 should be mixed first in the spray tank. After the product is thoroughly mixed, add the other products as specified on their label. Ensure the compatibility of other products with F8426 before mixing them in the tank.

Do not use with tank additives that alter the pH of the spray solution below pH5 or above pH8. Buffer spray solution to alter the pH range as appropriate.

Ground Applications

For best spray distribution and coverage, select a spray volume and delivery system that will ensure thorough and uniform coverage. Use a boom sprayer equipped with appropriate nozzles, tips, and screens. Use flat fan nozzle tips and in-line strainers equipped with no finer than 50 mesh screens.

Do not use flood nozzles, Raindrop®, or nozzle tips larger than 8008. Spray droplets larger than 400 microns may reduce coverage and subsequent loss in weed control. Applications should be made using spray volumes of 20-175 gallons per acre (0.5 to 4.0 gallons per 1,000 sq.ft.). Use higher spray volumes when there is a dense weed population or crop canopy. Use spray pressures of 20-40 psi.

Do not apply when conditions are conducive to spray drift or poor spray

Before using sprayer equipment exposed to F8426 for purposes other than turf, such as for applications to ornamental plants, trees, shrubs, flowers, vegetables and other desirable plants, clean equipment thoroughly using the following procedure:

- Drain sprayer tank, hoses, and boom and thoroughly rinse the inside of the sprayer tank free of visible sediment and residues. Flush thoroughly sprayer hoses, boom and nozzles.
- 2. Fill the tank one-half (1/2) full with clean water, and add appropriate detergent (follow manufacturer's directions for use). Fill the tank to

- capacity and operate the sprayer for 15 minutes to flush hoses, boom and nozzles.
- Drain the sprayer system. Rinse the tank with clean water and flush through the hoses and boom. Remove and clean nozzles sepa-

Turfgrass and Sites F8426 is intended to be applied by lawn care operators, maintenance applicators, and service technicians for use in ornamental lawns and institutionai, estabiished in ornameniai, residential/domestic sites. Institutional sites are defined as turf areas around properties or facilities providing a service to public or private organizations including, but not limited to hospitals, nursing homes, schools, museums, libraries, sports facilities, golf courses (excluding greens and tees), and office buildings. Ornamental sites include turfgrass established around residences, parks, streets, retail outlets, cemeteries, industrial and institutional buildings. Residential/domestic sites are defined as areas associated with household or home life including, but not limited to apartment complexes, condominiums, and patient care areas of nursing homes, mental institutions, hospitals, or convalescent nomes.

Newly seeded and established turf of Kentucky bluegrass, perennial ryegrass, tall fescue, fine leaf fecues, and creeping bentgrass may be treated. Common bermudagrass, bahiagrass, zoysiagrass, St. Augustinegrass, and centipedegrass may be treated.

Care must be taken to avoid spray drift onto non-target susceptible plants such as vegetables, flowers, ornamentals, trees, shrubs and other desirable plants. Do not apply this product to carpetgrass, dichondra, hybrid bermudagrass nor on lawns or turf where desirable clovers are present.

The tolerance to F8426 varies between turfgrass species and temporary phytotoxicity may occur in some instances.

Application schedules for ornamental lawns and turfgrass

This product may be used alone or in combinations with other herbicides labeled for use to control broadleaf weeds that are emerged and actively growing.

This product may be tank mixed with other herbicides registered for use on ornamental fawns and turfgrass to broaden the weed spectrum. Observe all precautions, instructions, limitations and guidelines of each product's label when tank mixing.

Tank mixtures are recommended for more advanced weeds, for mid and late season applications and for dense infestations of annual, biennial and perennial weeds. Sequential or follow-up applications may be required for dense infestations of perennial and biennial broadleaf

Use rates and spray volumes for ornamental lawns and turfgrass

Use rates for this product in ornamental lawns and turfgrass are presented in Table 1.

Generally, the lower application rates within the specified range will provide satisfactory control of sensitive weed species. The higher application rates within the specified range will be required for dense infestations of perennial weeds, for adverse/extreme environmental conditions, or for weeds beyond the appropriate growth stages.

Use rates less than one fluid ounce of F8426 per acre should only be used in combination with other herbicides registered for use in ornamental lawns and turf.

The maximum application rate of this product to turfgrass is 2.1 fluid ounces of product (0.031 pounds of carfentrazone-ethyl) per acre per application site. The maximum number of broadcast applications to turforass is three (3) per year.

The maximum seasonal rate of carfentrazone-ethyl contained in this product with three (3) broadcast applications to turfgrass is 6.3 fluid ounces of product (0.093 pounds of carfentrazone-ethyl) per acre per season. The minimum retreatment interval for sequential broadcast applications of this product on turfgrass is two (2) weeks.

Table 1: Application Rates for Ornamental Lawns and Turfgrass

Species	Ounces of product per Acre	Ounces of product per 1,000 sq.ft.	Milliliters of product per 1,000 sq.ft.
Cool Season Turf			
Kentucky bluegrass	1.1 to 2.1 ounces	0.025 to 0.048	0.75 to 1.4
perennial ryegrass	1.1 to 2.1 ounces	0.025 to 0.048	0.75 to 1.4
Fescue spp.	1.1 to 2.1 ounces	0.025 to 0.048	0.75 to 1.4
creeping bentgrass	1.1 to 2.1 ounces	0.025 to 0.048	0.75 to 1.4
Warm Season Turf			
Common Bermudagrass	1.1 to 2.1 ounces	0.025 to 0.048	0.75 to 1.4
Bahiagrass	1.1 to 2.1 ounces	0.025 to 0.048	0.75 to 1.4
Buffalograss	1.1 to 2.1 ounces	0.025 to 0.048	0.75 to 1.4
Centipede grass	1.1 to 2.1 ounces	0.025 to 0.048	0.75 to 1.4
Zoysiagrass	1.1 to 2.1 ounces	0.025 to 0.048	0.75 to 1.4
St. Augustine grass	0.55 to 1.5 ounces	0.012 to 0.034	0.4 to 1.0

Tank mixtures for postemergence applications for ornamental turfgrass

F8426 can be mixed with amines, esters and salts of 2,4-D, dichloprop, dicamba, Mecoprop, MCPA and various combinations of these products for broader spectrum and improved control of broadleaf weeds. F8426 can also be mixed with atrazine, clopyralid, glufosinate and glyphosate. *Unless specified on this label, do not tank mix with other herbicides*. These tank mixtures must be used according to the most restrictive label limitations and precautions. No label dosage rate should be exceeded. Follow the labeling of each companion product precautionary statements, directions for use, dosage rates, and application schedules. Tank mixture recommendations are for use only in states where the companion products and application site are registered. In addition, certain states or geographic regions may have established dosage rate limitations. Consult your state Pesticide Control Agency for additional information regarding the maximum use rates.

When applied as directed, F8426 alone or when applied in combination with other herbicides, will control the following weeds:

Broadleaf Weeds Controlled			
Bedstraw, catchweed	Florida pusley	Pigweed (prostrate, redroot,	
Black medic	Ground ivy	smooth)	
Buttonweed, virginia	Groundsel, common	Plantain (buckhorn, narrow lea	
Burweed, lawn	Henbit	Purslane	
Chickweed	Kochia	Speedwell, com	
Clover, white	Lambsquarters, common	Spurge, spotted	
Dandelion	Pennycress, field	Thistle	
		Wild violets	

Dealers Should Sell in Original Packages Only

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Use of Product: FMC's recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

FMC —Trademark of FMC Corporation (10/4/2002)

Raindrop® - Trademark of Delevan Corporation