

CAUTION
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
PERSONAL PROTECTIVE EQUIPMENT (PPE)

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling.

Some Materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category G on an EPA chemical resistance category selection chart.

- Applicators and other handlers must wear:
- Long-sleeved shirt and long pants.
 - Chemical-resistant gloves, such as barrier laminate or viton.
 - Shoes plus socks

Follow manufacturers' instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other water unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL/CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of FMC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold FMC and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. FMC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are applicable if this product has been contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller of FMC, and buyer assumes the risk of any such use.

In no event shall FMC or seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF FMC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF FMC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

Pounce

3.2 EC LT Insecticide

KEEP OUT OF REACH OF CHILDREN

CAUTION
AVISO

ACCEPTED

OCT - 8 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 279-3283

DIRECTIONS FOR USE:
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Treatment of Preconstruction Lumber and Logs
General Information
 Pounce® 3.2 EC LT Insecticide should be diluted before use. To prepare the spray, dilute Pounce® 3.2 EC LT as shown in the following spray dilution chart:

Spray Dilution Chart

Gallons Of Spray Mixture Desired	Gallons of Pounce® 3.2 EC LT To Use		
	0.5% Solution	0.75% Solution	1.0% Solution
40	-	-	1
80	1	1	2
200	2	3	5
400	5	7	10
800	10	15	20

Directions for Application

To protect unseasoned and seasoned lumber and logs from wood destroying insects, such as termites, Carpenter ants and beetles (ambrosia, powder-post, old house borers and others), totally treat wood with up to a 0.5% to 1.0% solution of Pounce® 3.2 EC LT Insecticide. This solution can be applied by various methods including spraying, brushing, dipping, or pressure treatment. Frequent monitoring of dip and pressure systems are necessary to insure that the desired level of Pounce® 3.2 EC LT is maintained. Wood can be handled after treatment when dry.

- For dip treatments, the wood should be totally submerged in the solution until thoroughly wet and then allowed to dry in a suitable location. Dipping solutions to which Pounce® 3.2 EC LT has been added should be agitated before use if left unused for long periods of time. Sediment, debris, and other deposits should be periodically cleaned from tank.
- Pressure treatments, the wood should be placed in the treatment chamber, the Pounce® 3.2 EC LT solution added to the system pressurized up to 250 psi for up to one hour depending on the density and type of wood treatment. The target permethrin retention in wood is 500 to 1,000 ppm in the top 0.5 inch of wood or a loading of 0.0175 to 0.035 pounds permethrin/cubic foot of wood. After the pressure is released and the system drained, the wood should be placed in a suitable location for drying.
- For spray treatments, the wood should be sprayed thoroughly including back and ends.
- For brush treatment, all parts of wood surfaces should be thoroughly treated.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle (If you do not understand this label find someone to explain it to you in detail.)

EPA Reg. No. 279-3283
 EPA Est. No.

ACTIVE INGREDIENT: By Wt.

*Permethrin**.....38.4%

INERT INGREDIENTS***.....61.6%

TOTAL.....100.0%

*(3-Phenoxyphenyl) methyl (±) cis-trans 3-(2,2-dichloroethyl)-2,2-dimethylcyclopropanecarboxylate

**cis/trans ratio: Max 55% (±) cis and min. 45% (±) trans

*** Contains xylene range aromatic solvents.

Contains 3.2 pounds Permethrin per gallon
 U.S. Patent No. 4,024,163

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR ON CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-331-3148 for emergency medical treatment information.

Note to Physician: Vomiting should be supervised by a physician or the professional staff because of the possible pulmonary damages by aspiration of the solvent
FOR EMERGENCY ASSISTANCE CALL (800) 331-3148. See other panels for additional precautionary information.

FMC
 FMC Corporation
 Agricultural Products Group
 Philadelphia, PA 19103

STORAGE AND DISPOSAL

Pesticide Storage
 Do not store below 10°F, (-12°C)
 Do not use or store near open flame or hot surfaces.
 Keep out of reach of children and animals. Store in original containers only. Store in a cool dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
 In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC (800) 331-3148.
 To confine spill: If liquid, dike surrounding area and absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.
Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.
Container Disposal:
 Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures. Do not cut or weld metal containers.
 Plastic Containers: Triple Rinse (or equivalent). Then offer for recycling or reconditioning or dispose of in a sanitary landfill, or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

NET CONTENTS **U.S. GALLONS**
 Pounce and FMC-Trademarks of FMC Corporation

279-3283

10/08/2003

11