

279-3407

12/15/2009

1/8



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number:
279-3407

Date of Issuance:
12-15-09

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance: Unconditional

Name of Pesticide Product:
F7214 Granule Concentrate
Herbicide

Name and Address of Registrant (include ZIP Code):

FMC Corporation
1735 Market Street
Philadelphia, PA 19103

~~Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA registration number.~~

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration review/reregistration of your product when the Agency requires all registrants of similar products to submit data.
2. Make the following label changes:
 - a. Revise the EPA Registration Number from 279-xxx to 279-3407
 - b. Add an appropriate EPA Establishment Number to the label.
 - c. Revise "NET WEIGHT" and "TOTAL NET WEIGHT" to "NET CONTENTS" with the information "Three (8 gram) water soluble packets = 24 g"
 - d. On page 2, revise "167 sq ft" to "500 sq ft", and "500 sq ft" to "1500 sq ft" in the section How Much to use.
 - e. On page 3 in the section Restrictions and Other Use Precautions, revise the heading to "Restrictions." Add the following restriction "Do not exceed one application per year"
 - f. On page 5, revise "RECOMMENDATIONS FOR USE" to "DIRECTIONS FOR USE" under the Optional Warranty Statement
 - g. Remove "Outstanding" from any claims on page 6.
 - h. On page 6, remove the claim "New Formula!" as this is not a new formula
 - i. Revise XXX to 500 in the claim "one packet covers XXX sq ft" on page 6

Signature of Approving Official:

Jim Tompkins
Product Manager 25
Herbicide Branch
Registration Division (7505P)

Date:

12-15-09

page 2
EPA Reg. No. 279-3407


- j. On page 6, include the appropriate information currently designated by XXX in the claims listed.
- k. On page 6, remove "for a (complete) fast kill" in the claim "Absorbed by shoots, foliage and roots for a (complete) fast kill"
- l. On page 5, revise "Do not reuse this container" to "Do not reuse or refill this container" in the section Container Disposal

Submit one copy of the revised final printed label for the record.

The basic formulation CSF [dated 9/15/2009] of the product referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act is acceptable. The basic CSF will be added to your file.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Jim Tompkins
Product Manager 25
Herbicide Branch
Registration Division (7505P)

3/8

F7214 Granule Concentrate Herbicide

For Crabgrass and Selective Weed Control in Residential Lawns

EPA Reg. No. 279-XXX

EPA Est. XXX

Active Ingredient:

By Wt.

Sulfentrazone*

18.75%

Quinclorac*

56.25%

Other Ingredients:

25.00%

Total:

100.0%

*F7214 Herbicide is packaged in individual packets containing 8 grams of product. Net Weight: 3(8 grams) packets. Total Net Weight equals 24 grams. U.S. Patent No. XXXXXXXXXXX

ACCEPTED
with COMMENTS
in EPA Letter Dated

DEC 15 2009

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No

279-3407

Net Weight:

Total Net Weight:

KEEP OUT OF REACH OF CHILDREN

CAUTION

See insert inside of box for additional Precautionary Statements and complete Directions For Use

FMC Corporation
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103

FIRST AID

IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-331-3148 for emergency medical treatment information.	
For information Regarding the Use of this Product Call 1-800-321-1FMC(1362)	

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

<p>CAUTION</p> <ul style="list-style-type: none"> • Harmful if swallowed or absorbed through skin • Avoid contact with skin or clothing. • Causes moderate eye irritation • When using this product, wear long-sleeved shirt, long pants, shoes, socks and chemical resistant gloves made of any waterproof material. <p>After using this product:</p> <ul style="list-style-type: none"> • Rinse gloves before removing and wash hands. • If product gets on skin, wash thoroughly with soap and water • If product gets on clothing, remove clothing and wash thoroughly. Wash clothing before wearing again. • User should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
--

<p>Environmental Hazards</p> <ul style="list-style-type: none"> • This pesticide is toxic to marine/estuarine invertebrates. • To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. • Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. • Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems <p><u>Groundwater advisory:</u> The active ingredients in this product are known to leach through soil into groundwater under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Do not use on coarse soils classified as sand which have less than 1% organic matter.</p> <p><u>Surface water advisory:</u> F7214 HERBICIDE can contaminate surface water through spray drift. Under some conditions, F7214 HERBICIDE may also have a high potential for runoff into surface water (primarily via dissolution in runoff water), for several to many months post-application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-lying tile drainage systems that drain to surface waters.</p>
--

USE INFORMATION

F7214 is a selective post-emergence herbicide absorbed by shoots, foliage and weed roots which controls listed annual grasses, broadleaf weeds and annual and perennial sedges in established lawns. This product is a water dispersible granule to be diluted in water.

DIRECTIONS FOR USE	
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.	
When to use	When crabgrass or weeds are visible, small and actively growing. For newly seeded grass, application can be made after second mowing.
How much to use	One packet diluted in water treats 167 sq ft. The diluted total contents of the box treats 500 sq ft
How to use	<ol style="list-style-type: none"> 1.) Remove one packet from the box. 2.) Fill a clean one gallon tank sprayer with ½ gallon of water. 3.) Add the contents of one packet with agitation. 4.) Finish filling the gallon sprayer with ½ gallon of water and continuous agitation. 5.) Spot treatment: spray thoroughly to wet all undesirable listed weeds. 6.) When finished, triple rinse the tank sprayer and use rinsate to treat weeds. <p>Note: If product is left standing for extended period of time before spraying or left to stand after application be sure to shake well again before spraying.</p>
For Best Results	<ul style="list-style-type: none"> • Works best when adequate soil moisture is present at application. If soil is very dry, water 1-2 days before applying. • Best weed control results will be obtained when no rainfall or watering occurs within 24 hours after application. • However, if no significant rainfall or watering occurs within 7 days after application of F7214 HERBICIDE, then watering is recommended. <p>This product may be used on seeded, sodded or sprigged lawns that are well established. Turfgrass injury could result from application of this product on turfgrass that is not well established or has been weakened by stresses such as high traffic, unfavorable weather conditions or disease. If turfgrass becomes injured and discolored, it will recover and discoloration removed by mowing.</p>
For use on these grasses	<p>F7214 may be used as directed on the following grass types:</p> <p><u>Cool Season Grasses (Turf/Lawns):</u> Bentgrass, creeping (Agrostis spp.) Bluegrass, Kentucky (Poa pratensis) Bluegrass, Rough (Poa trivialis)</p>

	<p>Fine Fescue,(Fescue, tall (Festuca arundinacea) Ryegrass, perennial (Lolium perenne)</p> <p><u>Warm Season Grasses (Turf/Lawns):</u> Bermudagrass (Cynodon dactylon) & hybrids Buffalograss (Buchloe dactyloides) Centipedegrass (Eremochloa ophiuroides) Seashore Paspalum (Paspalum vaginaum) Zoysiagrass (Zoysia japonica)</p>
Restrictions and Other Use Precautions	<p>Avoid mist and spray onto vegetables, ornamentals, flowers, shrubs, trees, and other desirable plants especially plants belonging to the Solanaceae Family such as tomatoes, eggplants and bell peppers.</p> <p>Do not apply product in a way that will contact people or pets, either directly or by spray drift. Keep people and pets off treated areas until completely dried.</p> <p>Do not treat pastures, rangeland, or other areas grazed or harvested for livestock forage or hay.</p> <p>Do not apply this product through any type of irrigation system.</p> <p>Do not use on turfgrasses other than those listed on this label. Do not use on St. Augustinegrass.</p> <p>Do not apply to turfgrasses under stress.</p> <p>Do not apply to golf course putting greens, collars or tees.</p> <p>Do not apply with surfactants.</p> <p>Do not apply with hose-end applicators.</p> <p>To avoid injuring or killing desirable plants: Do not apply directly to landscape ornamentals or ornamental beds. Do not allow spray drift to contact landscape ornamentals, shrubs and trees. Do not use clippings as mulch or compost around flowers, ornamentals, trees or in vegetable gardens.</p>

Optional Quick Reference Chart

PRODUCT USAGE	
Kills	Listed annual grasses, broadleaf weeds and annual and perennial sedges in established lawns {grasses}{turf}
Use On	<p>Cool Season Lawns {Grasses}{Turf}: Bentgrass (creeping), Bluegrass (Kentucky and Rough), Fescue (Fine and Tall) and Perennial Rye</p> <p>Warm Season Lawns {Grasses}{Turf}: Bermudagrass (Common and Hybrid), Buffalograss, Centipedegrass, Seashore Paspalum and Zoysiagrass. Do not use on St. Augustinegrass.</p>
Amount to Use	One packet diluted in one gallon of water treats 500 sq ft. The diluted total contents of the box treats 1500 sq ft
When to Use	<p>When crabgrass or listed weeds are visible, small and actively growing.</p> <p>For newly seeded grass, application can be made after second mowing.</p>

Weeds Controlled or Suppressed by F7214 HERBICIDE

Common Name	Scientific Name	Controlled	Supressed
Bittercress	(<i>Cardamine spp.</i>)		X
Barnyardgrass	(<i>Echinochloa crusgalli</i>)	1	
Black medic	(<i>Medicago lupulina</i>)	1	
Buttercups	(<i>Ranunculus spp.</i>)		X
Carolina geranium	(<i>Geranium carolinianum</i>)	1	
Carpetweed	(<i>Mollugo verticillata</i>)		X
Chickweed, common	(<i>Stellaria media</i>)	1	
Chickweed, mousear	(<i>Cerastium vulgatum</i>)		X
Cinquefoil	(<i>Potentilla spp.</i>)		X
Clover	(<i>Trifolium spp.</i>)	1	
Crabgrass (Large and Smooth)	(<i>Digitaria spp.</i>)	1	
Cudweed	(<i>Gnaphalium spp.</i>)		X
Deergrass	(<i>Panicum cladestrum</i>)	1	
Dallisgrass	(<i>Paspalum dilatatum</i>)		X
Dandelion	(<i>Taraxacum officinale</i>)	1	
Dock, Curly	(<i>Rumex crispus</i>)		X
Dollar Weed	(<i>Hydrocotyle spp.</i>)	1	
Evening primrose	(<i>Oenothera biennis</i>)		X
Fiddleneck	(<i>Amsinckia spp.</i>)		X
Filaree	(<i>Erodium spp.</i>)		X

Foxtail Spp.	(<i>Setaria spp.</i>)	1	
Goldenrod	(<i>Solidago spp.</i>)	1	
Goosegrass	(<i>Elyusine indica</i>)	2	
Ground ivy	(<i>Glechema hederacea</i>)	1	
Henbit	(<i>Lamium amplexicaule</i>)		X
Knotweed, prostrate	(<i>Polygonum aviculare</i>)		X
Kochia	(<i>Kochia scoparia</i>)	1	
Lambsquarters, common	(<i>Chenopodium album</i>)		X
Lawn burweed	(<i>Soliva pterosperma</i>)		X
Lespedeza, common	(<i>Lespedeza striata</i>)		X
London Rocket	(<i>Sisymbrium irio</i>)	1	
Mallow, common	(<i>Malva neglecta</i>)		X
Morningglory	(<i>Ipomea spp.</i>)	1	
Nutsedge, Yellow	(<i>Cyperus esculentus</i>)	1	
Parsley piert	(<i>Alchemilla arvensis</i>)	1	
Pigweed, Redroot	(<i>Amaranthus retroflexus</i>)	1	
Pigweed, Tumble	(<i>Amaranthus albus</i>)	1	
Pineapple weed	(<i>Matricaria matricarioides</i>)		X
Plantain, broadleaf	(<i>Plantago major</i>)	1	
Plantain, buckhorn	(<i>Plantago lanceolata</i>)	1	
Puncture weed	(<i>Tribulus terrestris</i>)		X
Purslane, common	(<i>Portulaca oleracea</i>)		X
Pusley, Florida	(<i>Richardia scabra</i>)	1	
Redweed	(<i>Melochia corchorifolia</i>)		X
Signalgrass, broadleaf	(<i>Brachiaria platyphylla</i>)	1	
Smartweed, Pennsylvania	(<i>Polygonum pennsylvanicum</i>)	1	
Sorrel, Red	(<i>Rumex acetosella</i>)		X
Speedwell	(<i>Veronica spp.</i>)	1	
Spurge, (annuals)	(<i>Euphorbia spp.</i>)	1	
Spurge, prostrate	(<i>Euphorbia humistrata</i>)	1	
Spurge, spotted	(<i>Euphorbia maculata</i>)	1	
Star of Bethlehem	(<i>Ornithogalum umbellatum</i>)	1	
Torpedograss	(<i>Panicum repens L.</i>)		X
Velvetleaf	(<i>Abitilon theophrasti</i>)		X
Violet, wild	(<i>Viola pratincola</i>)	1	
Wild garlic	(<i>Allium vineale</i>)		X
Wild onion	(<i>Allium canadense</i>)		X
Woodsorrel, creeping	(<i>Oxalis corniculata</i>)		X
Woodsorrel, yellow	(<i>Oxalis stricta</i>)	1	

1. F7214 Herbicide controls goosegrass when applied postemergent to newly emerged weeds in the 1-4 leaf stage of development.

POSTEMERGENCE CONTROL OF ANNUAL AND PERENNIAL SEDGES

Yellow nutsedge (*Cyperus esculentus*) is the most susceptible sedge species.

Good spray coverage is needed for optimum control of sedges.

Sedge species controlled or suppressed by F7214 HERBICIDE

Common Name	SCIENTIFIC NAME
Kyllinga, green	(<i>Kyllinga brevifolia</i>)
Kyllinga, false green	(<i>Kyllinga gracillima</i>)
Nutsedge, purple ¹	(<i>Cyperus rotundus</i>)
Nutsedge, yellow	(<i>Cyperus esculentus</i>)
Sedge, globe	(<i>Cyperus globulosus</i>)
Sedge, cylindric	(<i>Cyperus retrorsus</i>)
Sedge, Surinam	(<i>Cyperus surinamensis</i>)
Sedge, Texas	(<i>Cyperus polystachyos</i>)

Optional formatting of Weed Charts

POSTEMERGENCE CONTROL OF ANNUAL GRASSES, BROADLEAF WEEDS AND SEDGES

Weeds Controlled or Suppressed:

Barnyardgrass, Black Medic, Carolina geranium, Chickweed (common and mousear), Clover, Crabgrass (large and smooth), Curlydock, Deergass, Dallisgrass, Dandelion, Dollar Weed, Foxtail, Goldenrod, Goosegrass, Ground Ivy, Henbit, Kochia, Kyllinga (green and false green), London Rocket, Morningglory, Nutsedge (purple and yellow), Parsley piert, Pigweed (redroot and tumble), Plantain (broadleaf and buckhorn), Purslane (common), Pusley, Sedges (globe, cylindric, Surinam and Texas), Signalgrass (broadleaf), Smartweed (Pennsylvannia), Speedwell, Spurge (annuals, prostrate and spotted), Star of Bethlehem, Violet (wild), Wild garlic, Wild Onion, and Woodsorrel (creeping and yellow)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Store product in original container only, away from other pesticides, fertilizer, food or feed.

7/6

Store in a cool, dry place and avoid excess heat.
 In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.
 To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal
 If product cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional office for guidance. Never pour unused pesticides down a drain.

Container Disposal
 Non-refillable container. Do not reuse this container. Offer for recycling if available or place in trash.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of FMC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold FMC and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, FMC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or FMC, and buyer assumes the risk of any such use.

To the extent consistent with applicable law, FMC or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF FMC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF FMC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

FMC – Trademark of FMC Corporation

© FMC Corporation 2008

Optional Warranty Statement:
WARRANTY- CONDITIONS OF SALE

RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather conditions, mixtures with other chemicals and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

OR

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Optional Claims

- Controls annual grasses, broadleaf weeds and sedges in established turf {lawns}
- Effective on listed broadleaf and grassy weeds
- Kills listed grassy weeds
- Kills crabgrass plus sedges and broadleaf weeds
- Post-emergent control of grass and broadleaf weeds and of annual and perennial sedges
- Controls yellow sedge up to 60 days.
- Selective Post-emergence herbicide
- Water Dispersible Granule
- Granule Concentrate
- Mix with water

Add water
 Dissolve in water
 Dilute in water
 Kills {on}{by} contact
 Kills {weed} on contact
 Kills Crabgrass plus other listed weeds – not the lawn
 Kills weeds at the roots
 Effective control of Crabgrass {, clover and violet}
 Excellent {Outstanding} control of Crabgrass
 Kills clover and violet
 Excellent {Outstanding} control of Crabgrass, Clover and Violet
 Triple Killing Action {Absorbed by shoots, foliage and roots}
 Absorbed by shoots, foliage and roots for a {complete} fast kill
 Kills tough weeds
 Kills hard to kill weeds
 Apply when weeds are small and actively growing
 Effectively kills Crabgrass
 Effectively kills Crabgrass at all stages of growth
 Effectively kills all stages of Crabgrass
 Rainproof after 24 hours
 Kills Crabgrass and tough listed weeds in Northern and Southern lawns
 For use on Cool and Warm Season Grasses {turf}{lawns}
 New formula!
 One packet covers XXX sq ft
 Covers XXX sq ft
 Mix with 1 gallon of water in tank sprayer
 Granule Concentrate- {Add}{Mix} with water
 Easy to use Packets- {dissolve in}{mix with} water
 Kills Crabgrass plus listed sedges
 Kills Crabgrass, Dallisgrass, and other listed annual grassy weeds
 Kills Crabgrass, Clover, Chickweed, Plantain and other listed weeds and sedges
 Spot treatment {selective post-emergent herbicide}
 Spot treat{er}
 Spot treater for Crabgrass
 For Selective Post-emergent Weed Control

Step 1- Dissolve 1 packet per gallon of water
 Step 2- Use tank sprayer to apply

1 Packet=1 Gallon

Makes XXX Gallons
 Contains XXX packs or packets
 XXX packet(s)
 Kills Crabgrass, Clover, Plantain, Chickweed and other listed weeds and sedges.