

279-3428

10-04-2011

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Ms. Jill Holihan
Product Registrations Manager
FMC Corporation
1735 Market Street
Philadelphia, PA 19103

OCT -4 2011

Subject: Label Amendment (R300)
ETOC Flying and Crawling Insect Killer (F9146-1)
EPA Reg. No. 279-3428
Submission dated August 10, 2011

Dear Ms. Holihan,

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, is acceptable. The changes made in response to the EPA Notice of Registration dated May 31, 2001 are acceptable and the request to retain the directions for wasps, hornets or mud daubers for indoor use applications are also acceptable.

A stamped copy of your label is enclosed for your record. If you have any questions, please call Kevin Sweeney at (703) 305-5063.

Sincerely,

A handwritten signature in black ink, appearing to read "Kevin Sweeney".

Richard Gebken
Product Manager 10
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

CB®

ETOC FLYING AND CRAWLING INSECT KILLER (F9146-1)

- 15% VOC Formulation
- Provides Rapid Control of Listed Residential and Industrial Pests
- Quick Knockdown

KILLS: German Cockroaches, Spiders, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Ants, Grain Weevils, Flour Beetles, Drugstore Beetles, Boxelder Bugs, Elm Leaf Beetles, Clover Mites, Carpenter Ants and Termites

FOR USE IN Hospitals, Supermarkets, Motels, Hotels, Homes, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Aircraft), Utilities, Meat Packing and Food Handling Establishments, Schools, Warehouses, Restaurants and Other Commercial Buildings. **Do not use this product in aircraft cabins.**

ACTIVE INGREDIENTS:

Prallethrin.....	0.20%
Piperonyl Butoxide, Technical.....	0.60%
N-Octyl bicycloheptene dicarboximide....	1.00%
OTHER INGREDIENTS.....	98.20%
	100.00%

This product is for indoor use only. Do not use outdoors.

Contains no CFCs or Other Ozone Depleting Substances. Federal Regulations Prohibit CFC Propellants in Aerosols.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 279-3428

EPA Est. No.

NET WEIGHT 14 oz / 397 g

A C C E P T E D
OCT - 4 2011
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 279-3428

```

C C C C C
C C C C C
C C C C C
C C C C C
C C C C C

```

```

C C C O O O C C C C C C
C C C C C C C C C C
C C C C C C C C C C
C C C C C C C C C C

```

3
4

CRA . AND CREVICE INJECTION USE ONLY

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
CAUTION

Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Avoid contamination of food, utensils, and food preparation areas. Should illness occur, get prompt medical aid. To Physician- Atropine Sulfate is antidotal.

FIRST AID

If on Skin or Clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If Swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If Inhaled:

- Remove victim to fresh air. Apply artificial respiration if indicated.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-331-3148 for Emergency Assistance.

NOTE TO PHYSICIAN: This product contains a pyrethroid. If large amounts have been ingested, the stomach and intestine should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided. For Information Regarding the Use of this Product Call 1-800-321-1FMC (1362).

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

READ ALL DIRECTIONS COMPLETELY BEFORE USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This insecticide is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip inch into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In serious infestations, if possible, place spots approximately 12 inches apart. In light infestations or preventative treatment, place spots approximately 3 feet apart. See the additional directions below for effective control of specified insects.

This product is for indoor use only. Do not use outdoors.

FOR USE IN Hospitals, Supermarkets, Motels, Hotels, Homes, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Aircraft), Utilities, Meat Packing and Food Handling Establishments, Schools, Warehouses, Restaurants and Other Commercial Buildings

FLIES, GNATS, MOSQUITOES, FLYING MOTHS: Direct spray to all parts of the room, especially the upper corners and around stored food product containers, pallets, and darkened areas, filling the room with mist. Leave room and keep closed for 15 minutes. Open and ventilate area for 20 minutes before reoccupying. Sweep up and discard fallen insects.

CLOTHES MOTHS AND OTHER FLYING MOTHS: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply liberally to empty chests, closets, bureaus, and other storage areas, directing the spray into cracks, joints, and crevices. Return clean articles after spray has thoroughly dried.

WASPS, HORNETS, BEES, PAPERNEST WASPS and MUD DAUBERS: Contact as many insects as possible with the spray. Application to nests is recommended for the evening when insects are at rest.

CRAWLING PESTS: German Cockroaches, Spiders (excluding Brown Recluse and Black Widow spiders), Brown Dog Ticks, Earwigs, Crickets, Sowbugs, Millipedes, and Centipedes-Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Repeat as necessary.

BOOKLICE & SILVERFISH: Spray cracks and crevices in baseboards, doorframes, bookcases and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

ANTS: Spray into nests, trails and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUGSTORE BEETLES (in exposed adult and larval stages) and hibernating stages of BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES and CLOVER MITES: Contact as many insects as possible when treating infested areas such as cracks and crevices in wall voids, around windows and doorframes, under siding, in machinery, and in dark, secluded areas. Repeat as necessary.

Localized treatment of wood destroying insects: **CARPENTER ANTS** and **CARPENTER BEES**-Locate the source of infestation if possible. Inject 5-10 seconds of spray into insect tunnels and cavities. For **CARPENTER BEES**, seal entrance openings with small pieces of stainless steel wool after spray application.

For TERMITES: Locate the source of infestation if possible. Apply to voids and channels in damaged wooden members of a structure or to cracks, spaces or bearing joints between wooden members of a structure. Inject 5-10 seconds spray into insect tunnels and cavities. This application is not a substitute for mechanical alteration, soil treatment or foundation treatment but is merely a supplemental treatment. This product is intended to kill workers or winged reproductive forms which may be present in the treated areas.

APPLICATIONS IN AIRCRAFT: Do not use this product in aircraft cabins.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Limited to Crack & Crevice Treatment Only. Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. **Applications of this product in the food areas (areas where food is held, processed, prepared and/or served) of food handling establishments, other than as a crack and crevice treatment, are not permitted. Crack and crevice treatments may be made when the facility is in operation provided exposed food is covered or removed from the area to be treated prior to the application.**

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Do not store near heat or open flame. Store in cool dry area away from children.

Disposal: Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

[For Reviewer: The Steel graphics symbol is optional if label space allows it.]

Manufactured for
FMC Corporation
1735 Market Street
Philadelphia, PA 19103
Made in USA



[For Reviewer: Optional - CFCs logo]

