

279-3443

11/17/2011

1066



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

279-3443

Date of Issuance:

NOV 17 2011

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

D-Foam Insecticide

Name and Address of Registrant (include ZIP Code):

FMC Corporation
1735 Market Street
Philadelphia, PA 19103

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered//reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with section 3(c)(7)(A) of FIFRA provided that you:

1. Submit and/or cite all data required for registration of your product under section 3(c)(5) of FIFRA when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under section 4 of FIFRA.

(continued on page 2)

Signature of Approving Official:

See page 2

Mark Suarez, Product Manager (13)
Insecticide Branch, Registration Division (7504P)

Date:

2. Submit within 12 months of the date of issuance of this Registration Notice, acceptable guideline studies for Storage Stability study (OPPTS GLN: 830.6317) and Corrosion Characteristics study (OPTS GLN: 830.6320) for this product.

3. Make the following change(s) to the product label:

Change the product registration number to "EPA Reg. No. **279-3443**"


Enclosed is a copy of your label stamped with comments.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Submit two copies of your final printed labeling before you release the product for shipment.

If you have any questions, please contact Mr. Driss Benmhend, at (703) 308-9525 or via email at benmhend.driss@epa.gov.

Sincerely yours,



Mark Suarez
Product Manager 13
Insecticide Branch
Registration Division (7504P)

Enclosure: Label Stamped "with Comments"

FIRST AID

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-(800)-331-3148 for Emergency Assistance. [For Information Regarding the Use of this Product Call 1-800-321-1 FMC (1362).]

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use in the vicinity of open flame or pilot lights. Do not apply to plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc. **DO NOT APPLY WHERE ELECTRICAL SHOCK HAZARDS EXIST.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product has residual action which keeps on killing for up to 8 weeks after you apply. Remove pets, birds and cover fish aquariums before applying. In schools and nurseries do not apply when classrooms are in use nor when children are present. Do not apply this product in patient rooms while occupied or in any rooms occupied by the elderly or infirm. Hold container upright. Remove protective cap and direct injector into crack and crevice or void. Press button down and apply as directed. **SHAKE WELL BEFORE EACH USE.** D-Foam Insecticide is a ready-to-use formulation intended to kill existing above-ground infestations or Termites (Subterranean, Formosan & Drywood), Carpenter Ants and Carpenter Bees. D-Foam Insecticide may be used in above-ground areas where conditions are conducive to infestation by subterranean termites.

INDOOR AND OUTDOOR TREATMENTS

WOOD INFESTING INSECTS: Termites (Subterranean, Formosan and Drywood) – To kill subterranean termite infestations in localized above-ground areas of the structure, inject into galleries or voids in termite-damaged wood, or into spaces between termite-damaged wooden structural members. Inject a sufficient amount (2 fl. oz of product will produce 1 gallon of foam) to allow for thorough coverage of all surfaces of the construction void being treated. This particular product has an expansion rate of approximately 60:1. Locate galleries by visual signs of termite infestation or through the use of mechanical sounding techniques. Where necessary, penetrate the galleries or voids by drilling holes to receive the injector tip. Distribute drill holes to adequately treat the infestation. Applications must be made to inaccessible structure voids by drilling and then injecting into the infested void. For termites, the purpose of such applications is to kill workers or winged forms which any may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment, but are merely a supplement.

Carpenter Ants: For effective control in houses and other structures, apply as general surface, spot, crack and crevice or wall void application. Apply around doors and windows and other places where ants may enter the premises and where they crawl and hide. Apply into cracks and crevices or through small drilled holes into voids where these ants or their nests are present. **For control of carpenter bees** in structures, apply directly into gallery entrance holes. Following treatment, the entrance holes must be left open 24 hours to be certain that returning adult bees are killed. When there is no activity, the hole may be sealed with a suitable sealant.

INDOOR

Cockroaches (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), **ants booklice, boxelder bugs, centipedes, crickets, dermestids, firebrats, fleas, palmetto bugs, silverfish, sowbugs, ticks and waterbugs:** Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. Repeat as necessary. **PANTRY PESTS – Grain Beetles (Rusty, Merchant and Saw-toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths:** Apply in cracks and crevices behind and under cupboards and cabinets. **Carpet Beetles (Black, Furniture and Varied):** Apply in cracks and crevices in closets or other localities where these insects are found. **Food/Feed Handling Establishments:** For control of all labeled pests, applications are permitted in food/feed and non-food/non-feed areas of food/feed handling and processing establishments as a general surface, spot or crack and crevice treatment. 1 second spray per spot. This product is authorized for use in Federally Inspected Meat and Poultry Plants as a crack and crevice treatment. General surface applications must be used only when the facility is not in operation provided exposed food/feed has been covered or removed prior to application. In the home, all food processing surfaces should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed. Food/Feed handling establishments are defined as places other than private residences in which exposed food/feed is held, processed, prepared or served. Included also are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food/feed. Serving areas where food/feed is exposed and the facility is in operation are also considered food/feed area. **Non-Food/Non-Feed Areas:** Examples of non-food/non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling). **Spot or Crack & Crevice Applications:** Except in federally inspected meat and poultry plants, spot or crack and crevice applications may be made while the facility is in operation. Do not apply directly to food or food-handling surfaces. Cover or remove exposed food/feed from the treatment area prior to application.

OUTDOORS

Hold container upright. Remove protective cap and direct injector into crack and crevice or void. Press button down and apply as directed. **PESTS ON OUTSIDE SURFACES OF BUILDINGS:** For control of building infestation of ants, clover mites, crickets and sowbugs (pillbugs). Apply to foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Construction practices, soil subsidence, and other factors may create situations in which a continuous chemically treated barrier cannot be provided when using conventional liquid applications alone. When necessary, conventional treatments may be supplemented through the use of foam to provide a continuous treated barrier. Applications may be made behind veneers (concrete or wood), piers, chimney bases, into rubble foundations, into block voids, or structural voids, wall voids, under slabs, stoops, porches or to the soil in crawl spaces and other similar voids. Termite carton nests building voids may be injected with foan using an injection applicator. Multiple injection points to varying depths may be necessary. It is desirable to physically removed carton nest material from building voids when such nests are found.

TERMITES AND CARPENTER ANTS LIVING INSIDE TREES, UTILITY POLES AND FENCING: D-Foam Insecticide must be used as a spot treatment for control of above-ground termites inside trees, utility poles, fencing and decking materials and similar structural members. Wherever possible, locate an inferior infested cavity and inject in the appropriate quantities. Repeat applications as needed to maintain control of re-infestations

AERIAL TERMITE CARTON IN TREES: Termite carton nests in trees must be injected with foam using an injection applicator. Multiple injection points to varying depths must be necessary.

STORAGE AND DISPOSAL

Storage: Do not store near heat or open flame. Store in a cool, dry area away from children.

Pesticide Disposal and Container Handling: Do not puncture or incinerate! Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Optional]

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or conditions beyond the control of FMC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold FMC and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, FMC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or FMC, and buyer assumes the risk of any such use.

To the extent consistent with applicable law, FMC or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF FMC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF FMC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

Manufactured for:
FMC Corporation
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103