

279-9557

1/18/2012

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

JAN 18 2012

Ms Jill C. Holihan
FMC Corporation
1735 Market Street
Philadelphia, PA 10103

Subject: Notification per PRN 98-10 - Alternate Brand Name

EPA Registration No.: 279-9557
CB Deltamethrin Foam Insecticide

Date of Submission: December 19, 2011

Dear Ms Holihan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the abovementioned product. The Registration Division (RD) has conducted a review of this request and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this action, please contact Olga Odiott at (703)308-9369.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Suarez".

Mark Suarez
Product Manager 13
Insecticide Branch
Registration Division (7505P)



United States
Environmental Protection Agency
Washington, DC 20460

 Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 279-9557	2. EPA Product Manager Mark Suarez	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) CB Deltamethrin Foam Insecticide	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) FMC Corporation 1735 Market Street Philadelphia, PA 19103 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

FMC is interested in adding "D-Foam Insecticide" as an alternate brand name for the subject registration. FMC believes that the changes are in full compliance with PR Notice 98-10, section II Labeling Notifications; Part A Brand Names.

Jill.Holihan@FMC.com

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Jill Holihan	Title Product Registration Manager	Telephone No. (Include Area Code) 215-299-6436
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		Date Application Received (Stamped)
2. Signature 	3. Title Product Registration Manager	
4. Typed Name Jill Holihan	5. Date 12/19/2011	

FMC Agricultural Products



VIA FEDERAL EXPRESS

FMC Corporation
1735 Market Street
Philadelphia, PA 19103

215.299.6000 phone
215.299.6468 fax
www.fmc.com

December 19, 2011

Mr. Mark Suarez
U.S. Environmental Protection Agency
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Dear Mr. Suarez:

Subject: Chemical Number/Name: 97805/deltamethrin

CB Deltamethrin Foam Insecticide (EPA Reg. No. 279-9557)

Notification of Alternate Brand Name per PR Notice 98-10

FMC is interested in adding "D-Foam Insecticide" as an alternate brand name for the subject registration. FMC believes that the changes are in full compliance with PR Notice 98-10, section II Labeling Notifications; Part A Brand Names.

Enclosed, please find the following documents:

- EPA Form 8570-1
- One copy of draft labeling
- Certification of Compliance with PR Notice 98-10

We trust that the enclosed information is acceptable for the Agency to process this request. If you have any questions, please call.

Sincerely,

Jill C. Holihan
Product Registration Manager
(215) 299-6436
jill.holihan@fmc.com



4/7

NOTIFICATION

JAN 18 2012

D-Foam Insecticide

Broad Spectrum Insect Control, **KILLS: Ants, Bees, Carpet Beetles, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Gnats, Midges, Mole Crickets, Moths, Pillbugs, Silverfish, Sowbugs, Spiders, Ticks and Many Other Crawling Insects.**

Also Kills: Wood Infesting Pests - Termites (Subterranean, Formosan & Drywood), Carpenter Ants and Carpenter Bees.**

** For localized above ground treatment only.

FOR USE IN Food Handling Establishments, Including Food Service, Manufacturing and Processing Establishments, such as Restaurants, Cafeterias, Supermarkets, Bakeries, Breweries, Dairies, Meat, Poultry & Egg Processing & Packaging Plants, Canneries, Feed Handling Establishments Including Feed Manufacturing and Processing Establishments. Also For Use In Homes, Tents, Aircraft (cargo areas only), Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Boats, Bottling Facilities, Buses, Cabins, Campers, Candy Plants, Carports, Cat Sleeping Quarters, Clothes Storage, Condominiums, Decks, Dens, Driveways, Garages, Gazebos, Granaries & Grain Mills, Hospitals, Hotels, Industrial Buildings, Kitchens, Laboratories, Lanais, Living Rooms, Mausoleums, Offices, Parlors, Patios, Pet Sleeping Areas, Play Rooms, Porches, Railcars, Recreational Vehicles, Rooms, Schools, Ships & Vessels, Solariums, Storage Areas, Sun Rooms, Trailers, Trucks, Utility Rooms, Verandahs, Warehouses and Wineries.

- Killing Action and Residual Control
- Keeps on Killing For Up To 8 Weeks
- For Indoor/Outdoor Use
- Ready-To-Use

ACTIVE INGREDIENT:

Deltamethrin:..... 0.06%

OTHER INGREDIENTS:..... 99.94%

100.00%


EPA Reg. No. 279-9557

EPA Est. No.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel For Additional Precautionary Statements.

NET WEIGHT 9.25 oz/262 g



5/7

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals

CAUTION

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash before reuse.

FIRST AID	
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible. • Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If In Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (800) 331-3148. For product information call (800) 321-1FMC (1362).	

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use in the vicinity of open flame or pilot lights. Do not apply to plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc. **DO NOT APPLY WHERE ELECTRICAL SHOCK HAZARDS EXIST.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product has residual action which keeps on killing for up to 8 weeks after you apply.

Remove pets, birds and cover fish aquariums before applying.

In schools and nurseries do not apply when classrooms are in use nor when children are present. Do not apply this product in patient rooms while occupied or in any rooms occupied by the elderly or infirm.

Hold container upright. Remove protective cap and direct injector into crack and crevice or void. Press button down and apply as directed.

SHAKE WELL BEFORE EACH USE. (Product Name) is a ready-to-use formulation intended to kill existing above-ground infestations or Termites (Subterranean, Formosan & Drywood), Carpenter Ants and Carpenter Bees. (Product Name) may be used in above-ground areas where conditions are conducive to infestation by subterranean termites.

INDOOR AND OUTDOOR TREATMENTS

WOOD INFESTING INSECTS: Termites (Subterranean, Formosan and Drywood) – To kill subterranean termite infestations in localized above-ground areas of the structure, inject into galleries or voids in termite-damaged wood, or into spaces between termite-damaged wooden structural members. Inject a sufficient

amount (2 fl. oz of product will produce 1 gallon of foam) to allow for thorough coverage of all surfaces of the construction void being treated. This particular product has an expansion rate of approximately 60:1. Locate galleries by visual signs of termite infestation or through the use of mechanical sounding techniques. Where necessary, penetrate the galleries or voids by drilling holes to receive the injector tip. Distribute drill holes to adequately treat the infestation. Applications may be made to inaccessible structure voids by drilling and then injecting into the infested void. For termites, the purpose of such applications is to kill workers or winged forms which any may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment, but are merely a supplement.

Carpenter Ants: For effective control in houses and other structures, apply as general surface, spot, crack and crevice or wall void application. Apply around doors and windows and other places where ants may enter the premises and where they crawl and hide. Apply into cracks and crevices or through small drilled holes into voids where these ants or their nests are present. **For control of carpenter bees** in structures, apply directly into gallery entrance holes. Following treatment, the entrance holes may be left open 24 hours to be certain that returning adult bees are killed. When there is no activity, the hole may be sealed with a suitable sealant.

INDOOR: Cockroaches (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), ants, booklice, boxelder bugs, centipedes, crickets, dermestids, firebrats, fleas, palmetto bugs, silverfish, sowbugs, ticks and waterbugs: Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. Repeat as necessary.

PANTRY PESTS – Grain Beetles (Rusty, Merchant and Saw-toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Apply in cracks and crevices behind and under cupboards and cabinets.

Carpet Beetles (Black, Furniture and Varied): Apply in cracks and crevices in closets or other localities where these insects are found.

Food/Feed Handling Establishments: For control of all labeled pests, applications are permitted in food/feed and non-food/non-feed areas of food/feed handling and processing establishments as a general surface, spot or crack and crevice treatment. 1 second spray per spot. This product is authorized for use in Federally Inspected Meat and Poultry Plants as a crack and crevice treatment. General surface applications may be used only when the facility is not in operation provided exposed food/feed has been covered or removed prior to application. In the home, all food processing surfaces should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed.

Food/Feed handling establishments are defined as places other than private residences in which exposed food/feed is held, processed, prepared or served. Included also are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food/feed. Serving areas where food/feed is exposed and the facility is in operation are also considered food/feed area. Non-Food/Non-Feed Areas: Examples of non-food/non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling).

Spot or Crack & Crevice Applications: Except in federally inspected meat and poultry plants, spot or crack and crevice applications may be made while the facility is in operation. Do not apply directly to food or food-handling surfaces. Cover or remove exposed food/feed from the treatment area prior to application.

OUTDOOR TREATMENTS

OUTDOORS: Hold container upright. Remove protective cap and direct injector into crack and crevice or void. Press button down and apply as directed.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to **ants, clover mites, crickets and sowbugs (pillbugs).** Apply to foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet.

Construction practices, soil subsidence, and other factors may create situations in which a continuous chemically treated barrier cannot be provided when using conventional liquid applications alone. When necessary, conventional treatments may be supplemented through the use of foam to provide a continuous treated barrier. Applications may be made behind veneers (concrete or wood), piers, chimney bases, into rubble foundations, into block voids, or structural voids, wall voids, under slabs, stoops, porches or to the soil in crawl spaces and other similar voids.

Termite carton nests building voids may be injected with foam using an injection applicator. Multiple injection points to varying depths may be necessary. It is desirable to physically removed carton nest material from building voids when such nests are found.

TERMITES AND CARPENTER ANTS LIVING INSIDE TREES, UTILITY POLES AND FENCING: (Product Name) may be used as a spot treatment for control of above-ground termites inside trees, utility poles, fencing and decking materials and similar structural members. Wherever possible, locate an inferior infested cavity and inject in the appropriate quantities. Repeat applications as needed to maintain control of re-infestations.

AERIAL TERMITE CARTON IN TREES: Termite carton nests in trees may be injected with foam using an injection applicator. Multiple injection points to varying depths may be necessary. It is desirable to physically remove carton nest material from building voids when such nests are found.

STORAGE AND DISPOSAL

Storage: Do not store near heat or open flame. Store in a cool, dry area away from children.

Disposal: Do not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

[For Reviewer: The Steel graphics symbol is optional if label space allows it.]