

292-48

10/26/1971

VI

DAIRY AND FOOD

PROCESSING EQUIPMENT

1. Rinse equipment with clean lukewarm water immediately after use. Flush thoroughly to remove all loose material.
2. Brush-wash all surfaces with proper Klenzade detergent.
3. Rinse thoroughly with hot (145°F.) water.
4. Sanitize just before using equipment with K-San at 1 oz. to 1 gallon of water (200 ppm). All surfaces should be exposed to the sanitizer for a period of not less than 2 minutes.

CONTAINS 07.1% PHOSPHORUS.
2.05 GMS. PER GAL. OF AVERAGE
RECOMMENDED USE CONCENTRATION.
PHOSPHATE CONTENT CALCULATED AS
TRISODIUM PHOSPHATE - 37.56%.

Manufactured Exclusively by
KLENZADE PRODUCTS
Division of Economics Laboratory, Inc.
Osborn Bldg. — St. Paul, Minnesota 55102

4152/030370971 PRINTED IN USA



KLENZADE
ACID
SANITIZER



formula S-15
EPA Reg. No. 292-48AA

ACTIVE INGREDIENTS:	
Orthophosphoric Acid.....	21.00%
Dodecyl benzene sulfonic acid, sodium salt.....	2.75%
INERT INGREDIENTS:	76.25%
(Contains a non-ionic detergent)	
TOTAL	100.00%

CAUTION
KEEP OUT OF REACH OF CHILDREN.
See side panel for additional precautionary labeling.
NET CONTENTS: 1 U.S. GALLON

42614

INSTITUTIONAL APPLICATIONS
DISHES, GLASSES, UTENSILS
AND EQUIPMENT

1. Scrape and prewash dishes, glasses, utensils and equipment whenever possible.
2. Wash with appropriate Klenzade detergent.
3. Rinse with clean water.
4. Sanitize in a solution of 1 oz. K-SAN to 1 gallon of water. (200 ppm). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on rack or drainboard to air dry.

CAUTION

Harmful if swallowed. Causes skin irritation. Avoid contact with skin or eyes. In case of contact with eyes, wash with water for 10 to 15 minutes. Get medical attention. Avoid contamination of foods. Do not mix with chlorine sanitizers. Use in recommended dilutions.

ACCEPTED

10-26-71

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 292-48