

ACCEPTED
 JAN 17, 1967
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC PEST CONTROL SUBJECT
 75% UNDER REGISTER-
 25% ATTACH

ACTIVE INGREDIENT:
 Arsenic Acid.....
INERT INGREDIENTS:
 USDA Reg. No. 295-5

1 GALLON

Total Arsenic (Water Soluble)
 expressed as
 Metallic Arsenic..... 39.61%
 Arsenic Trioxide Equivalent... 52.3 %

DELTA BRAND
ARSENIC ACID
COTTON DESICCANT
DANGER

DIRECTIONS FOR USE

No later than four days before harvest apply DELTA BRAND Arsenic Acid at the rate of 1½ quarts per acre, using sufficient water to make 5 to 10 gallons of spray. For best results, thorough uniform coverage is necessary. Application should be made when air is calm and weather is clear and hot. Apply after the crop has matured, when 90% of the bolls are open. Earlier application may reduce yield. A second application is neither necessary nor recommended.

KEEP OUT OF REACH OF CHILDREN

DELTA BRAND Arsenic Acid has acidic properties and reacts with fabric, galvanized metals, black iron, and certain other metals. Any metallic equipment or nozzles used in application of DELTA BRAND Arsenic Acid should be made of stainless steel, as there is little or no reaction with this metal at field strength dilution. Do not use galvanized metal containers or spraying equipment, as highly toxic arsine gas may be formed. To reduce corrosion to metals and deterioration of fabric and other parts, all equipment, including airplanes, which has been in contact with or exposed to Arsenic Acid or its solution, should be thoroughly washed with water immediately after use. Arsenic Acid should not be stored in tightly sealed, unlined metal containers because of the possibility of excessive pressure developing from hydrogen liberation.

WARNING—POISONOUS IF SWALLOWED.

Avoid contact with skin, eyes, or clothing. Do not breathe spray mist. Wear respirator. Wash thoroughly after using and before eating or smoking. Avoid contamination of food and water to be consumed by humans and animals. Keep livestock, poultry and pets and children off of treated areas. Do not graze or use treated plants or gin trash for food or forage. Since Arsenic Acid is injurious to all plant foliage, avoid contact with, or drift to desirable plants or crops. Special precautions should be taken to avoid air drift to areas and buildings occupied by humans, animals or poultry. Precautions should be taken to prevent contamination of woodlands and other adjacent non-crop areas to protect fish and wildlife.

ANTIDOTE—CALL A PHYSICIAN IMMEDIATELY. Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Then two tablespoonfuls of Epsom Salts or Milk of Magnesia in water and plenty of milk and water. Have patient lie down and keep quiet.



D A N G E R
P O I S O N




Seller makes no warranty, expressed or implied, concerning the use of Arsenic Acid. Buyer assumes all risk of use or handling.

Manufactured by

COMMERCIAL CHEMICAL COMPANY

1172 Thomas Street
 Memphis, Tenn



ACTIVE INGREDIENT
Arsenic Acid
INERT INGREDIENTS:
USDA Reg. No. 295-5

1 GALLON

DELTA BRAND ARSENIC ACID COTTON DESICCANT DANGER

Total Arsenic (Water Soluble)
expressed as
Metallic Arsenic. 39.61%
Arsenic Trioxide Equivalent 52.3 %

DIRECTIONS FOR USE

No later than four days before harvest apply DELTA BRAND Arsenic Acid at the rate of 1½ quarts per acre, using sufficient water to make 5 to 10 gallons of spray. For best results, thorough uniform coverage is necessary. Application should be made when air is calm and weather is clear and hot. Apply after the crop has matured, when 90% of the bolls are open. Earlier application may reduce yield. A second application is neither necessary nor recommended.

KEEP OUT OF REACH OF CHILDREN

DELTA BRAND Arsenic Acid has acidic properties and reacts with fabric, galvanized metals, black iron, and certain other metal. Any metallic equipment or nozzles used in application of DELTA BRAND Arsenic Acid should be made of stainless steel, as there is little or no reaction with this metal at field strength dilution. Do not use galvanized metal containers or spraying equipment, as highly toxic arsine gas may be formed. To reduce corrosion to metals and deterioration of fabric and other parts, all equipment, including airplanes, which has been in contact with or exposed to Arsenic Acid or its solution, should be thoroughly washed with water immediately after use. Arsenic Acid should not be stored in tightly sealed, unlined metal containers, because of the possibility of excessive pressure developing from hydrogen liberation.

WARNING—POISONOUS IF SWALLOWED.

Avoid contact with skin, eyes, or clothing. Do not breathe spray mist. Wear respirator. Wash thoroughly after using and before eating or smoking. Avoid contamination of food and water to be consumed by humans and animals. Keep livestock, poultry and pets and children off of treated areas. Do not graze or use treated plants or gin trash for food or forage. Since Arsenic Acid is injurious to all plant foliage, avoid contact with, or drift to desirable plants or crops. Special precautions should be taken to avoid air drift to areas and buildings occupied by humans, animals or poultry. Precautions should be taken to prevent contamination of woodlands and other adjacent non crop areas to protect fish and wildlife.



D A N G E R
P O I S O N

ANTIDOTE: CALL A PHYSICIAN IMMEDIATELY. Give 1 quart of salt water, 1 quart of warm water and repeat until vomit is clear. Then two tablespoons of Epsom Salts in Milk of Magnesia in water and plenty of milk and water. Have patient lie down and keep quiet.



Seller makes no warranty, expressed or implied, concerning the use of Arsenic Acid. Buyer assumes all risk of use or handling.

Manufactured by

COMMERCIAL CHEMICAL COMPANY

1172 Thomas Street
Memphis, Tenn