ESTABLISHED 1883

## LIVESTOCK DUST

TO BE USED ON DAIRY CATTLE, BEEF CATTLE

HORSES, HOGS, SHEEP, AND DOGS.

**NET WEIGHT: 1 POUND** 

CAUTION: Keep Out of Reach of Children

**ACTIVE INGREDIENTS:** \*Technical Methoxychior ...... 11,00%

\*2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and other isomers and reaction products.

FOR SHEEP—Apply 1 to 2 . oz. Livesfock Dust to sheep after shearing to control Fleas, Lice, and temporary relief from Ticks (Keds). Repeat application when necessary.

> FOR DOGS - To control Fleas and Lice, apply in the same manner as for other animals.

E.P.A. Reg. No. 299.99

E.P.A. Est. 299-TX-1

ACCEPTED

JUL 1 1 1979

Under the Federal Insecticide, fungicide, and Rodenticide Act, as amended, for the pesticide registered under 100 Reg. No

97925

606 W.Main St.

Martin Compan

Nacogdoches, Texas 75961

**DIRECTIONS** 

On all animals listed except Dairy Cattle, use Livestock

Dust on the neck, back, legs,

and upper sides. Dust may

be rubbed in lightly to insure

that it has penetrated into

FOR DAIRY CATTLE-To

control Horn Flies use no more than 11/2 oz. of Livestock Dust per animal. Apply the dust to the poll, neck, (top and sides), and back and upper sides. Repeat applica-

FOR BEEF CATTLE, HOR-

SES, AND HOGS-To control Horn Flies, Fleas, and

Lice, apply 1 to 2 oz. per

animal. Repeat application

when necessary or when re-

tion every 3 weeks.

infestation occurs.

the hair.