FOR SHEEP: Apply 1 to 2 oz. Livestock Dust to sheep after shearing to control Fleas, Lice, and temporary relief from Ticks (Keds). Repeat application when necessary.

FOR DOGS - To control Fleas and Lice, apply in the same manner as for other enimals.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.


E.P.A. Reg. No. 299-99 E.P.A. Est. 299-TX-1 CCEPTED

SEP 2 6 1979

Vader the Federal Insecticide, Jungicide, and Rodenticide Act,



TO BE USED ON DAIRY CATTLE, BEEF CATTLE




NET WEIGHT: 1 POUND

CAUTION: Keep Out of Reach of Children

ACTIVE INGREDIENTS: Technical Methoxychlor

INERT INGREDIENTS: 89.00%

*2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and other isomers and reaction products.



On all animals listed except Dairy Cattle, use Livestock Dust on the neck, back, logs. and upper sides. Dust may be rubbed in lightly to insure that it has penetrated into the heir.

FOR DAIRY CATTLE-To control Horn Flies use no more than 11/2 oz. of Livestock Dust per animal. Apply the dust to the poll, neck, (top and sides), and back and upper sides. Repeat application every 3 weeks.

FOR BEEF CATTLE, HOR-SES, AND HOSS-To control Horn Flies, Flees, and Lice, apply 1 to 2 oz. per animal. Repeat application when necessary or when reinfestation occurs.

606 W.Main St.

C) Martin Company

Nacogdoches, Texas 75961