



PROLIN^{*} RATBAIT PELLETS



CONTENTS 1 POUND

**CAUTION: Keep Out of Reach of Children
SEE BACK PANEL FOR OTHER CAUTIONS**

ACTIVE INGREDIENTS
 Warfarin 3 (a acetoxybenzyl) 4 hydroxycoumarin 0.025%
 N (2-quinoxaliny) sulfanilamide (sulfiquinoxaline) 0.025%
 INERT INGREDIENTS 99.950%
 TOTAL 100.000%

0.025%
 0.025%
 99.950%
 100.000%



DIRECTIONS FOR USE:

TO CONTROL RATS: Bait should be placed in locations not accessible to children, pets, and domestic animals. Do not tamper with bait boxes. Place 4 ounces of bait in a bait box next to a pile of rat waste, or where rats are eating meat, feed. An initial baiting of bait should be repeated at least 7 days. Continued baiting of bait should be repeated promptly until rats are completely exterminated. Freezing is not recommended.

TO CONTROL MICE: Bait should be placed in locations not accessible to children, pets, and domestic animals. Do not tamper with bait boxes. Place 4 ounces of bait in a bait box next to a pile of mouse waste, or where mice are eating. Baiting should be repeated at least 7 days. Continued baiting of bait should be repeated promptly until mice are completely exterminated. Freezing is not recommended.

CAUTION: Martin's Prolin Rat Bait contains as an active ingredient an anticoagulant chemical. If taken by humans, domestic animals or pets, it may reduce the clotting ability of the blood and cause hemorrhage may result. If eaten, give a tablet of 100 mg. of Vitamin K in a glass of warm water and repeat until vomit is clear. If symptoms do not clear, call a physician immediately.

NOTE FOR PHYSICIANS: When a human has been known to have ingested Martin's Rat Bait, give a tablet of 100 mg. of Vitamin K immediately with 100 cc. of water. Repeat at 4-hour intervals until the patient has vomited. If hemorrhage has occurred, give 100 mg. of Vitamin K daily.

Martin's Prolin Rat Bait is a registered trademark of Martin's.
 Made in the U.S.A.
 © 1955 Martin's Pesticide Co., St. Louis, Mo.
 U.S. Pat. 2,812,000

M.S.D.A. Reg. No. 299-11

9665