

PM 19 299-121

POST 12/20/97
5515669 17

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR 21 1997

Mike Compton
C.J. Martin Company
P.O. Box 630009
Nacogdoches, TX 75963

Subject: Martin's Sevin® Brand Carbaryl Insecticide 5% Dust
EPA Registration No. 299-121
Amendment dated December 2, 1996
Response to Agency letter dated 10/1/96

Dear Mr. Compton:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the following changes to your label:

a) Delete the RE-ENTRY STATEMENT from your label. It appears that this product is intended for use only in a residential (non-agricultural) setting. The contents of the paragraph on re-entry are only appropriate for commercial agricultural products. If this product is intended for use in agricultural as well as residential settings, you must amend your label in accordance with the Worker Protection Standard requirements.

b) In the Directions for Use on HORSES, change "Do not repeat treatment for 4 days" to "Do not repeat application more than once a week."

2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these

	CONDITIONS								CONCURRENCES								
SYMBOL																	
SURNAME																	
DATE																	

Bedwards A: 299/121.1 3/19/97

CROPS IN TREATED SOIL MUST BE MADE WITH CROPS ON
TAN OR OTHER CARBARYL LABELS.

Use: To control Chinch Bugs, Lemnagers, Fall Armyworms,
and Soil Weevils, apply at the rate of 1 lb. to 250 sq. ft. For
best results, apply after rain or watering and do not water for at
least 2 days after application. Repeat in 2 or 3 weeks if necessary.
Preventive: Lower Treatment - Apply 1 lb. to 40 sq. ft. to control
Northern Form Flies, Chickens Mites, Lice, Fleas and Flea Beetles.
Use a squeegee and squeegee by hand, or apply by hand blower. Avoid
contamination of seeds, eggs, seedling and starting troughs. Do
not reuse birds in treated houses within 7 days of slaughter.

USER SAFETY REQUIREMENTS FOR PETS

Wear long-sleeved shirt, long pants, shoes, plus socks and
resistant latex or rubber gloves when applying the product.
Change clothing as soon as possible after use. Wash the outside
of gloves before removing. As with any pesticide product, wash
hands thoroughly immediately after handling and before eating,
smoking or using the toilet.

Dogs & Cats: To control Brown Dog Ticks and Fleas, use product
only outside or in a well-ventilated area. Wearing household insect
resistant gloves, dust entire animal, avoiding pet's eyes, nose,
mouth and genital areas. Rub or brush pet's hair to work dust down to
the skin. This product should not be applied to children. Do not
use on pregnant dogs or cats. Do not use on kittens or puppies
under 12 weeks of age. Dust bedding and doghouses using a
sprayer can or other dust applicator. Do not repeat treatment for 7
days. Do not use in homes. DO NOT APPLY TO RUBS AND
CAMPERS AS STAINING MAY OCCUR. Consult a veterinarian
before using this product on debilitated, aged, or animals on
medication.


Sensitivities may occur after using ANY pesticide product for pets.
If signs of sensitivity occur (such as red, itchy skin, sneezing and
runny nose) with large amounts of water. If signs continue, consult a
veterinarian immediately.

Do not use this product on animals simultaneously or within 30
days before or after treatment with or exposure to cholinesterase
inhibiting drugs, pesticides or chemicals. However, flea and tick
collars may be immediately reappplied.

Remed: For control of Hornflies and suppression of Stable Flies -
Wearing household latex or rubber gloves, rub or brush 2 oz of
powder per animal into the hair on back and neck. Stable Fly
treatment of legs of animals is supplemental to pre-mea treatment
for Stable Fly control. Do not repeat treatment for 4 days. This
product should not be applied to children. Consult a veterinarian
before using this product on debilitated, aged, pregnant, nursing,
or animals on medication.

STORAGE & DISPOSAL: Storage - Do not contaminate
water, food or feed by spilling or dispersal. Store in original container
in a dry place with seal. Store out of reach of children, pets and
animals. Disposal - Do not reuse empty container. Completely empty
can, then dispose of in a sanitary landfill or by incineration, or if
allowed by state and local authorities, by burning. If burned, stay out
of smoke. Wastes resulting from the use of this product may be
disposed of on site or at an approved waste disposal facility.

SEVIN is a registered trademark of Phibro-Petro
for carbaryl insecticide.
MARTIN is a registered trademark of
C. J. Martin Company.
C. J. Martin Company
608 W. Main Street
McGrohock, TX 75861
800-231-0979
EPA Reg. No. 498-471
EPA Est. No. 498-10-10
© 1997 C. J. Martin Company
Made in U.S.A.



READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON POULTRY, HORSES, DOGS, AND CATS
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS -
CAUTION: May be harmful if swallowed. Avoid breathing dust.
Avoid contact with eyes, skin or clothing. Wash thoroughly after
handling.

ENVIRONMENTAL HAZARDS: This product is highly toxic to bees
exposed to direct treatment or residues on blooming crops or
weeds. Do not spray this product or allow it to drift to blooming
crops or weeds if bees are visiting the treatment area.
This pesticide is extremely toxic to aquatic life and retards the
reproduction of terrestrial snails. Do not spray directly in water,
or in areas where surface water is present or in terrestrial areas
below the mean high water mark. Do not contaminate water by
cleaning of equipment or disposal of waste.

FIRST AID: If swallowed, induce vomiting and seek medical
attention immediately. If inhaled, remove victim to fresh air.
Apply artificial respiration if indicated. If in eyes, flush eyes with
plenty of water. Call physician if irritation persists. If on skin,
wash skin thoroughly with soap and water. **NOTE TO PHYSICIANS:**
AND VETERINARIANS: Carbaryl is a neostigmine, reversible
cholinesterase inhibitor. Atropine is an antidote.

DIRECTIONS FOR USE: It is a violation of Federal law to use this
product in a manner inconsistent with its labeling.
RE-ENTRY STATEMENT: Do not apply this product in such a
manner as to directly or through drift expose workers or other
persons. The area being treated need not be vacated by exposed
persons. Do not enter treated areas without protective clothing
until dust has settled. Because certain states require more
restrictive re-entry intervals for various crops treated with this
product, consult your State Department of Agriculture for further
information. Written or oral warnings must be given to workers
who are expected to be in a treated area or in an area about to be
treated with this product. When oral warnings are given, warnings
shall be given in a language commonly understood by workers.
Oral warnings must be given if there is reason to believe that
written warnings cannot be understood by workers.

USER SAFETY REQUIREMENTS FOR GARDENS
Wear long-sleeved shirt, long pants, shoes plus socks and
resistant latex or rubber gloves when applying this product.
Change clothing as soon as possible after use. Wash the outside
of gloves before removing. As with any pesticide product, wash
hands thoroughly immediately after handling and before eating,
smoking or using the toilet. Do not allow children or pets to
contact treated area until dust has settled.

APPLICATORS: Begin application when insect damage is first
observed. Wearing household latex or rubber gloves, use a dust
applicator such as a shaker can, dust gun, puffer or other tubular
device, rotary blower or other appropriate device as available. Dust
lightly to cover both upper and lower surfaces with a thin, even film
of dust. Apply when it is calm to avoid drift and contact with eyes,
and skin. Start applying at the farthest corner of the treatment area
and work backward to avoid contact with drifting particles. Allow
dust to settle in treated areas before reentering. For plants above
crown height, consider using a liquid carbaryl product. Do not repeat
application more than once a week.

Vegetables: Cans, Eggplants, Peppers, Tomatoes - To control Corn
Earworms, European Corn Borers, Sug Beetles, Fall Armyworms,
Tomato Fruitworms, Flea Beetles, Leafhoppers, Tobacco
Hornworms, and Stem Borer, dust upper and lower leaf surfaces
thoroughly. When used on Sweet Corn for control of Corn
Earworms, application of this product to the basal region of corn
during pollen shed period will seriously reduce bee
population. To control Mexican Bean Beetles, Bean Leaf
hoppers, Cucumber Beetles, Leafhoppers, Flea Beetles, Tobacco
Beetles, Corn Earworms, Lygids Beetles and Lima Bean Pod Borer,
dust upper and lower leaf surfaces thoroughly. Greenhouse,
Screened Spanish - To control Flea Beetles, Melonworms,
Cucumber Beetles, Squash Bugs and Flea Beetles, dust upper and
lower leaf surfaces thoroughly. Peaches - To control Colorado
Peanut Beetles, Leafhoppers, Flea Beetles and Lygids Beetles, dust
upper and lower leaf surfaces thoroughly.

**APPLICATION TO ABOVE VEGETABLES CAN BE MADE UP TO
DAY OF HARVEST. SUBSEQUENT PLANTING OF FOOD AND FEED**

ACCEPTED
WITH COMMENTS
in EPA Letter Dated

MAR 21 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
498-10-10

299-121

292