

pm 19 299-144

Page 172  
5515671  
17

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR 21 1997

Mike Compton  
C.J. Martin Company  
P.O. Box 630009  
Nacogdoches, TX 75963

Subject: Martin's Lice Killer  
EPA Registration No. 299-144  
Amendment dated December 2, 1996  
Response to Agency letter dated 10/1/96

Dear Mr. Compton:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the following changes to your label:

a) In the Directions for Use on POULTRY, add "wearing household latex or rubber gloves" to the first sentence as follows: "For Poultry Lice, Chicken Mites and Fleas; wearing household latex or rubber gloves, shake powder thoroughly...."

2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

/s/

Dennis H. Edwards, Jr.  
Product Manager (19)  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

		CONCURRENCES					
SYMBOL	Enclosure						
SURNAME							
DATE							

D Edwards A: 299 144.1

3/19/97

**USER SAFETY REQUIREMENTS FOR PETS**

Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product. Change clothing as soon as possible after use. Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

**Dogs & Cats:** To control Brown Dog Ticks and Fleas, use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work down to the skin. This product should not be applied by children. Do not use on pregnant dogs or cats. Do not use on kittens or puppies under 12 weeks of age. Dust bedding and doghouse using a shaker can or other dust applicator. Do not repeat treatment for 7 days. Do not use in homes. **DO NOT APPLY TO RUGS AND CARPETS AS STAINING MAY OCCUR.** Consult a veterinarian before using this product on debilitated, aged, or animals on medication.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be immediately replaced.

**STORAGE & DISPOSAL:** Storage - Do not contaminate water, food or feed by storage or disposal. Store in original container in a dry place until used. Store out of reach of children, pets and animals. Disposal- Do not reuse empty container. Completely empty can, then dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

C. J. Martin Company  
808 W. Main St.  
Waco, Texas, TX 76791  
800-231-0879

EPA Reg. No. 299-144  
EPA Est. 299-TX-1


Made in USA  
©1984 C.J. Martin Company

SEVIN is a registered trademark of Rhône-Poulenc for carbaryl insecticide.

MARTIN'S is a registered trademark of C.J. Martin Co.

UPC

Area



**ACTIVE INGREDIENT:**  
Carbaryl (1-naphthyl N-methylcarbamate) ..... 5%  
**INERT INGREDIENTS** ..... 95%  
100%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back panel for other cautions.

NET WT. 1 LB. (454g)

4362

**READ ENTIRE LABEL BEFORE EACH USE  
USE ONLY ON POULTRY, DOGS, AND CATS**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION:** May be harmful if swallowed. Avoid breathing dusts. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. **NOTE TO PHYSICIAN:** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is an antidote.

**FIRST AID:** If swallowed, induce vomiting and seek medical attention immediately. If inhaled, remove victim to fresh air. Apply artificial respiration if indicated. If in eyes, flush eyes with plenty of water. Call physician if irritation persists. If on skin, wash skin thoroughly with soap and water. **NOTE TO PHYSICIANS AND VETERINARIANS:** Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is an antidote.


**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Poultry:** For Poultry Lice, Chicken Mites and Fleas, shake powder thoroughly into feathers, especially under wings, breast and back of head. Use 1 lb. of dust for each 100 birds. Application for Chicken Mites and Fleas is supplemental to litter treatment for these pests. Do not apply within 7 days of slaughter. Do not repeat application within 4 weeks. Do not apply directly to eggs or nest litter. Do not contaminate feed or drinking water. Litter treatment for Lice, Chicken Mites, Fleas, Northern Fowl Mites and Bedbugs- Apply 1 lb. of dust to 40 sq. ft. of floor area. Use a scoop and scatter by hand, or apply by hand duster. Avoid contamination of nests, eggs, feeding and watering troughs. Do not house birds in treated houses within 7 days of slaughter.

**DUST (INDIVIDUAL FOWL THIS WAY.** Individual dusting is necessary for best results.



**To Make a Dust Bath:**  
For control of Northern Fowl Mites and Lice, and as a supplement to litter treatment for Chicken Mites and Fleas - Use 2-1/2 lbs. of LICE KILLER per box for each 50 birds. Do not apply within 7 days of slaughter.



**BEST AVAILABLE COPY**

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

MAR 21 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

299-144

Page 272