

297-15

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Avoid inhaling vapors. If inhalation of vapors cannot be avoided, applicators must wear a protective fitting, well-maintained, half-mask canister or cartridge respirator which is MSHA (NIOSH)-approved for polynuclear aromatics and organic vapors. Wash thoroughly after skin contact, and before eating, drinking, use of tobacco products, or using restrooms.

Do not use this product to treat wood intended to be used for cutting boards or counter tops. Do not use this product to treat wood intended to be used where it may come into direct or indirect contact with public drinking water, except for those uses involving incidental contact such as docks and bridges.

Do not apply in interiors. Do not apply to wood intended for use in interiors except for those support structures which are in contact with the soil in barns, stables, and similar structures and which are subject to decay or insect infestation. Interior surfaces of the treated wood should be sealed with two coats of an appropriate sealer.

This product should not be used to treat wood which will be in frequent or prolonged contact with skin, unless the wood will be treated with an effective sealer.

Contact with treated surfaces should be avoided even after the preservative has dried. When handling treated wood wear tightly woven coveralls and gloves which are impervious (e.g., vinyl coated) to the pesticide. Wash exposed skin thoroughly after contact with treated wood and before eating, drinking, or using tobacco products.

Wood to be treated with this product should be cut to size before treatment. If it is necessary to saw or machine wood after treatment, wear goggles to protect the eyes from flying particles and a dust mask to avoid inhaling sawdust from the treated wood. If oily preservatives or sawdust accumulate on clothes, launder before re-use. Wash work clothes separately from other household laundry.

Do not apply where there may be direct contact with domestic animals or livestock, and where there may be contamination of food, feed, or drinking water and irrigation water.

Do not apply creosote to wood intended for farrowing or brooding facilities. Do not apply creosote to wood intended to be used in the interiors of farm buildings where there may be direct contact with domestic animals or livestock which may crib (bite) or lick the wood. Creosote may be used to treat wood intended to be used in interiors of farm buildings where domestic animals or livestock are unlikely to crib or lick the wood, if two coats of an appropriate sealer will be applied.

Do not apply to wood intended to be used in a manner in which the preservative may become a component of food or animal feed. Examples of such sites would be structures or containers for storage of silage or food.

Do not use this product to treat wood intended to be used where it may come into direct or indirect contact with drinking water for domestic animals or livestock, except for those uses involving incidental contact such as docks and bridges.

Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (for example, during the actual application process and when handling freshly treated wood).

Spray applicators must wear protective clothing including overall's, jackets, gloves and boots impervious to the wood treatment formulation, and a respirator, head covering, and goggles.

Applicators who apply creosote by other application methods (e.g., brush-on) must wear suitable coveralls or other suitable impermeable protective clothing. Launder non-suitable protective clothing separately from other clothing.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation.

Protective clothing must be changed when it shows signs of contamination. Dispose of worn-out protective clothing and workshoes or boots in a general landfill, in the trash, or in any other manner approved for pesticide disposal.



RESTRICTED USE

For sale to and use only by certified applicators or by persons under their direct supervision and only for those uses covered by the certified applicators' certification.

**M & S
CREOSOTE OIL**

**A PRESERVATIVE FOR THE PREVENTION
OF FUNGAL ROT AND DECAY ON WOOD**
Meets American Wood Preservers Association Standard
PI-65 For Coal Tar Creosote

NET CONTENTS: 1 GALLON

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See Side Panels For Additional Precautionary Statements

ACTIVE INGREDIENT:
Creosote Oil 97.00%
INERT INGREDIENTS: 3.00%

ACCEPTED
 DEC 10 1985
 Under the Federal Insecticide, Fungicide, and Rodenticide Act amended, for the pesticide registered under EPA Reg. No. 299-156

Precautionary Statement (continued)

Note To User: As used on this label, the term "rest maintained, half-mask canister or cartridge respirator for polynuclear aromatics and organic vapors." Excludes protective clothing (e.g., gloves, overalls, head covering) the application and handling of creosote are polyvinyl chloride (PVC), neoprene, and NBR (Buna-N). In addition to creosote-treated wood.

ENVIRONMENTAL HAZARDS

Do not use this product to treat wood intended for contact with public drinking water, which may come into contact with the honey. Do not apply where there may be contamination of water.

STATEMENT OF PRACTICAL USE

If Swallowed - Contact a physician or poison control center immediately because of aspiration hazard.
If Inhaled - Remove victim to fresh air. Apply artificial respiration if necessary.
If On Skin - Remove contaminated clothing and wash thoroughly with soap and water.
If In Eyes - Flush with plenty of water. Call a physician.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with these directions.

STORAGE AND DISPOSAL

Storage: Do not store at temperatures below 60° F. Do not store in original container near heat or open flame. Store out of reach of children.
Pesticide Disposal: Pesticide wastes are toxic. Improper disposal, reuse, or reuse of a violation of Federal Law. If the pesticide is to be disposed of, contact your State Agency, or the Hazardous Waste Representative at the nearest EPA office for guidance.
Container Disposal: Triple rinse (or equivalent) then recycle or puncture and dispose of in a sanitary landfill, or by other means approved by local authorities.

FOR USE ON WOOD: For prevention of fungal rot on farm gates, board fences, bridge timbers, factory buildings, and other woodwork, use one to two liberal brush or spray coats. Wood to be treated should be dry and well seasoned. Other wood members to be placed in contact with the spray coats or soak the area from 2 to 6 inches above ground for 12 to 48 hours. Do not use inside barns, animal stalls, sheep folds or silos.
Wood which has been treated with this product should be collected for disposal. Do not burn treated wood in an outdoor fire because toxic chemicals may be produced as part of the process.

EPA Reg. No. 299-156
EPA Est. No. 299-156