

ACCEPTED

1-22-1971

FEDERAL INSECTICIDE
REGISTRATION ACT
MARTIN
NO. 279-163
FOR COMMENT

[299-163]



KILLER - DILLER

QUICK KILL

For

Flies & Mosquitoes

with SBP-1382[®]

A NEW SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS:
HOUSEFLIES, MOSQUITOES, GNATS, WASPS, ROACHES, ANTS, EARWIGS, SPIDERS, GRAIN MITES, SOWBUGS, AND CENTIPEDES.

FOR USE IN: Bakeries, Food Plants, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals, Food Handling Plants and Homes.

ACTIVE INGREDIENTS:

* (5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate	0.250 % w/w
Related compounds	0.034 %
Aromatic petroleum hydrocarbons	0.331 %
Petroleum distillate	58.375 %

INERT INGREDIENTS: 41.010 %

Net Weight: 14 ounces

* Cis trans isomers ratio: max. 30% (±)cis and min. 70% (±)trans.
U.S. Patent No. 3,465,007

CAUTION:

Keep Out Of Reach Of Children
See Side Panel For Additional Precautions

DIRECTIONS FOR USE

Remove protective cap. Aim spray opening away from person. Push button to spray.

FOR HOUSEFLIES, MOSQUITOES, AND GNATS:
Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASP: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

CAUTION: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. Use as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Avoid contamination of food and feedstuff. Cover or remove fish bowls. Remove all pets from area to be treated.

WARNING: Contents under pressure. Do not puncture. Do not expose container to temperatures above 120° F. Never throw container into fire or incinerator. Do not store or use near heat or open flame.

E.P.A. Reg. No.