

**CAUTION**

Harmful if swallowed. Avoid breathing of vapor. May be absorbed through skin. Avoid getting in eyes or on skin. Wash thoroughly after use.

**NOTE TO PHYSICIAN:** Ronnel is a cholinesterase inhibitor. Atropine is an antidote. 2-PAM is also antidotal and may be administered in conjunction with atropine. Treat symptomatically.

Avoid contamination of food and feedstuffs. Do not reuse empty container. Destroy by burying with waste or burning. Stay away from smoke or fumes.

Ronnel is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. Atropine is antidote. Consult veterinarian at first sign of adverse reaction.

E.P.A. Reg. No. 299-\_\_\_\_\_



**KORLAN DEHORNING  
PROTECTIVE DRESSING**

**FOR USE AFTER DEHORNING**  
Protects Dehorning Wounds From  
Screwworm and Blowfly Infestations

**NET WEIGHT: 16 Oz. (1 lb.)**

CAUTION Keep Out of Reach of Children  
SEE SIDE PANEL FOR OTHER CAUTIONS

\*KORLAN-Trademark of the Dow Chemical Company

**DIRECTIONS**

Apply with enclosed dauber. Paint horn cavity and cut ends of horns, including area one inch from wound and drainage area around and below wound. Free bleeding dehorning cuts may require several treatments. Repeat applications at 5 to 7 day intervals until wounds are healed. Free bleeding wounds (dehorning cuts) may require a second application within a day when the bleeding has stopped.

**ACTIVE INGREDIENTS:**

Ronnel (0,0-dimethyl 0-(2,4,5-Trichloro-phenyl) phosphorothioate) . . . . . 3.00%

**INERT INGREDIENTS** . . . . . 97.00%

506 W. Main St. *C. J. Martin Company* Nacogdoches Texas 75961

ACCEPTED