

### CAUTION

Do not use on newborn (very young) foals under 3 months of age. For foals older than three months, use the minimum amount necessary, not to exceed two teaspoonsful. Application should not be made more often than twice weekly whether the wound is infected or not. Do not use on dogs, cats, or other household pets.

### WARNING

Harmful if swallowed. If swallowed, do not induce vomiting. Vomiting may be harmful. Consult physician. Avoid contact with skin. In case of contact, wash immediately with soap and water. Keep out of eyes. If eye contact occurs, wash immediately with water. Avoid contamination of food and feedstuffs. Break empty containers. Bury in a safe place.

Do not use on animals other than horses or mules or on horses or mules intended for food purposes.

E.P.A. Reg. No. 299-168



# E.Q. 335

## SCREW WORM REMEDY FOR HORSES AND MULES

CONTENTS: 1 GALLON

**CAUTION: Keep Out of Reach of Children  
SEE BACK PANEL FOR OTHER CAUTIONS.**

Active Ingredients: Pine Oil 35%; Lindane (Gamma Isomer of Benzenehexachloride) 3%.  
Inert Ingredients: 62%

FOR CONTROL AND TREATMENT OF  
WOUND MAGGOTS IN HORSES AND MULES

### DIRECTIONS

SHAKE WELL BEFORE USE

Use swab or soft bristle brush and apply to wound to ensure it penetrates all crevices and pockets. Remove exudate in the wound area. Repeat application until wound is healed.

Some strains of screwworms may develop resistance. This will be observed by lack of response to treatment.

606 W. Main St.

*C. J. Martin Company*

Nacogdoches, Texas 75901

**CAUTION**

On (very young) foals under 3 months of age. For 3 months, use the minimum amount necessary, not excessive. Application should not be made more frequently whether the wound is infected or not. Do not use on other household pets.

**WARNING**

If swallowed, do not induce vomiting. Vomiting should be induced by a veterinarian. Avoid contact with skin. In case of contact, wash immediately with soap and water. Keep out of eyes. If in eyes, wash immediately with water. Avoid contact with clothing and other household items. Break empty containers. Bury in a safe place.

Do not use on other than horses or mules or on horses or mules for other than medical purposes.

E.P.A. Reg. No. 299-168



**E.Q. 335**

**SCREW WORM REMEDY  
FOR HORSES AND MULES**

**CONTENTS: 1 GALLON**

**CAUTION: Keep Out of Reach of Children  
SEE BACK PANEL FOR OTHER CAUTIONS.**

Active Ingredients: Pine Oil 35%; Lindane (Gamma Isomer of Benzenehexachloride) 3%.  
Inert Ingredients: 62%

**FOR CONTROL AND TREATMENT OF SCREWORMS AND OTHER  
WOUND MAGGOTS IN HORSES AND MULES: TOPICAL.**

**DIRECTIONS**

**SHAKE WELL BEFORE USING**

Use swab or soft bristle brush and apply thoroughly to wounds, making sure it penetrates all crevices and pockets and covers all blood and exudate in the wound area. Repeat application twice a week until worm-infested wound is healed.

Some strains of screwworms may develop resistance to Lindane. This will be observed by lack of response to treatment.

Handwritten stamp: OCT 12 1973

**606 W. Main St.**

*C. J. Martin Company*

**Nacogdoches, Texas 75961**