of bark, dry and well seasoned and immorsed in the product for a period of 12 to 48 hours to be an effective wood preserver against wood rotting fungi.

.....

CAUTIÓN: Harmful if swallowed. Avoid contact with the skin. May cause skin irritation. Avoid breathing vapors, fumes or spray mist. Do not spray near or toward open flame.

CAUTION: Harmful if swallowed. Avoid contact with the skin. May cause skin irritation. Avoid breathing vapors, fumes or spray mist. Do not spray near or toward open flame.

Do not reuse empty drum or container. Return to drum reconditioner cr destroy by perforating or crushing and burying in a safe place away from water supplies.

Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. 47121

606 W.Main St.

E.P.A. Reg. No. 299-183 E.P.A. Est. 299-TX-1



## **Prevents Horse Cribbing**

CONTENTS: 1 QUART

**CAUTION:** Keep Out of Reach of Children SEE OTHER WARNING STATEMENT ON SIDE PANEL.

**Wood Preservative** 

## DIRECTIONS

TO PREVENT CRIBBING: Horses in confinement often develop the habit of biting any wood object within reach, and sucking air at the same time. The teeth of cribbers will show more than normal wear. The sucking of air will cause a bloated appearance. Such horses are subject to colic. Wood splinters may be dangerous. Paint Carbolin Oil on All Stall surfaces. On dressed lumber use 1 gallon to 200 sq. ft. On rough lumber use 1 gallon to 100 sq. ft. Apply with a brush or spray. Let Carbolin Oil impregnate into the lumber before putting horses into stalls to prevent blistering. Horses will not chew wood treated with Carbolin Oil.

AS A WOOD PRESERVER: Fence posts, poles, foundation timbers, and heavy wooden members should be free



Nacogdoches, Texas 75961