## DIRECTIONS FOR DIAZINON GRANULAR LAWN INSECT CONTROL

**CAUTION**: Avoid breathing of dust. Avoid contact with skin, eyes, and clothing. Avoid contamination of feed and foodstuffs. Wash thoroughly after handling. Harmful if swallowed. May be absorbed through skin. Treat lawns in late afternoon. Keep children and pets off treated areas until the following afternoon.

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse this container. Destroy by burying or burning with waste. Stay away from smoke and fumes.

### DIRECTIONS FOR USE

**Overall Lawn Application**: For control of Chinch Bugs Earwigs, Ticks, Ants, Lawn Moths Sod Webworms, Bermuda Mites, Crickets, Armyworms, Brown Dog Ticks, Chiggers, Clover Mites, Cutworms, Fleas, Leafhoppers, Sowbugs, Millipedes, Springtails Collembola on grass and dichondra lawns, apply **Diazinon R Granular Lawn Insect Control** at a rate of 8 oz. per 100 sq. ft. or 5 lbs. per 1000 sq. ft. For heavy lawns such as St. Augustine lawns, application should be increased to 12 oz. per 100 sq. ft. or 7 lbs. per 1000 sq. ft. Make even application over entire lawn when grass is dry. Water lawn lightly after application. Repeat as necessary.

For control of Billbugs, and White grubs of Japanese Beetle European Chafer and Southern Chafer apply 6 lbs. per 1000 sq. ft. of lawn. Water grass thoroughly after application. For grub control make application any time between late July and early October. For Billbug control apply when activity is first observed. Repeat as necessary.

**Spot Treatment** For Ants apply one tablespoon of **Diazinon R Granular Lawn Insect Control** over and around each individual anthill.

For Digger Wasps apply one tablespoon per square yard of area to each ground nest opening. Make application when wasps are most active.

**Band Treatment Around Foundation** For Ants Brown Dog Ticks Clover Mites Crickets Earwigs Fleas Millipedes Sowbugs Springtails and Collembola and other insects apply at the rate of 1 lb. of **Diazinon R Granular Lawn Insect Control** per 100 sq. ft. of treated area. Distribute evenly over soil surface and water in. Repeat as necessary.

E.P.A. Reg. No. 270-143
E.P.A. Est. No. 270-TX-1

606 W. MAIN ST. NACOGDOCHES, TEXAS 75961

Martin's
ESTABLISHED 1883

# DIAZINON® GRANULAR LAWN INSECT CONTROL

Kills Chinch Bugs

Also Kills
- Armyworms
- Bermuda Mites
- Billbugs
- Brown Dog Ticks
- Chiggers
- Clover Mites
- Crickets
- Cutworms
- Digger Wasps
- Earwigs
- Fleas
- Lawn Moths
- Leafhoppers
- Millipedes
- Springtails
- Sod Webworms
- Sowbugs
- Ticks
- White Grubs of
  - Japanese Beetles
  - European Chafers
  - Southern Chafers

Kills Ants

## CAUTION:

KEEP OUT OF REACH OF CHILDREN.
SEE BACK PANEL FOR OTHER CAUTIONS.

NET WEIGHT: 5 POUNDS

ACTIVE INGREDIENT

INERT INGREDIENTS

Diazinon R Registered Trademark of CIBA GEIGY Corporation

C.J. Martin Company

ACCEPTED
AUG 8 1975
Under the Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide
EPA Reg. No.