

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Convulsive Poison/ Poisonous if swallowed. Do not breathe dust. Do not contaminate feed and foodstuffs. Keep away from children, pets and domestic animals. Wash thoroughly with soap and water after handling and before eating or smoking. Clean clothing should be used daily. Do not touch bait with bare hands. Wear gloves while handling bait. This product is to be used only for subsoil application as directed.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. If less than ten (10) minutes have passed since the poison was taken, give 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Have patient lie down in quiet, darkened room and keep warm and quiet. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN

A. Administer 100% Oxygen by positive pressure to provide as much pulmonary gas exchange as possible despite seizures.

B. Administer ANTICONVULSANT DRUGS intravenously to control convulsions.

CAUTION: It may be difficult or impossible to stop the seizure activity without stopping respiration. Be prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary if seizures are prolonged.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Baits exposed on soil surfaces may be hazardous to birds and other wildlife. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

ENDANGERED SPECIES CONSIDERATIONS

NOTICE: The killing of a member of an endangered species during strychnine baiting operations may result in a fine under the Endangered Species Act. Before baiting, the user is advised to contact the Regional U.S. Fish and Wildlife Service (Endangered Species Specialist) or the local Fish and Game Office for specific information on endangered species. Strychnine baits should not be used in the geographic ranges of the following species except under permits and procedures approved by the U.S. EPA: California condor, San Joaquin kit fox, Alexander Canada goose, Murre Bay kangaroo rat, salt marsh harvest mouse, gray wolf, and grizzly bear.



Martin's


ESTABLISHED 1883

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

GOPHER BAIT 50R

STRYCHNINE TREATED GRAIN BAIT FOR SUBSOIL APPLICATION ONLY



Net Weight:

45 Pounds



POISON

KEEP OUT OF REACH OF CHILDREN DANGER

See Antidote Statement and Other Warnings on Side Panel.

ACTIVE INGREDIENT: Strychnine Alkaloid 50%
 INERT INGREDIENTS: 50.00%

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: This product may be used to control pocket gophers (*Citellus* spp., *Thomomys* spp., and *Eurostomus* spp.) in subterranean applications only in rangelands, pastures, croplands, and noncrop areas. This product may be applied manually or by use of a burrow builder. Do not apply this product above ground over agricultural crops or anywhere else.

HAND BAIT APPLICATIONS: Remove burrow plug from the flat side of the burrow fan or locate the main runway by probing with a metal rod or wooden stick. Resistance on the probe will decrease when you are in the main runway. Insert one tablespoon of bait into the burrow system, using a long-handled spoon if necessary. Close the tunnel with soil. Do not permit soil to cover bait. One pound of bait will treat 1-8 acres depending on the number of acres to be treated. Retreat according to above directions if new gopher activity is noticed.

BURROW-BUILDER APPLICATIONS: Follow manufacturer's instructions for the equipment used to apply gopher bait. Apply 1-2 pounds of bait per acre using 20- to 30-foot row-spacing intervals. Apply bait by this method only when soil condition is proper to insure formation of a good artificial burrow. Retreat according to above directions if new gopher activity is noticed, but not more often than once every 30 days.

STORAGE AND DISPOSAL


STORAGE: Store in original container in a dry place. Store in a locked area out of reach of children, pets and animals. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse empty container. Completely empty then dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

E.P.A. Reg. No. 299-213 E.P.A. Est. No. 299-TX-1

C. J. MARTIN COMPANY
 606 W. Main Street
 Mesquite, TX 75861



BEST AVAILABLE COPY