

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 299-220	DATE OF ISSUANCE November 2, 1987
	TERM OF ISSUANCE Until Reregistration	
	NAME OF PESTICIDE PRODUCT C.J. Martin Dipel and Sevin for Insect Control in Gardens	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

C.J. Martin Company
 606 West Main Street
 P.O. Box 1089
 Hico, TX 75963-1089

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 299-220."
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis P. Edwards, Jr.
 Product Manager (12)
 Insecticide-Rodenticide Branch
 Registration Division (75-674)

Enclosures
 ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL <i>Dennis H. Edwards, Jr.</i>	DATE 11/2/87
--	-----------------

C.J. MARTIN
DIPEL® AND SEVIN®

FOR INSECT CONTROL IN GARDENS

ACTIVE INGREDIENTS:

<u>Bacillus thuringiensis, Berliner, var. kurstaki,</u>	
240 International Units of potency per mg (108.9 million International Units per pound)	0.048%
Carbaryl (1-naphthyl N-methyl carbamate).....	5.000%

INERT INGREDIENTS.....	94.952%

TOTAL	100.000%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

(See side panel for additional precautionary statements)

EPA EST. NO. 299-TX-1

EPA REG. NO. 299--

SEVIN® is a registered trademark of Union Carbide Corporation for carbaryl insecticide.

DIPEL® is a registered trademark of Abbott Laboratories, North Chicago, Illinois.


NET WT. _____

C.J. MARTIN CO.
606 WEST MAIN ST.
NACOGDOCHES, TX. 75963

ACCEPTED
with COMMENTS
to EPA Letter Dated

NOV 2 1987

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
299-c 50



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Reclose containers of unused product. Store in a dry place.


Container Disposal: Do not reuse empty container. Completely empty container by shaking and tapping sides and bottom to loosen clinging particles. Wrap container in newspaper and dispose of in a sanitary landfill, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

APPLICATION DIRECTIONS

Apply dust at the rate of 2 oz. per 50 feet of row (40 lbs. per acre) at the first sign of insects using a good mechanical or handpowered duster. Repeat as necessary for control. For best results, dust in early morning or late evening when temperature is low and air is still. Apply dust so that all parts of plants are contacted, especially upper and lower leaf surfaces. The number in () following each crop indicates days required between last application and harvest; (0) indicates it may be used up to and including day of harvest. This product may be used on the following vegetables;

- Beans (0), Cabbage (3), Broccoli (3), Brussel Sprouts (3), Cauliflower (3), Kahrabi (3), Collards (14), Garden Beets (roots tops (14), Kale (14), Lettuce (head 3, leaf 14), Mustard Greens (14), Radishes (3), Rutabaga (3), Spinach (14), Turnips (roots 3, tops 14), Cucumbers (0), Squash (0), Cantaloupe (0), Pumpkins (0), Melons (0), Corn (0), Carrots (0), Okra (0), Tomato (0), Eggplants (0), Peppers (0), and Potatoes (0).

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.



C.J. MARTIN DIPEL[®] AND SEVIN[®] is a combination of Bacillus thuringiensis, a biological insecticide, specifically for control of chewing caterpillars and Carbaryl, a broad spectrum insecticide, and will control the following insect pests on vegetables:

Mexican Bean Beetle, Bean Leaf Beetle, Cucumber Beetle, Leafhoppers, Flea Beetle, Japanese Beetle, Lygus Bug, Stink Bug, Lima Bean Pod Borer, Corn Earworm, Sap Beetle, Harlequin Bug, Armyworms, Imported Cabbage Worm, Diamond-Back Moth Larvae, Cabbage Looper, Tarnished Plant Bug, Pickleworm, Mellonworms, Squash Bug, European Corn Borer, Fall Armyworm, Spittlebug, Tomato Fruitworm, Tomato Hornworm and Colorado Potato Beetle.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION. Harmful if swallowed. Avoid contact with eye, skin, or clothing. Avoid breathing dust. Do not take internally. Wash thoroughly after handling. Wear gloves when applying this product. Wash contaminated clothing with soap and water before reuse. Avoid contamination of foodstuffs, feed and water supplies.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled: Remove victim to fresh air and apply respiration if indicated.

If on skin: Wash promptly with soap and water. Rinse thoroughly.


If in eyes: Flush with plenty of water.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.



NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
*(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)*

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[Faint, mostly illegible text in the registrant information section]

NOTE: Changes in labeling formula, differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label as amended. If any correspondence to this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Re-registered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Re-registration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to the extent it has been used by others.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

William H. Edwards, Jr.

DATE
11/2/87

E. J. MARTIN
DIFET[®] AND SEVIN[®]

FOR INSECT CONTROL IN GARDENS

ACTIVE INGREDIENTS:

Resmetho (Chlorpyrifos, Permethrin, var. Fumigal),	
240 International Units of potency per mg (0.02% million International Units per pound)	0.04%
carbaryl (1-naphthyl N-methyl carbamate).....	9.000%
INERT INGREDIENTS.....	94.96%
TOTAL	100.000%

EFFECTS OF THE PESTICIDE CHEMICAL

CAUTION

See side panel for additional precautionary statements.

EPA REG. NO. 222-1X-1

EPA REG. NO. 222

SEVIN[®] is a registered trademark of Union Carbide Corporation for carbaryl insecticide.

DIFET[®] is a registered trademark of Abbott Laboratories, North Chicago, Illinois.

NET WT.

E. J. MARTIN CO.
 207 WEST MAIN ST.
 WACO, TEXAS, 76798


ACCEPTED
 with COMMENTS
 in EPA Letter Dair-6

NOV 2 1987

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.

299,220

BEST AVAILABLE COPY



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Reclose containers of unused product. Store in a dry place.

Container Disposal: Do not reuse empty container. Completely empty container by shaking and tapping sides and bottom to loosen clinging particles. Wrap container in newspaper and dispose of in a sanitary landfill, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.


APPLICATION DIRECTIONS

Apply dust at the rate of 2 oz. per 50 feet of row (40 lbs. per acre) at the first sign of insects using a good mechanical or handpowered duster. Repeat as necessary for control. For best results, dust in early morning or late evening when temperature is low and air is still. Apply dust so that all parts of plants are contacted, especially upper and lower leaf surfaces. The number in () following each crop indicates days required between last application and harvest; (0) indicates it may be used up to and including day of harvest. This product may be used on the following vegetables:

- Beans (0), Cabbage (3), Broccoli (3), Brussel sprouts (3), Cauliflower (3), Fahlrah (3), Collards (14), Garden Beets (roots tops (14), Tale (14), Lettuce (head 3, leaf 14), Mustard Greens (14), Radishes (3), Rutabaga (3), Spinach (14), Turnips (roots 3, tops 14), Cucumbers (0), Squash (0), Cantaloupe (0), Pumpkins (0), Melons (0), Corn (0), Carrots (0), Onions (0), Tomato (0), Eggplants (0), Peppers (0), and Potatoes (0).

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

NOT AVAILABLE



BEST AVAILABLE COPY

U.S. MARTIN DIFEC[®] AND SEVIN[®] is a combination of Bacillus thuringiensis, a biological insecticide, specifically for control of chewing caterpillars and Carbaryl, a broad spectrum insecticide, and will control the following insect pests on vegetables:

Mexican Bean Beetle, Bean Leaf Beetle, Cucumber Beetle, Leafhoppers, Flea Beetle, Japanese Beetle, Lygus Bug, Stink Bug, Lima Bean Pod Borer, Corn Earworm, Sap Beetle, Harlequin Bug, Armyworms, Imported Cabbage Worm, Diamond-Back Moth Larvae, Cabbage Looper, Tarnished Plant Bug, Pickleworm, Melloworms, Squash Bug, European Corn Borer, Fall Armyworm, Spittlebug, Tomato Fruitworm, Tomato Hornworm and Colorado Potato Beetle.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION. Harmful if swallowed. Avoid contact with eye, skin, or clothing. Avoid breathing dust. Do not take internally. Wash thoroughly after handling. Wear gloves when applying this product. Wash contaminated clothing with soap and water before reuse. Avoid contamination of foodstuffs, feed and water supplies.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled: Remove victim to fresh air and apply respiration if indicated.

If on skin: Wash promptly with soap and water. Rinse thoroughly.

If in eyes: Flush with plenty of water.

NOTE TO PHYSICIANS: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.