



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

299-229

April 27, 1998

Term of Issuance Conditional

NOTICE OF PESTICIDE:

- Registration
- Reregistration

Name of Pesticide Product:

Martin's Horse & Stable
Spray

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Mike Compton
C.J. Martin Company
606 West Main Street
Nacogdoches, TX 75963

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 299-229".

Signature of Approving Official:

George T. LaRocca
for George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Date:

APR 27 1998

b. PR Notice 96-6 specifies statements that should be added to the labels of pesticide products which are registered for use on dogs and/or cats. Based on this PR Notice, add the following to your label:

- 1) At the top of the rear or side panel of your label, add in bold, all caps "READ ENTIRE LABEL BEFORE EACH USE"
- 2) Clearly indicate registered species: "USE ONLY ON DOGS."
- 3) Clarify reapplication interval (i.e., "Do not reapply product for _____ days(s), week(s), or month(s).")
- 4) Add the statement "Do not use on puppies under 12 weeks of age."
- 5) Add the statement "Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals."
- 6) Add the paragraph "Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately."

c. In the sections labeled "TO CONTROL BEDBUGS" and "TO CONTROL CLOTHES MOTHS" add the sentence "Allow all sprayed articles to dry thoroughly before reuse."


3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



 George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Enclosure

TO CONTROL POUITY LICE: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

TO CONTROL BEDBUGS AND MITES IN POULTRY HOUSES: Spray crevices of roost poles, cracks in walls, and cracks in nests where there is no roosting and insect life.

ON DOGS:

TO CONTROL FLEAS, TICKS, AND LICE: Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying, turn the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes or face. Avoid contact with penskins. Use protective gloves or mitts when applying product. Repeat as necessary.

NOTE: Not recommended for use on puppies less than four weeks old. DO NOT USE ON CATS OR MITERS. Do not use on old, sick or debilitated animals.

INDOOR APPLICATION:

TO CONTROL TICKS, INCLUDING TICKS, WHEN MAY CARRY LYME DISEASE (RESISTANT TREATMENT): Use Marm's Horse and Stable Spray as a residual treatment to control ticks including the Deer Tick (Ixodes damma), Lone Star Tick (Amblyomma americanum), Brown Dog Tick (Rhipicephalus sanguineus), American Dog Tick (Dermacentor variabilis) and Western Black-legged Tick (Ixodes pacificus). For each area listed below, apply wet surface is wet (approximately 1 gal/750-1000 ft²).

Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter.

Treat a band of vegetation and leaf litter 6 to 10 feet wide around and the outside of buildings to help control ticks occurring there. To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6 to 10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

FOR CONTROL OF GROUND INSECTS: For use on roosts, debiles, stables and other enclosures in the Southeast. Sprays will spray and kill 21 species of ticks, including: Dog, Lone Star, Red Dog, Brown Dog, American Dog, and Lone Star ticks. It also kills 100 species of ground insects and for control of insect infestations.

May also be used on other plants such as African violets, adonis, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, euonymus, hydrangeas, geraniums, grasses, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons,

stocks, wisteria, yucca, and zinnias. Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, European Thrips, Lice Bugs, Japanese Beetles, Pave ment Aids, Cow Mites and Armyworms. When spraying plants, do not cover sweeter foliage, young plants and new growth. Do not spray plants when temperatures exceed 90° F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Buyer assumes all responsibilities for safety and use, not in strict accordance with directions.

EPA Reg. No. 299-444-0000 **FEO**
 EPA Est. No. 299-TX-1
 C.J. Marm Company
 600 W. Loop Street
 Houston, Texas 77030
 Made in USA
 Marm's is a registered trademark of C.J. Marm Company.



PRECAUTIONARY STATEMENTS:
 Hazards to Humans and Domestic Animals
CAUTION: Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and food. Fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.


ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment wash-water.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

After trigger, pump or other type sprayer to container for application. Do not transfer to another container.
SHAKE WELL BEFORE USING.
INDOOR APPLICATION
 For spot application only. Do not use as a space spray indoors. Do not apply to bedrooms while in use. In the home, all should be kept out of the room until thoroughly washed. Wash hands of household members who have used the product. Wash hands of children before and after application.

TO CONTROL COCKROACHES, WATER-BUGS, PALMLETTO BUGS, SCORPIONS, MILLIPEDS, CENTIPEDS, SCORPIONS, PILLBUGS, ANTS, SILVERFISH, FIRE-BRATS, SPIDERS, CRICKETS, CLOVER MITES, CHEESE MITES, GRAMARY WEEVILS, BEET WEVILS, CONFUSED



HORSE & STABLE SPRAY

Indoor - Outdoor • Ready-To-Use Permanent®

• For Control of Fleas, Brown Dog Ticks & Lice on Premises & on Dogs • For Control of Ticks which may cause Lyme Disease on Premises • Controls Fleas & Ticks on Dogs for 35 Days • Aids in control of Ticks on Dogs for an Additional 2 Weeks

KEEP OUT OF REACH OF CHILDREN CAUTION
 See additional precautionary statements on back of container.

ACTIVE INGREDIENT: 4.50% Permethrin
INERT INGREDIENT: 95.50%
 19-permethrin (2.25%) (2.25% active ingredient) 2.25%
 19-permethrin (2.25%) (2.25% active ingredient) 2.25%
 19-permethrin (2.25%) (2.25% active ingredient) 2.25%
 19-permethrin (2.25%) (2.25% active ingredient) 2.25%

NET WEIGHT: 32 FL. OZ (1.07) 946 ml

