

PH 31 303-79

Huntington.

TOR[®] Germicidal Detergent PRODUCT NUMBER 102712

- Cleans, Deodorizes & Disinfects
- Pleasant Fragrance
- Economical-to-use

ACTIVE INGREDIENTS:

| | |
|--|--------------|
| n-alkyl (60% C ₁₂ , 30% C ₁₄ , 5% C ₁₂ , 5% C ₁₄) dimethyl benzyl ammonium chloride | 1.6% |
| n-alkyl (50% C ₁₂ , 30% C ₁₄ , 17% C ₁₄ , 3% C ₁₄) dimethyl ethylbenzyl ammonium chloride | 1.6% |
| INERT INGREDIENTS | 96.8% |

DANGER: KEEP OUT OF REACH OF CHILDREN.

(See side and back panel for additional precautionary and practical treatment statements)

CONTENTS ONE GALLON (3.785 LITERS)

STORAGE AND DISPOSAL

This product must be kept under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use
PROMPTIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL: Consult federal, state or local authorities for approved alternative procedures such as limited open burning.

EPA Reg No. 303-79 EPA Est No 303-IN-1, PA-1
(See shoulder or bottom for plant identification number)

Huntington Laboratories, Inc., Huntington IN 46750 • Lansdale, PA 19446
Dallas, TX 75227 • Oakland, CA 94621 • Bramalea, Ontario, Canada L6T 1E3

ACCEPTED
AUG 28 1980
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 303-79

HIV-1 (AIDS virus)

Staphylocidal, pseudomonacidal, fungicidal and virucidal against Adenovirus Type 2, Herpes simplex, Influenza A2 and Vaccinia viruses on inanimate environmental surfaces at a dilution of two ounces per gallon

TOR is a cleaner, disinfectant and deodorizer designed for use in hospitals, nursing homes, schools and industries

A.B.A.C. Use-Dilution Confirmation Test
Kills Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa 1 to 64

A.B.A.C. Fungicidal Test
Kills Trichophyton Interdigitale 1 to 64

*Classified by Underwriters Laboratories, Inc.® as to electrical conductivity when used on conductive floors and spontaneous heating TOR for use with listed electrically conductive flooring of the vinyl type * 378Y

DILUTION: 1:64 (five ounces per gallon)

DIRECTIONS

USES: Floors, furniture, metals, porcelain, exterior bowl surfaces, walls painted surfaces, plastics, basins, instruments, showers, athletic equipment, conductive floors, lavatory fixtures.

APPLICATION: Apply with sponge, mop or cloth. Also, spray or soak. Rinsing is not necessary on floors unless surface is to be waxed or polished.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Precautionary Statements

Hazards to Humans and Domestic Animals

DANGER

Corrosive: Causes eye damage and severe skin irritations. Do not get in eyes, on skin or on clothing. To protect eyes, wear goggles or face shield and skin with rubber gloves when handling the concentrate. Harmful or fatal if swallowed. Avoid contamination of food.

Kills HIV-1 (AIDS virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in healthcare settings or other settings if which there is an expected likelihood of soiling of inanimate surface/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS

Personal Protection: Disposable latex or vinyl gloves, goggles, face masks, or eye coverings as appropriate, must be worn during all cleaning, of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

Contact Time: Leave surfaces wet for 5 minutes. Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses claimed.

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.