



# matar<sup>®</sup> germicidal detergent

Pseudomonacidal, staphylocidal, salmonellacidal, fungicidal by the A.O.A.C. Use-Dilution Confirmation Test in soft or up to 500 ppm hard water (calculated as CaCO<sub>3</sub>), tuberculocidal and virucidal against Adenovirus Type 2, Herpes simplex, Influenza A2 and Vaccinia viruses on inanimate environmental surfaces.

A.O.A.C. Use-Dilution Confirmation Test: Kills *Salmonella choleraesuis*, *Staphylococcus aureus*, *Pseudomonas aeruginosa* ..... 1 to 256  
A.O.A.C. Tuberculocidal Activity Test: Kills *Mycobacterium tuberculosis var. bovis* (BCG) ..... 1 to 256  
A.O.A.C. Fungicidal Test: Kills *Trichophyton interdigitale* ..... 1 to 256

"Classified by Underwriters' Laboratories, Inc. as to electrical conductivity when used on conductive floors and spontaneous heating. See UL Index of Classified Products."

DILUTION: 1 to 256 (one-half ounce per gallon)

### DIRECTIONS

USE: Floor, furniture, porcelain, rubber, metals, walls, equipment, paint, plastic, tubing and basins.

APPLICATION: Apply with mop, sponge or cloth. Also spray or soak. For disinfecting, remove gross filth and heavy soil deposits, then thoroughly wet surfaces. Rinsing is not necessary on floors except if surface is to be waxed or polished.

ACTIVE INGREDIENTS: o-benzyl-p-chlorophenol, 9.12%; o-phenylphenol, 5.88%; isopropanol, 3.03%; p-tert-amylphenol, 2.97%; Tetrasodium ethylenediamine tetraacetate, 1.90% ..... 22.90

INERT INGREDIENTS: ..... 77.10

## DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Do not get in eyes or on skin. Causes skin and eye damage. Protect eyes with goggles or face shield and skin with rubber gloves when handling the concentrate. Harmful if swallowed. Cease use if irritation develops. Avoid contamination of food. Rinse empty container with water and discard it.

First-Aid: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Note to Physician: Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

E.P.A. Reg. No. 303-86 E.P.A. Est. No. 303-IN-1, PA-1, TX-1  
(see shoulder or bottom for plant identification number)



**HUNTINGTON LABORATORIES** INC  
P.O. Box 710, Huntington, IN 46750 • Lansdale, PA 19446 • Dallas, TX 75217

Huntington Laboratories, Inc.  
P.O. Box 710  
Huntington, Indiana 46750  
February 28, 1978

ACCEPTED  
14 APR 1978  
303 56