ACCEPTED 26 JAN 1973 303-86

UNDER THE FEDERAL DISECTION FUNCTION AND RODEN HOLDS AND FOR ECONOMIC POISON FLORENCE UNDER NO.



Pseudomonacidal, staphylocidal, salmonellacidal, fungicidal by the A.O.A.C. Use-Dilution Confirmation Test in soft or up to 500 ppm hard water (calculated as CaCO3), tuberculocidal and virucidal against Adenovirus Type 2, Herpes simplex, Influenza A2 and Vaccinia viruses on inanimate environmental surfaces.

A.O.A.C. Use-Dilution Confirmation Test: Kills Salmonella choleraesuis, Staphylococcus aureus, Pseudomonas aeruginosa 1 to 256 A.O.A.C. Tuberculocida) Activity Test: Kills Mycobacterium tuberculosis var-bovis (BCG) 110 256 A.O.A.C. Fungicidal Test: Kills Trichophylon interdigitate 1 to 256

"Classified by Underwriters' Laboratories, Inc. as to electrical conductivity when used on conductive floors and spontaneous heating. See UL Index of Classified Products."

DILUTION: 1 to 256

(one-half ounce per gallon)

DIRECTIONS
USE: Floors, furniture, porcelain, rubber, metals, walls, equipment, paint, plastic, tubing and basins.

APPLICATION: Apply with mop, sponge or cloth. Also spray or soak. For disinfecting, remove gross filth and heavy soils deposits, then thoroughly wet surfaces. Rinsing is not necessary on floors except if surface is to be waxed or polished.

For use in official establishments operating under the Federal Meat, Rabbit, Poultry, Shell 'agg Grading and Egg Products Inspection Programs, Matar is acceptable as a floor and wall reaner for use in all departments. Not for use on food contact surfaces. Before using Matar, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water.

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Do not get in eyes or on skin. Causes skin and eye damage. Protect eyes with goggles or face shield and skin with rubber gloves when handling the concentrate. Harmful if swallowed. Cease use it irritation develops. Avoid contamination of food. Rinse empty contaminer with water and discard it.

First-Ald: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Note to Physician: Probable niucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

E.P.A. Reg. No. 303-86 E.P.A Est. No. 303-IN-1, PA-1, TX-1 (see shoulder or bottom for plant identification number)

St.-III



HUNTINGTON LABORATORIES

THE RIGHT CHEMISTRY SINCE 1919
P.O. Box 710, Huntington, IN 46750 • Lansdale, PA 19446 • Dallas, TX 75217