
303-86 (H 32"





Pseudomonacidal, Staphylocidal, Salmonellacidal, Fungicidal, and Germicidal against Gram-positive and Gram-negative psthogens by the A.O.A.C. Use-Dilution Confirmation Test up to 500 ppm hard water (calculated as CaCO3) on hard, non-porous, inanimate surfaces.

Matar is a concentraled, multi-purpose germicidal detargent that disinfacts, cleans, and deodorizes. Matar is Bactericidal, Tuberculocidal, and Virucidal against Adenovirus Type 2, Influenza A2, Herpes simplex, and Vaccinia viruses on hard non-porous, inanimate surfaces.

"Classified by Underwriters Laboratories, Inc. as to electrical conductivity when used on conductive floors and spontaneous heating. See UL Index of Classified Products." DILUTION: 1 to 256 [one-half ounce pergellon]

former on the bar &

DIRECTIONS USE: Floors, furniture, porcelain, rubber, metals, walls, equipment, paint, plastic, tubing and basins.

APPLICATION: Apply with mop, sponge or cloth. Also spray or soak. For disinfecting, remove gross filth and heavy soils deposits, then thoroughly wet surfaces. Rinsing is not necessary on floors except if surface is to be waxed or polished.

For use in official establishments operating under the Federal Meat, Rabbit, Poultry, Shell Egg Grading and Egg Products Inspection Programs. Matar is acceptable as a floor and wall cleaner for use in all departments. Not for use on food contact surfaces. Before using Matar, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water.

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Do not get in eyes or on skin. Causes skin and eye damage. Protect eyes with goggles or face shield and skin with rubber gloves when handling the concentrate. Harmful it swallowed. Cease use if irritation develops. Avoid contamination of food. Rinse empty container with water and discard it.

First-Aid: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol, Call a physician immediately.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

E.P.A. Rog. No. 303-86 E.P.A. Est. No. 303-IN-1, PA-1, TX-1 (see shoulder or bollom for plant identification number)

SL-III



P.O. Box 710, Hunlington, IN 46750 + Lansdale, PA 19446 + Dallas, TX 75217

Received 5-7-79 NC 4

₹.