



Staphylocidal, pseudomonacidal, fungicidal and virucidal against many lipophilic viruses on environmental surfaces.

HI-TOR "a" is a product that harmoniously disinfects, cleans and deodorizes all in one operation. HI-TOR "a" is extremely economical when diluted according to directions. Recommended for use in hospitals, nursing homes, schools and other public institutions. HI TOR "a" kills a broad spectrum of pathogenic organisms on environmental surfaces. HI TOR "a" can be applied to food contact equipment as a sanitizer at 1 ounce per 6 gallons. No potable water rinse required. This product fulfills the criteria of Appendix F of the Grade 'A' Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in waters up to 250 ppm of hardness calculated as CaCO₃ when tested by the A.O.A.C. Germicidal and Detergent Sanitizers - Official Method. For disinfecting, use a solution of 1/2 ounce per gallon of water.

A.O.A.C. Use Dilution Confirmation Test:
Kills Salmonella choleraesuis, Staphylococcus aureus, Pseudomonas aeruginosa 1 to 256

A.O.A.C. Fungicidal Test:
Kills Trichophyton interdigitale 1 to 256

"Classified by Underwriters' Laboratories, Inc. as to electrical conductivity when used on conductive floors and spontaneous heating. See UL Index of Classified Products."

DILUTION: 1:256 (one-half ounce per gallon)
DISINFECTANT: 1:256 (one-half ounce per gallon)
SANITIZER: 1:768 (one ounce per 6 gallons)

DIRECTIONS

USE: Floors, walls, furniture, porcelain, rubber, thermometers, lensed instruments, metals, paint, plastic, tubing, basins, toilet seats, locker rooms and garbage pails.

APPLICATION: Apply with mop, sponge or cloth or soak. Rinsing is not necessary on floors, except if surface is to be waxed or polished. Thermometers must be rinsed after soaking. Not for use or storage in or around the home environment.

ACTIVE INGREDIENTS: n-Alkyl 60%, C14; 30%, C16; 5%, C18; 5%, C12) dimethyl benzyl ammonium chlorides 6.75%; n-Alkyl (68%, C12; 32%, C14) dimethyl ethylbenzyl ammonium chlorides 6.75%; Tetrasodium ethylene diamine tetraacetate 6.00%; Essential oils 0.20% 19.70%

INERT INGREDIENTS: (Inert ingredients include cleaning agents) 80.30%

DANGER: KEEP OUT OF REACH OF CHILDREN

CORROSIVE: Causes eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if taken internally. Avoid breathing spray mist. Use with adequate ventilation. Wash thoroughly after handling. Discontinue use if irritation develops. Avoid contamination of food. Keep container closed. Rinse empty container thoroughly with water and discard it. **FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg white, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

E.P.A. Reg. No. 303 94

St 250 ED2

303-94
ACCEPTED
March 13, 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. SUBJECT
ATTACHED COMMENTS.



Where research leads to better products

HUNTINGTON LABORATORIES, INC. • P. O. Box 710, Huntington, Indiana 46750

Dallas, Texas 75215 • Lansdale, Pennsylvania 19446 • Bramalea, Ontario LITHO IN U.S.A.