

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

303-216

APR 25 1985

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREГИSTRATION

NAME OF PESTICIDE PRODUCT

Firing Squad Flying Insect Killer

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Huntington Laboratories, Inc.
968 East Tipton Street
Huntington, IN 46750

161/145295-111
17/1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 303-216."
 - b. The precautionary statement should be revised to read something like the following:

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

4-25-85

is underway. After space spraying in plants, wash all equipment with potable water, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

CAUTION

Avoid contact with eyes, skin or clothing. Harmful if swallowed. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Cover fish aquariums before spraying. Do not use on edible crops.

FIRST AID: In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture. Do not use near heat or open flame. Exposure to temperatures above 130°F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not store near heat or open flame. Do not reuse empty container. *Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.*

Food Areas: Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation.

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

INDOORS: For use in household, commercial and institutional buildings, greenhouses and lathouses, campers, mobile homes, vehicles and boats, as listed, on front panel.

To Kill Flying Insects: Houseflies, mosquitoes, gnats (midges), deer flies, stable flies, flying moths (midgers), fruit flies — Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially window and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

To Kill Wasps, Hornets, Yellow Jackets, Bees: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible. Repeat if necessary.

To Kill Crawling Insects: Fleas, cockroaches, waterbugs, crickets, silverfish, earwigs, spiders, sowbugs, centipedes, millipedes, grain mites and grain insects (adults and accessible stages of confused flour beetles, red flour beetles, sawtoothed grain beetles, shiny spider beetles, carpet beetles, grain weevils, *Anisoplia* grain moths, Italian meal moth) — Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, storage areas and other insect harborage areas. Spray directly on insects where possible. Repeat as necessary.

Grain Insects: For control of the insect pests listed above, remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding in

homes, dispose of infested products. The shelves and drawers should be cleaned and thoroughly sprayed so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

To Kill Spiders: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

To Kill Ants: Spray doors, around window frames, ant trails and hills.

To Kill Bedbugs: Apply as a spot treatment to cracks and crevices around baseboards, bookboards, bedboards and walls. First thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

To Kill Fleas and Ticks on Dogs, Cats and Premises: Apply directly to animals along back, under forelegs, and on other areas except genital and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not spray directly in eyes or mouth of animal. Repeat within 24 hours of first treatment, if necessary. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary, thoroughly spraying floors, cracks, crevices and bedding. Kill as many insects directly as possible.

OUTDOORS: To kill houseflies, mosquitoes, gnats (midges), deer flies, stable flies, flying moths (midgers), fruit flies — Spray resting areas to reduce annoyance from these pests. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes, and grassy areas. Spray these areas with a slow motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. Treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

Wasps, hornets, yellow jackets, bees: Same as directed above for indoor use. APPLICATION SHOULD BE MADE LATE IN THE EVENING WHEN INSECTS ARE AT REST. Aim spray at nest, openings in ground, bushes, and in cracks and crevices which may harbor nests, saturating nest openings and contacting as many insects as possible. Repeat as necessary.

Ants and Fleas: Same as directed above for indoor use.

Crickets, silverfish, earwigs, spiders, sowbugs, centipedes and millipedes: Same as directed above for indoor use.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury, or damage, resulting from its misuse as such, or in combination with other materials.

HUNTINGTON LABORATORIES, INC., HUNTINGTON, IN 46750
Lansdale, PA 19446 • Dallas, TX 75227 • Hayward, CA 94540 • Bramalea, Ont.

Huntington



FLYING SQUAD FLYING INSECT KILLER

Flying Insects			Crawling Insects	
houseflies	stable flies	wasps	cockroaches	ants
mosquitoes	flying moths (midgers)	hornets	waterbugs	crickets
gnats (midges)	fruit flies	yellow jackets	bedbugs	silverfish
deer flies		bees	fleas	earwigs
			ticks	spiders

ACTIVE INGREDIENTS:

- *† Resmethrin (5-(phenylmethyl)-3-luranyl methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate)
- **d-trans Allethrin (allyl homolog of Cinerin I)

INERT INGREDIENTS

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70%
†U.S. Patent Nos. 3,465,007 and 3,542,928

**Bioallethrin
• Penick's SBP-1382® brand of resmethrin insecticide, Lyndhurst, NJ 07071

SHAKE WELL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 303-

EPA Est.

NET CONTENTS: 16 oz. (454 g.)