

1/303-244 PM 17

ACCEPTED
 JAN 9 1987
 Federal Insecticide, Fungicide, and Rodenticide Act
 for the pesticide
 303-24

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS**

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After spraying in plants, bakeries, and other food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

FIRST AID: In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture. Do not use near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: Do not store near heat or open flame. Do not reuse empty container. Replace cap, wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

Food Areas: Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation.

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

INDOORS: For use in household, commercial and institutional buildings, greenhouses and tallhouses, campers, mobile homes, vehicles and boats, as listed on front panel.

To Kill Flying Insects: Houseflies, mosquitoes, gnats (midges), deer flies, stable flies, flying moths (millers), fruit flies — Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially window and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

To Kill Wasps, Hornets, Yellow Jackets, Bees: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible. Repeat if necessary.

To Kill Crawling Insects: Fleas, cockroaches, waterbugs, crickets, silverfish, earwigs, spiders, sowbugs, centipedes, millipedes, grain mites and grain insects (adult and accessible stages of confused flour beetles, red flour beetles, sawtoothed grain beetles, shiny spider beetles, carpet beetles, grain weevils, Angoumois grain moths, Indian meal moths) — Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, storage areas and other insect harborage areas. Spray directly on insects where possible. Repeat as necessary.

Grain Insects: For Control of the insect pests listed above, remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Spray directly on exposed stages and into cracks and

crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleaned and thoroughly sprayed so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

To Kill Spiders: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

To Kill Ants: Spray doors, around window frames, ant trails and hills.

To Kill Bedbugs: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

To Kill Fleas and Ticks on Dogs, Cats and Puppies: Apply directly to animals along back, under forelegs, and on other areas except scrotum and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not spray directly in eyes or mouth of animal. Repeat within 24 hours of first treatment. If necessary. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary, thoroughly spraying floors, cracks, crevices and bedding. Hit as many insects directly as possible.

OUTDOORS: To Kill House Flies, Mosquitoes, Gnats (midges), Deer Flies, Stable Flies, Flying Moths (millers), Fruit Flies — Spray resting areas to reduce annoyance from these pests. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes, and grassy areas. Spray these areas with a slow motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. Treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

Wasps, Hornets, Yellow Jackets, Bees: Same as directed above for indoor use. **APPLICATION SHOULD BE MADE LATE IN THE EVENING WHEN INSECTS ARE AT REST.** Aim spray at nest, openings in ground, bushes, and in cracks and crevices which may harbor nests, saturating nest openings and contacting as many insects as possible. Repeat as necessary.

Ants and Flies: Same as directed above for indoor use.
Crickets, Silverfish, Earwigs, Spiders, Sowbugs, Centipedes and Millipedes: Same as directed above for indoor use.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established sale practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Sold by:
 Huntington Laboratories, Inc., Huntington, IN 46750
 (Condit, PA 10448 • Refco, TX 76227 • Orlund, CA 91421 • Bromley, Ont., Canada L8T 1E3)

Huntington



FLYING INSECT SQUAD
FLYING INSECT KILLER

A synthetic pyrethroid for controlling the following flying and crawling insects in and around households, greenhouses, buildings, vehicles, boats, kennels and stables.

Flying Insects			Crawling Insects		
houseflies	stable flies	wasps	cockroaches	ants	sowbugs
mosquitoes	flying moths (millers)	hornets	waterbugs	crickets	centipedes
gnats (midges)	(midges)	yellow jackets	bedbugs	silverfish millipedes	
deer flies	fruit flies	bees	fleas	earwigs	grain mites
			bats	spiders	grain insects

ACTIVE INGREDIENTS:

- *† Resmethrin [5-(phenylmethyl)-3-furanyl methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate] 0.200% w/w
- **d-trans Allethrin (allyl homolog of Cinerin I) 0.400%

INERT INGREDIENTS 99.400%
 100.000% w/w

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
 †U.S. Patent Nos. 3,465,007 and 3,542,928
 **Bioallethrin
 •Penck's SBP-1382® brand of resmethrin insecticide: Penck Corp., Lyndhurst, NJ 07071

SHAKE WELL BEFORE USING
 KEEP OUT OF REACH OF CHILDREN
CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 303-216
 EPA Est. No. 10900-0H-1
NET CONTENTS: 16 oz. (454 g.)