303 - 223

3/16/2000

12

BEAUCOUP

Germicidal Detergent

Cleans, Disinfects, Deodorizes Pleasant Fragrance PSEUDOMONACIDAL STAPHYLOCIDAL TUBERCULOCIDAL *VIRUCIDAL FUNGICIDAL

BEAUCOUP is a multi-purpose germicidal detergent tested by the AOAC Use-Dilution Method in the presence of 5% organic bioload (Fetal Bovine Serum). BEAUCOUP's formula disinfects, cleans and deodorizes in one labor-saving step.

BEAUCOUP is effective against the following pathogenic organisms:

Pseudomonas aeruginosa	Shigella flexneri
Salmonella choleraesuis	Streptococcus pyogenes
Staphylococcus aureus	Enterococcus faecalis
Pseudomonas cepacia	Proteus vulgaris
Proteus mirabilis	Klebsiella pneumoniae
Enterobacter cloacae	Enterobacter aerogenes
Candida abicans	Trichophyton mentagrophytes
Pseudomonas maltophilia (antibiotic resistant) HL-131	
Enterococcus faecalis (vancomycin resistant) ATCC 51299	
Staphylococcus aureus (methicillin resistant) ATCC 29213	
Staphylococcus aureus (vanco	omycin resistant) 523K
Staphylococcus epidermidis (antibiotic resistant) HL-123	

Salmonella typhi Salmonella typhimurium Serratia marcescens Clostridium difficle Escherichia coli Mycobacterium bovis Providencia rettgeri HL-92

*Newcastle Disease Virus *Adenovirus Type 2

*Rubella (German measles) *Herpes Simplex Type 1

(

*Influenza Type A (H3N2)

ACTIVE INGREDIENTS:		
o-phenylphenol	3.55%	
o-benzyl-p-chlorophenol p-tert-amylphenol INFRT INGREDIENTS	5.32%	
p-tert-amylphenol		
INERT INGREDIENTS		
TOTAL		
	302-222	
KEEP OUT OF PEACH OF CHU DREN		

*HIV-1 (AIDS Virus)

*Vaccinia

KEEP OUT OF REACH OF CHILDREN DANGER

(See side panel for additional precautionary and practical treatment statements)

EPA Reg. No. 303-223 EPA Est. 303-IN-1(L), 1677-IL-2(J), 1677-NJ-1(W), 1677-TX-1(D), 1677-GA-1(M), 1677-MN-1(P), 1677-CA-1(S), 1677-PR-1(B), 1677-OH-1(H) The superscript refers to the first letter of the date code.

Huntington Professional Products, A Service of Ecolab Inc.Net Contents:1 U. S. Gal./3.78 L370 N.Wabasha Street5 U.S Gal./18.9 LSt. Paul, MN 55102

STATEMENT OF PRACTICAL TREATMENT

In case of skin contact, wash thoroughly with soap and water. In case of eye contact, immediately flush eyes with water for 15 minutes and get prompt medical attention. If swallowed, promptly drink a large quantity of water. Avoid alcohol. Call a physician immediately.

X 44

Page 2

FOR EMERGENCY MEDICAL INFORMATION, CALL 1-800-328-0026

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE: Concentrate causes eye and skin damage. May be absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Use of rubber gloves is recommended when handling use solutions. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Harmful if swallowed.

ENVIRONMENTAL HAZARDS: (for 5 gallon and larger only)

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency. or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: (1 gl) Do not reuse empty containers. Wrap container and put in trash. (5 gl plastic) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke

(Reusable container statement) Container can be reused once the container is empty. Empty container of concentrate into dilution dispenser [specific equipment such as "Simplex dispenser" can be named to replace "dilution dispenser".] Dispenser will automatically dilute a sanitizer [or disinfectant] solution. Remove concentrate label. Refill container with use dilution of concentrate from the dispenser. Replace cap with spray nozzle provided. Place correct use dilution label on the spray bottle.

"Classified by Underwriters Laboratories Inc.®, as to electrical conductivity when used on conductive floors and spontaneous heating. BEAUCOUP for use with listed electrically conductive flooring of the vinyl type." 378Y

BEAUCOUP label

ſ

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling. **FOR DISINFECTING:**

USES: For use on hard, non-porous surfaces such as floors, walls, metal surfaces, painted surfaces, exterior bowl surfaces, empty basins, showers, conductive flooring and lavatory fixtures. For use in hospitals and nursing homes, schools and colleges, medical and dental offices, farm premises and veterinary clinics.

APPLICATION: Use 1 ounce of BEAUCOUP per gallon of water for a minimum contact time of 10 minutes in a single application. For disinfecting, remove gross filth and heavy soil deposits, then thoroughly wet surfaces. BEAUCOUP is a multi-purpose germicidal detergent and can be applied with a mop, sponge or cloth; or by soaking. The recommended use solution is used once and discarded. Rinsing is not necessary on floor surfaces unless floors are to be waxed or polished.

TUBERCULOCIDAL: This product is tuberculocidal diluted 2 ounces per gallon of water with a 10 minutes contact time at 20°C. Apply as directed above.

*KILLS HIV-1 (AIDS VIRUS) ON PRE-CLEANED ENVIRONMENTAL

SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for the transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Disposable latex or vinyl gloves, gowns faces masks, or eye coverings must be worn during all cleaning of body fluids, blood, and decontamination procedures.

CLEANING PROCEDURE: Blood/body fluids must be thoroughly cleaned from surfaces and objects before application of BEAUCOUP. This cleaning may be accomplished with any cleaning solution, including this product.

CONTACT TIME: 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

DISINFECTION OF BARBER AND BEAUTYSHOP INSTRUMENTS AND TOOLS

Thoroughly pre-clean instruments/tools. Use dilution rate is 1:128 (1/4 oz. per 32 oz. of water or 8 ml. per liter of water) Completely immerse brushes, combs, shears, clipper blades, razors, tweezers, manicure and other shop tools for 10 minutes at room temperature (or as required by local authorities). After disinfection, remove instruments and rinse thoroughly and let dry. Fresh solution should be prepared daily, or more often if solution becomes diluted or soiled. Prolonged soaking may cause damage to metal instruments.

44

[Can be used as an insert or hang tag or place on label.]

4 7 4

Page 4

DIRECTIONS FOR USE ON FARM PREMISES:

- 1. Do not use in milking stalls, milking parlors, or milk houses.
- 2. Remove all animals and feeds from premises, trucks, coops, crates, and enclosures.
- 3. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals.
- 4. Empty all troughs, racks, and other feeding and watering appliances.
- 5. Thoroughly clean all surfaces with soap or detergent and rinse with water.
- 6. Saturate all surfaces with the recommended disinfecting solution for a period of 10 minutes.
- 7. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.
- 8. Ventilate buildings, coops, cars, boats, and other closed spaces. Do not house poultry, livestock or employ equipment until treatment has been absorbed, set, or dried.
- 9. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

(Refer to label for precautionary and practical treatment statements.)

EPA Reg. No. 303-223