303-225

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

MAY 26 2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Theodore D. Head Ecolab Inc. 370 N. Wabasha Street St. Paul, MN 55102

Subject: Beaucoup Germicidal Detergent EPA Registration No. 303-223 Application Date: January 5, 2011 Receipt Date: Januray 10, 2011

Dear Mr. Head:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) 3 (c) 7 A as amended, is accepted.

Proposed Amendment:

Add Influenza A Virus and Human Coronovirus

Data Summary

Data Requirement	Means of Support	Status
Influenza A virus	Submitted study, MRID 483478-01	Acceptable, 1:128 @ 1 min
Human Coronavirus	Submitted study, MRID 483478-02	Acceptable, 1:128 @ 2 min

General Comments

A stamped label is enclosed for your records. Submit (1) one final printed label bearing the revised labeling prior to selling or distributing the product.

Should you have any questions concerning this letter, you may contact me by telephone at (703) 308-6416 or by e-mail at <u>campbell-mcfarlane.jacqueline@epa.gov</u> or Stacey Grigsby by telephone at (703) 305-6440 or by email at <u>grigsby.stacey@epa.gov</u> during the hours of 8:00 am to 4:00 pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

	Sincerely	
	CONCUBRENCES / MARY	
SYMBOL	Juch IIIM	
SURNAME	Product Manager (34)	
DATE	Regulatory Management Branch I	
EPA Form 1320-1A (1/90)	Printed on Recycled Paper	OFFICIAL FILE COPY

BEAUCOUP Germicidal Detergent MAY 2 6 2011

		asaminagranoces aces as a sub-
		PL Manuel, registered under
ACTIVE INGREDI	ENTS:	-303
o-phenylphenol		
	phenol	
	ENTS:	
TOTAL:		

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive: Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid or athing spray mist. Wear goggles, safety glasses or face shield, protective clothing and chemioal resistant gloves when handling. Wash hands before eating, drinking, chewing gum, using tobacco or using the total Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Handlers must wear long-sleeved shirt and long pants, shoes plus socks, goggles or face shields, and chemical resistant gloves (such as barrier laminate or butyl rubber, nitirile rubber, neoprene rubber, polyvinyl chloride, or viton at \geq 14 mils).

Users must remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and put on clean clothing.

Follow manufacturers' instructions for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If the person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE 1-800-328-0026

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

ENVIRONMENTAL HAZARDS: (for 5 gallon or greater) Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

1/3/2011

cecce

PSEUDOMONACIDAL STAPHYLOCIDAL VIRUCIDAL* FUNGICIDAL

BEAUCOUP GERMICIDAL DETERGENT is a multi-purpose germicidal detergent tested by the AOAC Use-Dilution Method in the presence of 5% organic bioload (Fetal Bovine Serum).

BEAUCOUP GERMICIDAL DETERGENT's formula disinfects, cleans and deodorizes in one laborsaving step.

BEAUCOUP GERMICIDAL DETERGENT is effective against Norovirus (Norwalk-like virus) at a e dilution of 2 oz per gallon of water when the treated surface is allowed to remain ພໍ່ຍໍ້ ໂດ້ 10 minutes.

BEAUCOUP GERMICIDAL DETERGENT is effective at the following contact times when diluted at 1 oz per gallon of water against the following pathogenic organisms:

	10 minutes:	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			
Pseudomonas aeruginosa ATCC 1	5442	Pseudomonas cepacia ATCC 25509:			
Staphylococcus aureus ATCC 653	8	Klebsiella pneumoniae ATCC 4352			
Salmonella enterica ATCC 10708		Salmonella typhimurium ATCC 14028.			
Salmonella Typha ATCC 6539		Serratia marcescens ATCC 8100			
Shigella flexneri ATCC 12022		Streptococcus pyogenes ATCC 19615			
Enterococcus faecalis ATCC 1943	3	Enterobacter cloacae ATCC 13047			
Enterobacter aerogenes ATCC 13	048	Candida albicans ATCC 10231			
Proteus vulgaris ATCC 13315					
Proteus mirabilis ATCC 25933		Providencia rettgeri HL-92			
Escherichia coli ATCC 11229	· · · ·	Trichophyton mentagrophytes ATCC 9533			
Pseudomonas maltophilia (antibiotic resistant) HL-131					
Enterococcus faecalis (vancomycin resistant) ATCC 51299					
Staphylococcus aureus (methicillin resistant) ATCC 29213					
Staphylococcus aureus (vancomycin resistant) 523K					
Staphylococcus epidermidis (antibiotic resistant) HL-123					
*Influenza Type A <i>Virus</i> (H3N2)	*HIV-1 (AIDS Virus)	*Newcastle Disease Virus			
*Rubella <i>Virus</i> (German measles)	*Vaccinia Virus	*Adenovirus Type 2			
*Herpes Simplex Virus Type 1	*Human Coronavirus	*Influenza A virus			

This product is effective against *Feline Calicivirus (surrogate for Norovirus) at 2 oz per gallon of water when the treated surface is allowed to remain wet for 10 minutes.

2 minutes: *Human Coronavirus

1 minute: *Influenza A *Virus*

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS

Do not apply this product in a way that will contact other persons. Only protected handlers may be in the area during application. Following application as a low-pressure or high-pressure spray, do not enter or allow others to enter until sprays have dried.

1/3/2011

FOR DISINFECTING

USES: For use in hospitals and nursing homes, medical and dental offices, schools and colleges, ships, beauty salons, barber shops, farm premises and veterinary clinics. For use on washable hard, nonporous surfaces such as floors, walls, finished woodwork, chairs, countertops, fixtures, cabinets, cages, kennel runs, examining tables, surfaces made of vinyl, plastic, metal, stainless steel and other hard, non-porous surfaces.

APPLICATION: Use 1 ounce of *BEAUCOUP GERMICIDAL DETERGENT* per gallon of water for a minimum contact time of 10 minutes in a single application. Use 2 ounces per gallon of water for Feline Calicivirus (surrogate for Norovirus). For disinfecting, remove gross filth and heavy soil deposits, then thoroughly wet surfaces. *BEAUCOUP GERMICIDAL DETERGENT* is atmultipurpose germicidal detergent and can be applied with a mop, sponge or cloth, or also by soaking. The use solution is used once and discarded. Rinsing is not necessary on floor surfaces unfaces unfaces to be waxed or polished.

BEAUCOUP GERMICIDAL DETERGENT is not to be used as a terminal sterilant/high level, disinfectant on any surface or instrument that (1) is introduced directly into the human body feither into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

TUBERCULOCIDAL: This product is tuberculocidal against *Mycobacterium bovis* when diluted 2 ounces per gallon of water with a 10 minutes contact time at 20°C. Apply as directed above.

*KILLS HIV-1 (AIDS VIRUS) ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS

PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for the transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Disposable latex or vinyl gloves, gowns, face masks, and eye coverings must be worn during all cleaning of body fluids, blood, and decontamination procedures.

CLEANING PROCEDURE: Blood/body fluids must be thoroughly cleaned from surfaces and objects before application of *BEAUCOUP GERMICIDAL DETERGENT*. This cleaning may be accomplished with any cleaning solution, including this product.

CONTACT TIME: 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

DISINFECTION OF BARBER AND BEAUTYSHOP INSTRUMENTS AND TOOLS

Thoroughly pre-clean instruments/tools. Use dilution rate is 1:128 (1/4 oz. per 32 oz. of water or 8 ml. per liter of water). Completely immerse brushes, combs, shears, clipper blades, razors, tweezers,

manicure and other shop tools for 10 minutes at room temperature (or as required by local authorities). After disinfection, remove instruments and rinse thoroughly and let dry. Fresh solution must be prepared daily, or more often if solution becomes diluted or soiled. Prolonged soaking may cause damage to metal instruments.

DISINFECTION AND DEODORIZING OF ANIMAL HOUSING FACILITIES (BARNS, KENNELS, CAGES, HUTCHES):

- 1. Do not use in milking stalls, milking parlors, or milk houses.
- 2. Remove all animals and feeds from premises, trucks, coops, crates, and enclosures.
- 3. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals.
- 4. Empty all troughs, racks, and other feeding and watering appliances.
- 5. Thoroughly clean all surfaces with soap or detergent and rinse with water.
- 6. Saturate all surfaces with a use solution of 1 oz. per gallon of water for 10 minutes for all organisms listed on the label (2 ozs. per gallon for Feline Calicivirus (Norovirus) for a period of 10 minutes.
- 7. Immerse all halters, ropes, and other types of equipment used in handling animals, as well as forks, shovels, and scrapers used for removing litter and manure.
- 8. Ventilate buildings, coops, cars, boats, and other closed spaces. Do not house poulty, ecco
- 9. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store unmixed concentrate in a cool, dark, dry place in the original container. Always replace cover.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

EPA Reg. No. 303-223 EPA Est. 303-IN-1(L), 1677-IL-2(J), 1677-NJ-1(W), 1677-TX-1(D), 1677-GA-1(M), 1677-MN-1(P), 1677-CA-1(S), 1677-OH-1(H), 1677-CA-2(R), 1677-WV-1(V) The superscript refers to the first letter of the date code.

Net Contents: 1 U. S. Gal. (3.78 L) 5 U.S Gal. (18.9 L)

Huntington Professional Products A Service of Ecolab Inc. 370 North Wabasha Street St. Paul, MN 55102

Optional Marketing Language:

- Respiratory illnesses attributable to Pandemic 2009 H1N1are caused by influenza A virus. This
 product is a broad-spectrum hard surface disinfectant that has been shown to be effective
 against (influenza A virus tested and listed on the label) and is expected to inactivate all
 influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.
- This product has demonstrated effectiveness against (influenza A virus tested and listed on the label) and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).
 Kills Pandemic 2009 H1N1 influenza A virus.
 Kills Pandemic 2009 H1N1 influenza A virus.