

# MATAR II

Product Number 102613

- Cleans, Disinfects, Deodorizes
- Pleasant Fragrance

### ACTIVE INGREDIENTS:

o-phenylphenol	5.88%
o-benzyl-p-chlorophenol	9.12%
p-tert-arylphenol	2.97%
<b>INERT INGREDIENTS:</b>	<b>82.03%</b>
Total	100.00%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER ACCEPTED**

(See side panel for additional precautionary statements and practical treatment statements) 5 1995

**CONTENTS ONE GALLON (3.785 Liters)**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 303-225

**DILUTION: 1 to 256 ..... ONE-HALF OUNCE PER GALLON**  
**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

### FOR DISINFECTING

**USES:** For use on hard, non-porous surfaces such as floors, walls, metal surfaces, painted surfaces, exterior bowl surfaces, empty basins, showers, conductive flooring, and lavatory fixtures. For use in hospitals and living homes, schools and colleges, medical and dental offices, farm premises, and veterinary clinics.

**APPLICATIONS:** Use 1/2 ounce of MATAR II per gallon of water for a minimum contact time of 10 minutes in a single application. For disinfecting, remove gross filth and heavy soil deposits, then thoroughly wet surfaces.

MATAR II is a multi-purpose germicidal detergent and can be applied with a mop, sponge, or cloth; or by soaking. The recommended use solution is used once and discarded. Rinsing is not necessary on floor surfaces unless floors are to be waxed or polished. Tuberculocidal effectiveness in 10 minutes at 20°C when used at a dilution of 1/2 ounce per gallon of water.

**KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

### SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS

**PERSONAL PROTECTION:** Intact latex or intact vinyl gloves must be worn during all cleaning of body fluids and decontamination procedures.

**CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of MATAR II. This cleaning may be accomplished with any cleaning solution including this product.

**CONTACT TIME:** HIV-1 (AIDS Virus) is inactivated after five (5) minutes of contact at 25°C. Use a 10 minute contact time at 20°C for all other viruses and bacteria claimed.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

### PSEUDOMONACIDAL STAPHYLOCIDAL TUBERCULOCIDAL \*VIRUCIDAL FUNGICIDAL

MATAR II is a multi-purpose germicidal detergent tested by the AOAC Use-Dilution Method in 400 ppm hard water (calculated as CaCO<sub>3</sub>) in the presence of 5% organic bioload (Fetal Bovine Serum).

MATAR II's formula disinfects, cleans, and deodorizes in one labor-saving step. MATAR II is effective against the following pathogenic organisms:

- |                         |                             |
|-------------------------|-----------------------------|
| Pseudomonas aeruginosa  | Trichophyton mentagrophytes |
| Enterobacter aerogenes  | Candida albicans            |
| Escherichia coli        | †Staphylococcus aureus      |
| †Proteus mirabilis      | Streptococcus pyogenes      |
| Shigella flexneri       | Streptococcus faecalis      |
| Serratia marcescens     | **Pseudomonas maltophilia   |
| Salmonella choleraesuis | *Rubella (German measles)   |
| †Enterobacter cloacae   | *HIV-1 (AIDS virus)         |
| Klebsiella pneumonia    | *Adenovirus Type 2          |
| Proteus vulgaris        | *Herpes Simplex Type 1      |
| Salmonella typhimurium  | *Influenza Type A/Mich      |
| Salmonella typhi        | *Vaccinia                   |
| Pseudomonas cepacia     | *Newcastle Disease virus    |
| **Enterococcus sp.      | *Canine parvovirus          |
| Providencia rettgeri    | *Human rhinovirus Type 38   |
| Mycobacterium bovis     | *Polio I virus              |

\*†Tested against antibiotic resistant strain only

†Tested against standard ATCC strains and antibiotic resistant strains.

\*Classified by Underwriters Laboratories, Inc.\* as to electrical conductivity when used on conductive floors and spontaneous heating. MATAR II for use with listed electrically conductive flooring of the vinyl type." 378Y

EPA Reg. No. 303-225 EPA Est. No. 303-IN-1

For product information call 1-800-537-5724  
In Canada call collect 1-800-465-LABS

Huntington Laboratories, Inc. Huntington, IN 46750  
Lansdale, PA 19446 · Dallas, TX 75227  
Oakland, CA 94621 · Bramalea, Ontario, Canada L6T 1E3

### STATEMENT OF PRACTICAL TREATMENT

In case of skin contact, wash thoroughly with soap and water. In case of eye contact, immediately flush eyes with water for 15 minutes and get prompt medical attention. If swallowed, drink promptly large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### DANGER

Corrosive. Concentrate causes eye and skin damage. May be absorbed through the skin. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Harmful if swallowed. Avoid contamination of food, water, or feed.

#### ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

## STORAGE AND DISPOSAL

#### PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

#### PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or runate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL

Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, burn. If burned, stay out of smoke.

## MATAR II

DILUTION: 1:256 ..... 1/2 OUNCE PER GALLON

### DIRECTIONS FOR USE ON FARM PREMISES

1. Do not use in milking stalls, milking parlors, or milk houses.
2. Remove all animals and feeds from premises, trucks, coops, crates, and enclosures.
3. Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, and other facilities and fixture occupied or traversed by animals.
4. Empty all troughs, racks, and other feeding and watering appliances.
5. Thoroughly clean all surfaces with soap or detergent and rinse with water.
6. Saturate all surfaces with the recommended disinfecting solution for a period of 10 minutes.
7. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.
8. Ventilate buildings, coops, cars, boats, and other closed spaces. Do not house poultry, livestock, or employ equipment until treatment has been absorbed, set, or dried.
9. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

(Refer to label for precautionary and practical treatment statements.)

020195